

Appendix 1: List of lichenized, lichenicolous and allied fungi reported from South Africa

Acanthothecis Clem. (1909)	
dialeuroides Kalb & Staiger	Kalb et al. 2009
Acarospora A. Massal. (1852)	
¹ bella (Nyl.) Jatta	Doidge 1950
bylilii H. Magn.	Doidge 1950
calviniensis H. Magn.	Doidge 1950
capensis Zahlbr.	Doidge 1950
cervina A. Massal.	Doidge 1950
deserticola Zahlbr.	Doidge 1950
insculpta H. Magn.	Doidge 1950
intrusa H. Magn.	Doidge 1950
laevigata H. Magn.	Doidge 1950
longispora H. Magn.	Doidge 1950
lucida H. Magn.	Doidge 1950
luederitzensis H. Magn.	Doidge 1950
macrospora (Hepp) Bagl.	Doidge 1950
meridionalis H. Magn.	Doidge 1950
negligens H. Magn.	Doidge 1950
ochrophaea H. Magn.	Doidge 1950
porinoides (Stizenb.) Zahlbr.	Doidge 1950
schleicheri (Ach.) A. Massal.	Almborn 1988b
socialis H. Magn.	Doidge 1950
subbadia H. Magn.	Doidge 1950
subochracea H. Magn.	Doidge 1950
subtersa H. Magn.	Doidge 1950
tenuis (Vain.) H. Magn.	Doidge 1950
thaeodes A. Massal.	Doidge 1950
<i>Lecanora thaeodes</i> (A. Massal.) Stizenb.	
<i>Placodium thaeodes</i> (A. Massal.) Müll. Arg.	
¹ Doubtful, but det. Vainio, and also reported from Namibia (Brusse 1988e).	
Acroscyphus Lév. (1846)	
sphaerophoroides Lév.	Brusse 1989c
Aderkomyces Bat. (1961)	
albostrigosus (R. Sant.) Lücking, Sérus. & Vézda	Brusse 1988e
<i>Tricharia albostrigosa</i> R. Sant.	
Allarthothelium (Vain.) Zahlbr. (1908)	
minimum Vain.	Doidge 1950
Amandinea M. Choisy ex Scheid. & H. Mayrhofer (1993)	
brugierae (Vain.) Marbach	Doidge 1950, Marbach 2000
<i>Buellia brugierae</i> Vain.	
natalensis (Vain.) Marbach	Doidge 1950, Marbach 2000
<i>Buellia natalensis</i> Vain.	
¹ punctata (Hoffm.) Coppins & Scheid.	Doidge 1950, Almborn 1960,
<i>Buellia punctata</i> (Hoffm.) A. Massal.	Almborn 1988b
INC.: <i>Buellia punctata</i> f. <i>marcidula</i> Zahlbr.	
INC.: <i>Buellia punctata</i> f. <i>punctiformis</i> Hazsl.	
xylographella (Nyl.) Marbach	Marbach 2000
¹ At least one record (from Western Cape) is on granite and is possibly <i>A. pelidna</i> (Ach.) Fryday & Arcadia.	
Anaptychia Körb. (1848)	
ciliaris Ach.	Galloway 1995
corallophora (Taylor) Vain.	Doidge 1950
granulifera A. Massal.	Doidge 1950
obesa Zahlbr.	Doidge 1950
AS: <i>A. obesa</i> Zahlbr. f. <i>caesiocrocata</i> Zahlbr.	
palpebrata Vain.	Doidge 1950
Anthracothecium Hampe ex A. Massal. (1860)	
biferum Zahlbr.	Doidge 1950
duplicans (Nyl.) Müll. Arg.	Doidge 1950
thwaitesii (Leight.) Müll. Arg.	Doidge 1950
variolosum (Pers.) Müll. Arg.	Doidge 1950

Arctomia Th. Fr. (1860)	
musciola A. L. Sm.	Doidge 1950
Arctoparmelia Hale (1986)	
centrifuga (L.) Hale	Doidge 1950
<i>Parmelia centrifuga</i> (L.) Ach.	
Arthonia Ach. (1806)	
angulata Fée	Doidge 1950
angulosa Müll. Arg.	Doidge 1950
*anjutii S.Y. Kondr. & Alstrup	Kondratyuk 1996
atra (Pers.) A. Schneid.	Doidge 1950, Galloway 1995
<i>Opegrapha atra</i> Pers.	
brussei Egea & Torrente	Egea & Torrente 1996,
<i>A. capensis</i> Egea & Torrente <i>non</i> Stizenb.	Egea & Torrente 1997
calospora Müll. Arg.	Doidge 1950
cinnabarina (DC.) Wallr.	Doidge 1950
circumscissa G. Merr.	Doidge 1950
hormidiella Stirt.	Doidge 1950
lecideicarpa Zahlbr.	Doidge 1950
mira R. Sant.	Brusse 1988e, Farkas, 2004
nana Stizenb.	Doidge 1950
oblongula Müll. Arg.	Doidge 1950
palmicola Ach.	Doidge 1950
polymorpha Ach.	Doidge 1950
<i>Opegrapha polymorpha</i> (Ach.) Tuck.	
propinqua Nyl.	Doidge 1950
pyrenuloides Müll. Arg.	Doidge 1950
rubrofuscens Vain.	Doidge 1950
*sytnikii S.Y. Kondr. & Kärnefelt	Kondratyuk 2002
trilocularis Müll. Arg.	Brusse 1988e
variabilis Müll. Arg.	Doidge 1950
Arthopyrenia A. Massal. (1852)	
alboatra (Kremp.) Müll. Arg.	Doidge 1950
analepta (Ach.) A. Massal.	Doidge 1950
<i>A. fallax</i> (Nyl.) Arnold	
capensis Zahlbr.	Doidge 1950
cinchonae (Ach.) Müll. Arg.	Doidge 1950
INC.: <i>A. cinchonae</i> var. <i>fumida</i> (Stizenb.) Zahlbr.	
knysnana Zahlbr.	Doidge 1950
leucanthes Zahlbr.	Doidge 1950
norata A. Massal.	Doidge 1950
paraphysata Zahlbr.	Doidge 1950
pruinogrisea (C. Knight) Müll. Arg.	Doidge 1950
recepta Müll. Arg.	Doidge 1950
simulans Müll. Arg.	Doidge 1950
<i>Verrucaria simulans</i> (Müll. Arg.) Stizenb.	
Arthothelium A. Massal. (1852)	
abnorme (Ach.) Müll. Arg.	Doidge 1950
albidum Müll. Arg.	Doidge 1950
<i>Arthonia albida</i> (Müll. Arg.) Willey	
album Zahlbr.	Doidge 1950
argenteum (Stizenb.) Zahlbr.	Doidge 1950
consanguineum Müll. Arg.	Doidge 1950
<i>Arthonia consanguinea</i> (Müll. Arg.) Willey	
fusco-nigrum (Nyl.) Müll. Arg.	Doidge 1950
melanopsis (Stirt.) Zahlbr.	Doidge 1950
michylum Vain.	Doidge 1950
obvelatum Müll. Arg.	Doidge 1950
<i>Arthonia obvelata</i> (Müll. Arg.) Willey	
phaeosporum Zahlbr.	Doidge 1950
psyllodes Zahlbr.	Doidge 1950
INC: <i>A. psyllodes</i> var. <i>precursum</i> Zahlbr.	
violascens (Flot.) Zahlbr.	Doidge 1950
Arthrorhaphis Th. Fr. (1860)	
citrinella (Ach.) Poelt	Brusse 1988e,

Aspicilia A. Massal. (1852)	
cinerea (L.) Körb.	Doidge 1950
<i>Lecanora cinerea</i> (L.) Sommerf.	
subdepressa (Nyl.) Arnold	Doidge 1950
<i>Lecanora subdepressa</i> Nyl.	
Asterothyrium Müll. Arg. (1890)	
rotuliforme (Müll. Arg.) Sérus. & J.R. De Sloover	Brusse 1988e
Aulaxina Fée (1825)	
dictyospora R. Sant.	Brusse 1988e
quadrangula (Stirt.) R. Sant.	Brusse 1988e, Farkas, 2004
Bacidia De Not. (1846)	
aemula (Stizenb.) Zahlbr.	Doidge 1950
amylothelia Vain.	Doidge 1950
beckhausii (Stizenb.) Körb.	Doidge 1950
INC.: <i>B. beckhausii</i> var. <i>stenospora</i> f. <i>acutata</i> Zahlbr.	
capreolina (Stizenb.) Zahlbr.	Doidge 1950
caruncula (Stizenb.) Zahlbr.	Doidge 1950
chlorophaea (Nyl.) Zahlbr.	Doidge 1950
cyrtocella (Stizenb.) Zahlbr.	Doidge 1950
effusa (Sm.) Trevis.	Doidge 1950
AS: <i>B. effusa</i> var. <i>intermedia</i> Zahlbr.	
endoleucella (Stizenb.) Zahlbr.	Doidge 1950
epicyanea Vain.	Doidge 1950
friesiana (Hepp) Anzi	Doidge 1950
AS: <i>B. friesiana</i> var. <i>norrinii</i> Vain.	
heteroloma (Vain.) Zahlbr.	Doidge 1950
INC.: ¹ <i>B. heteroloma</i> f. <i>firmior</i> Vain.	
inconsequens (Nyl.) Zahlbr.	Doidge 1950
inconveniens (Nyl.) Zahlbr.	Doidge 1950
intermedia Hampe ex A. Massal.	Doidge 1950
laurocerasi (Delise ex Duby) Zahlbr.	Doidge 1950
<i>B. endoleuca</i> (Nyl.) J. Kickx f.	
leucostephana (Stizenb.) Zahlbr.	Doidge 1950
medialis (Tuck.) Zahlbr.	Doidge 1950
millegrana (Taylor) Zahlbr.	Doidge 1950
polychroa (Th. Fr.) Körb.	Doidge 1950
<i>B. fuscobella</i> (Hoffm.) Bausch	
proposita (Nyl.) Zahlbr.	Doidge 1950
rubella (Hoffm.) A. Massal.	Doidge 1950
<i>B. luteola</i> (Ach.) Mudd.	
INC.: <i>B. luteola</i> f. <i>conspiciens</i> Zahlbr.	
rufata (Stizenb.) Zahlbr.	Doidge 1950
stuppea (A. Massal.) Zahlbr.	Doidge 1950
subluteola (Nyl.) Zahlbr.	Doidge 1950
subspadicea (Müll. Arg.) Zahlbr.	Doidge 1950
trifaria (Stizenb.) Zahlbr.	Doidge 1950
¹ Not in Index Fungorum (? nomen nudum).	
Bacidina Vězda (1991)	
apiahica (Müll. Arg.) Vězda	Brusse 1991b, Farkas 2004
<i>Bacidia apiahica</i> (Müll. Arg.) Zahlbr.	
pallidocarpa (Müll. Arg.) Vězda	Brusse 1991c, Farkas 2004
Baculifera Marbach & Kalb (2000)	
cinereocincta Müll. Arg.	Marbach 2000
<i>Buellia cinereocincta</i> Müll. Arg.	
micromera (Vain.) Marbach	Doidge 1950, Marbach 2000
<i>Buellia micromera</i> Vain.	
Biatora Fr. (1817)	
vernalis (L.) Fr.	Doidge 1950
<i>Lecidea vernalis</i> (L.) Ach.	
Biatorella De Not. (1846)	
armstrongiae (T.A. Jones) Zahlbr.	Doidge 1950
clavulus (Stizenb.) Zahlbr.	Doidge 1950
lugens (Stizenb.) Zahlbr.	Doidge 1950
palmeti (Stizenb.) Zahlbr.	Doidge 1950

robinians (Stizenb.) Zahlbr.	Doidge 1950
Bilimbia De Not. (1846)	
sabuletorum (Schreb.) Arnold	Doidge 1950
<i>Bacidia sabuletorum</i> (Schreb.) Lettau	
<i>Mycobilimbia sabuletorum</i> (Schreb.) Hafellner	
¹ Blastenia A. Massal. (1852)	
acaciae (Vain.) Zahlbr.	Doidge 1950
aspicilioidea Zahlbr.	Doidge 1950
brunnthaleri Zahlbr.	Doidge 1950
imponens (Stizenb.) Zahlbr.	Doidge 1950
laingsburgensis Zahlbr.	Doidge 1950
ochracea Schaer.	Doidge 1950
AS: <i>B. ochracea</i> var. <i>parvula</i> (Stizenb.) Zahlbr.	
Xanthocarpia ochracea (Schaer.) A. Massal. & De Not.	
praemicans (Nyl.) Zahlbr.	Doidge 1950
psorothecioides (Vain.) Zahlbr.	Doidge 1950
punicae (Vain.) Zahlbr.	Doidge 1950
sedutrix (Stizenb.) Zahlbr.	Doidge 1950
subsalicina Zahlbr.	Doidge 1950
testaceorufa (Vain.) Zahlbr.	Doidge 1950
vasquesia A. Massal.	Doidge 1950
¹ See Results (The Current List).	
Brigantiaea Trevis. (1853)	
fuscolutea (Dicks.) R. Sant.	Doidge 1950
<i>Lopadium fuscoluteum</i> (Dicks.) Mudd.	
leucoxantha (Spreng.) R. Sant.	Doidge 1950
<i>Lopadium leucoxanthum</i> (Spreng.) Zahlbr.	
mariae Trevis.	Doidge 1950
<i>Lopadium mariae</i> (Trevis.) Zahlbr.	
Bryoria Brodo & D. Hawksw. (1977)	
fuscens (Gyeln.) Brodo & D. Hawksw.	Kärnefelt 1987b
Bullatina Vězda & Poelt (1987)	
viridis Brusse	Brusse 1992, Farkas 2004
? <i>Calenia nonospora</i> Vězda	
Buellia De Not. (1846)	
aethalea (Ach.) Th. Fr.	Doidge 1950
<i>B. verruculosa</i> (Sm.) Mudd	
aethaloessa (Stizenb.) Zahlbr.	Doidge 1950
africana (Tuck.) Tuck.	Doidge 1950
albula Müll. Arg.	Doidge 1950
ambuta (Stizenb.) Zahlbr.	Doidge 1950
<i>B. ambusta</i> Zahlbr.	
anatolodia A. Massal.	Doidge 1950
aequata (Ach.) Szatala	Doidge 1950
<i>B. punctata</i> var. <i>aequata</i> (Ach.) Zahlbr.	
brunnthaleri Zahlbr.	Doidge 1950
<i>B. angulosa</i> J. Steiner, non B. de Lesd.	
callaina (Stizenb.) Zahlbr.	Doidge 1950
callisporina C.W. Dodge	Doidge 1950
<i>B. callisporoides</i> Vain. (nom illegit.)	
cangoensis Vain.	Doidge 1950
coeruleata (Stizenb.) Zahlbr.	Doidge 1950
contingens (Nyl.) Zahlbr.	Doidge 1950
dialytella Vain.	Doidge 1950
diorista (Nyl.) Zahlbr.	Doidge 1950
disciformis (Fr.) Mudd.	Doidge 1950
INC.: <i>B. disciformis</i> var. <i>cinereopruinosa</i> Vain.	
<i>B. disciformis</i> var. <i>lecanactina</i> J. Steiner	
(<i>B. lecanactina</i> (J. Steiner) C.W. Dodge)	
<i>B. disciformis</i> var. <i>sanguinea</i> (Müll. Arg.) Zahlbr.	
¹ discolorans Zahlbr	Doidge 1950
dispersa A. Massal.	Doidge 1950
distragens Vain.	Doidge 1950
distrata (Nyl.) Zahlbr.	Doidge 1950

durbana Vain.	Doidge 1950
<i>Diplotomma durbanum</i> (Vain.) C.W. Dodge	
endorhodina Vain.	Doidge 1950
<i>Diplotomma endorhodinum</i> (Vain.) Szatala	
epichlora (Vain.) Zahlbr.	Doidge 1950
glenncairnensis Zahlbr.	Doidge 1950
halonia (Ach.) Tuck.	Doidge 1950
incuriosa (Nyl.) Zahlbr.	Doidge 1950
insidians (Nyl.) Zahlbr.	Doidge 1950
italica A. Massal.	Doidge 1950
INC.: <i>B. italica</i> var. <i>debanensis</i> Bagl.	
(<i>B. debanensis</i> (Bagl.) C.W. Dodge)	
<i>B. italica</i> var. <i>recobarina</i> A. Massal	
(<i>B. recobarina</i> (A. Massal.) Müll. Arg.)	
langbaanensis Vain.	Doidge 1950
lauricassiae (Fée) Müll. Arg.	Doidge 1950
<i>B. lauricassiae</i> var. <i>macrosperma</i> Zahlbr.	
leucina Müll. Arg.	Doidge 1950
lutata (Stizenb.) Zahlbr.	Doidge 1950
meizocarpa Vain.	Doidge 1950
melanthina (Stizenb.) Zahlbr.	Doidge 1950
microsperma Müll. Arg.	Doidge 1950
nesiotis (Stizenb.) Zahlbr.	Doidge 1950
ocoteae Vain.	Doidge 1950
oleicola (Nyl.) Zahlbr.	Doidge 1950
pachnodes (Stizenb.) Zahlbr.	Doidge 1950
pachysporoides Vain.	Doidge 1950
perigrapta (Stizenb.) Zahlbr.	Doidge 1950
permodica (Stizenb.) Zahlbr.	Doidge 1950
perspersa J. Steiner	Doidge 1950
praelata (Stizenb.) Zahlbr.	Doidge 1950
² protothallina (Kremp.) Vain.	Doidge 1950
INC.: <i>B. protothallina</i> var. <i>indissimilis</i> Vain.	
quaterna Zahlbr.	Doidge 1950
<i>Diploica quaterna</i> (Zahlbr.) C.W. Dodge	
romoletia A. Nordin	Nordin 2000
rudis (Stizenb.) Zahlbr.	Doidge 1950
rusticorum (Stizenb.) Zahlbr.	Doidge 1950
sequax (Nyl.) Zahlbr.	Doidge 1950
<i>B. abstracta</i> H. Olivier	
spuria (Schaer.) Anzi	Doidge 1950
INC.: <i>B. spuria</i> var. <i>insularis</i> (A. Massal.) Jatta	
stellulata (Taylor) Mudd.	Doidge 1950
INC.: <i>B. stellulata</i> f. <i>albosparsa</i> Zahlbr.	
<i>B. stellulata</i> f. <i>hybrida</i> Zahlbr.	
<i>B. stellulata</i> f. <i>murina</i> Zahlbr.	
stizenbergeri Zahlbr.	Doidge 1950
<i>Lecidea dispersula</i> Stizenb., non <i>B. disprsula</i> Müll. Arg.	
subdisciformis Vain.	Doidge 1950
subtristis (Nyl.) Zahlbr.	Doidge 1950
transvaalica (Stizenb.) Zahlbr.	Doidge 1950
triplicans Zahlbr.	Doidge 1950
vernicoma (Tuck.) Tuck.	Doidge 1950

¹Nom. illegit., non *B. discolorans* H. Olivier (see Appendix 2).

²Nom. illegit., non *B. protothallina* (Anzi) Jatta (see Appendix 2).

Bulbothrix Hale (1974)

coronata (Fée) Hale	Hale 1976b, Swinscow & Krog 1988
decurtata (Kurok.) Hale	Hale 1976b
goebelii (Zenker) Hale	Doidge 1950, Hale 1976b
<i>Parmelia granatensis</i> Nyl.	
isidiza (Nyl.) Hale	Doidge 1950, Hale 1976b
<i>Parmelia isidiza</i> Nyl.	
sensibilis (J. Steiner & Zahlbr.) Hale	Brusse 1988e, Hale 1976b
<i>Parmelia sensibilis</i> J. Steiner & Zahlbr.	

suffixa (Stirt.) Hale	Doidge 1950, Hale 1976b,
<i>Parmelia suffixa</i> Stirt.	Swinscow & Krog 1988
tabacina (Mont. & Bosch) Hale	Hale 1976b
ventricosa (Hale & Kurok.) Hale	Hale 1976b, Swinscow & Krog 1988
Bunodophoron A. Massal. (1861)	
melanocarpum (Sw.) Wedin	Doidge 1950
<i>Sphaerophorus melanocarpus</i> (Sw.) DC.	
Byssoloma Trevis. (1853)	
leucoblepharum (Nyl.) Vain.	Santesson 1952, Farkas 2004
subdiscordans (Nyl.) P. James	Brusse 1988e
<i>B. rotuliforme</i> (Müll. Arg.) R. Sant.	
tricholomum (Mont.) Zahlbr.	Doidge 1950
INC: <i>B. tricholomum</i> f. <i>confluens</i> Vain.	
Caloplaca Th. Fr. (1860)	
almbornii Kärnefelt	Kärnefelt 1987a, Kärnefelt 1988, Almborn 1988a
amphidoxa (Stizenb.) Zahlbr.	Doidge 1950
arenaria (Pers.) Müll. Arg.	Doidge 1950
<i>C. lamprocheila</i> Flagey	
Rufoplaca arenaria (Pers.) Arup, Søchting & Frödén	
bonae-spei Almb. & Poelt	Almborn 1988a, Kärnefelt 1988
Teloschistopsis bonae-spei (Almb. & Poelt) Frödén, Arup & Søchting	
calviniana Zahlbr.	Doidge 1950
capensis (A. Massal.) Zahlbr.	Doidge 1950
cardinalis Zahlbr.	Doidge 1950
cataschista Zahlbr.	Doidge 1950
cateileoides (Vain.) Plümper & Lumbsch	Doidge 1950
<i>Lecanora cateileoides</i> Vain.	
cerina (Ach.) Th. Fr.	Doidge 1950
cinnabarina (Ach.) Zahlbr.	Doidge 1950, Almborn 1988a,
(<i>C. pallidior</i> f. <i>opaca</i> (Müll. Arg.) Zahlbr.)	Kärnefelt 1988
INC: <i>C. cinnabarina</i> var. <i>opaca</i> (Müll. Arg.) Zahlbr.	
cinnabariza (Nyl.) Zahlbr.	Doidge 1950
coccinella (Stizenb.) Zahlbr.	Doidge 1950
conchiliata Zahlbr.	Doidge 1950
crocodes (A. Massal.) Zahlbr.	Doidge 1950
delectans Zahlbr.	Doidge 1950
discolorella Zahlbr.	Doidge 1950
ecklonii (A. Massal.) Zahlbr.	Doidge 1950
effusa G. Merr.	Doidge 1950
fecunda Zahlbr.	Doidge 1950
ferruginea (Huds.) Th. Fr.	Doidge 1950
<i>C. aurantiaca</i> (Lightf.) Th. Fr.,	
INC: <i>C. aurantiaca</i> f. <i>fulva</i> Zahlbr.	
INC: <i>C. ferruginea</i> f. <i>erysibe</i> Jatta.	
Blastenia ferruginea (Huds.) A. Massal.	
ferrogineovirens (Vain.) Zahlbr.	Doidge 1950
flavovirescens Dalla Torre & Sarnth.	Doidge 1950
gracilescens Zahlbr.	Doidge 1950
granulosa Jatta	Doidge 1950
? <i>C. verruculifera</i> (Vain.) Zahlbr	
gyalectoides S.Y. Kondr. & Kärnefelt	Kärnefelt et al. 2002b
haematodes (A. Massal.) Zahlbr.	Doidge 1950, Almborn 1960,
	Kärnefelt 1988
hampeana (A. Massal.) Zahlbr.	Doidge 1950
holocarpa (Hoffm.) A.E. Wade	Doidge 1950
AS: <i>C. pyracea</i> f. <i>subpicta</i> Zahlbr. ("on rock")	
isidiosa (Vain.) Zahlbr.	Kärnefelt 1988
leptopisma (Nyl.) Zahlbr.	Doidge 1950
massula Zahlbr.	Doidge 1950
mastophora (Vain.) Zahlbr.	Doidge 1950
neethlingii Zahlbr.	Doidge 1950
ochraceofulva (Müll. Arg.) Jatta	Almborn 1987, Kärnefelt 1988
<i>C. subnitida</i> (Malme) Zahlbr.	
odoardii (Bagl.) Zahlbr.	Doidge 1950

pallidior (Müll. Arg.) Zahlbr.	Doidge 1950
perexigua (Vain.) Zahlbr.	Doidge 1950
phlogina (Ach.) Flagey	Doidge 1950
<i>Polycauliona phlogina</i> (Ach.) Arup, Frödén & Søchting	
placidia J. Steiner	Doidge 1950
platyna Zahlbr.	Doidge 1950
pyropoecila (Nyl.) Zahlbr.	Doidge 1950
pyropoeciloides Zahlbr.	Doidge 1950
regalis (Vain.) Zahlbr.	Doidge 1950
INC.: <i>C. regalis</i> f. <i>prostrata</i> (Hue) Zahlbr.	
<i>Gondwania regalis</i> (Vain.) Søchting, Frödén & Arup	
saxicola (Hoffm.) Nordin	Doidge 1950
<i>C. murorum</i> (Hoffm.) Th. Fr.	
scoriophila (A. Massal.) Zahlbr.	Doidge 1950
<i>C. carphinea</i> var. <i>scoriophila</i> (A. Massal.) J. Steiner.	
<i>Usnochroma scoriophila</i> (A. Massal.) Søchting, Arup & Frödén	
sophodes (Vain.) Zahlbr.	Doidge 1950
subcerina (Nyl.) Zahlbr.	Doidge 1950
sublobulata (Nyl.) Zahlbr.	Almborn 1960, Almborn 1988b, Kärnefelt 1988
subseptata Zahlbr.	Doidge 1950
subsoluta (Nyl.) Zahlbr.	Doidge 1950
<i>Squamulea subsoluta</i> (Nyl.) Arup, Søchting & Frödén	
subunicolor (Nyl.) Zahlbr.	Doidge 1950, Kärnefelt 1988
sympageella (Vain.) Zahlbr.	Doidge 1950
teicophila (A. Massal.) Zahlbr.	Doidge 1950
<i>Calopadia</i> Vězda (1986)	
fusca (Müll. Arg.) Vězda	Brusse 1988e
puiiggarii (Müll. Arg.) Vězda	Brusse 1988e
subcoerulescens (Zahlbr.) Vězda	Farkas, 2004
<i>Candelaria</i> A. Massal. (1852)	
¹ concolor (Dicks.) Arnold	Doidge 1950, Almborn 1966,
INC: <i>C. concolor</i> f. <i>phaeocarpa</i> Almb.	
¹ South African records of <i>C. fibrosa</i> (Fr.) Müll. Arg. are referable to <i>C. concolor</i> (Almborn 1988b).	
<i>Candelariella</i> Müll. Arg. (1894)	
coralliza (Nyl.) H. Magn.	Brusse 1988e
elaeophaea (Nyl.) Zahlbr.	Doidge 1950
glaucolivescens (Nyl.) Zahlbr.	Doidge 1950
vitellina (Hoffm.) Müll. Arg.	Doidge 1950
AS: <i>C. vitellina</i> f. <i>athallina</i> (Wedd.) Zahlbr.	
<i>Canomaculina</i> Elix & Hale (1987)	
pilosa (Stizenb.) Elix & Hale	Doidge 1950, Hale 1976c, Swinscow & Krog 1988, Thomas & Bhat 1996
<i>Parmelia pilosa</i> Stizenb.,	
<i>Parmelina pilosa</i> (Stizenb.) Hale	
<i>Parmotrema pilosum</i> (Stizenb.) Krog & Swinscow	
subcaperata (Kremp.) Elix	Hale 1974, Elix 1999a
<i>Parmelia subcaperata</i> Kremp.	
<i>Parmotrema subcaperatum</i> (Kremp.) Hale	
uruguensis (Kremp.) Elix	Doidge 1950
<i>Parmelia perforata</i> var. <i>ciliata</i> Nyl.	
<i>Canoparmelia</i> Elix & Hale (1986)	
antedeluvialis (Brusse & Sipman) Elix	Brusse 1993, Elix 1999
<i>Parmelia antedeluvialis</i> Brusse & Sipman	
aptata (Kremp.) Elix & Hale	Hale 1976a
<i>Pseudoparmelia aptata</i> (Kremp.) Hale	
crozalsiana (B. de Lesd. ex Harm.) Elix & Hale	Hale 1976a
<i>Pseudoparmelia crozalsiana</i> (B. de Lesd. ex Harm.) Hale	
nairobiensis (J. Steiner & Zahlbr.) Elix & Hale	Doidge 1950
<i>Parmelia gracilescens</i> var. <i>angolensis</i> Vain.	
owariensis (Asahina) Elix	Elix 1993, Nash & Elix 1987
<i>Paraparmelia owariensis</i> (Asahina) Elix & J. Johnst.	
pustulescens (Kurok.) Elix	Hale 1976a
<i>Pseudoparmelia pustulescens</i> (Kurok.) Hale	
raunkiaeri (Vain.) Elix & Hale	Nash & Elix 1987

rodriguesiana (Hue) Elix	Elix 1999a, Hale 1976a
<i>Pseudoparmelia rodriguesiana</i> (Hue) Hale	
<i>Paraparmelia rodriguesiana</i> (Hue) Elix & J. Johnst.	
terrapapia Elix	Elix 1999a
texana (Tuck.) Hale	Doidge 1950, Hale 1976a
<i>Parmelia texana</i> Tuck.	
<i>Pseudoparmelia texana</i> (Tuck.) Hale	
<i>Pseudoparmelia eruptens</i> (Kurok.) Hale	
zambiensis (Hale) Elix & Hale	Nash & Elix 1987
zimbabwensis (Hale) Elix & Hale	Hale 1972,
<i>Pseudoparmelia zimbabwensis</i> (Hale) Hale	Swinscow & Krog 1988
Carbonea (Hertel) Hertel (1983)	
vorticosa (Flörke) Hertel	Doidge 1950
<i>Lecidea vorticosa</i> (Flörke) Körb.	
Catarrhospora Brusse (1994)	
mira Brusse	Brusse 1994
splendida Brusse	Brusse 1994
Catillaria A. Massal. (1852)	
chalybeia (Borrer) A. Massal.	Doidge 1950, Almborn 1960
crystallifera H. Kilius	Kilius 1984
golubkovae Kotlov	Kotlov 2002
lenticularis (Ach.) Th. Fr.	Doidge 1950
INC.: <i>C. lenticularis</i> f. <i>chloropoliza</i> Boist.	
melampepla (Tuck.) Zahlbr.	Doidge 1950
mollescens Zahlbr.	Doidge 1950
mortualis (Stizenb.) Zahlbr.	Doidge 1950
nigroclavata (Nyl.) J. Steiner	Doidge 1950
opacata (Stizenb.) Zahlbr.	Doidge 1950
rhyparoleuca A. Massal.	Doidge 1950
stictella (Stirt.) Zahlbr.	Doidge 1950
subfuscata (Nyl.) Zahlbr.	Doidge 1950
Cetraria Ach. (1803)	
aculeata (Schreb.) Fr.	Doidge 1950
<i>Cornicularia tenuissima</i> (L.) Zahlbr.	
Cetrelia W.L. Culb. & C.F. Culb. (1968)	
cetrarioides (Delise) W.L. Culb. & C.F. Culb.	Doidge 1950
<i>Parmelia cetrarioides</i> Delise	
olivetorum (Nyl.) W.L. Culb. & C.F. Culb.	Doidge 1950
<i>Parmelia olivaria</i> (Ach.) Th. Fr.	
Chapsa A. Massal.	
diploschistoides (Zahlbr.) Frisch	Doidge 1950
<i>Ocellularia diploschistoides</i> Zahlbr.	
Chiodecton Ach. (1814)	
colensoi (A. Massal.) Müll. Arg.	Doidge 1950
<i>C. capense</i> (A. Massal) Zahlbr.	
galactinum Zahlbr.	Doidge 1950
natalense Nyl.	Doidge 1950
AS: <i>C. sanguineum</i> f. <i>roseocincta</i> (Fr.) Vain.	
vanderbylii Zahlbr.	Doidge 1950
Chroodiscus (Müll. Arg.) Müll. Arg. (1890)	
mirificus (Kremp.) R. Sant.	Brusse 1991b
verrucosus R. Sant., Lücking & Vězda	Farkas, 2004
Chrysothrix Mont. (1852)	
candelaris (L.) J.R. Laundon	Doidge 1950
<i>Lepraria candelaris</i> (L.) Fr.	
Cladia Nyl. (1870)	
aggregata (Sw.) Nyl.	Doidge 1950
<i>Cladonia aggregata</i> (Sw.) Spreng.	
Cladonia P. Browne (1756)	
bacillaris (Ach.) Genth	Doidge 1950
caespiticia (Pers.) Flörke	Doidge 1950
centrophora Müll. Arg.	Doidge 1950, Swinscow & Krog 1988
cervicornis subsp. verticillata (Hoffm.) Ahti	Doidge 1950

<i>C. verticillata</i> Hoffm.	
chlorophaea (Flörke ex Sommerf.) Spreng.	Doidge 1950
<i>C. pyxidata</i> var. <i>chlorophaea</i> f. <i>staphylea</i> (Ach.) Harm.	
confusa R. Sant.	Almborn 1987
coniocraea (Flörke) Spreng.	Doidge 1950
<i>C. fimbriata</i> var. <i>coniocraea</i> (Flörke) Vain.	
didyma (Fée) Vain.	Doidge 1950, Stenroos 1994
AS: <i>C. didyma</i> var. <i>muscigena</i> (Eschw.) Vain.	
<i>C. didyma</i> f. <i>subulata</i> Sandst.	
fimbriata (L.) Fr.	Doidge 1950
<i>C. fimbriata</i> var. <i>simplex</i> (Weiss.) Flot.	
(INC.): <i>C. fimbriata</i> var. <i>chlorophaeoides</i> Vain.,	
<i>C. fimbriata</i> var. <i>chondroidea</i> Vain.)	
flabelliformis (Flörke) Vain.	Doidge 1950
AS: <i>C. flabelliformis</i> f. <i>tenella</i> Zahlbr.	
floerkeana (Fr.) Sommerf.	Doidge 1950, Stenroos 1994
furcata (Huds.) Schrad.	Doidge 1950
fuscocinerea Ahti	Brusse 1988e
hedbergii Ahti	Brusse 1988e
macilenta Hoffm.	Doidge 1950, Stenroos 1994
INC.: <i>C. macilenta</i> var. <i>corticata</i> Vain.	
multiformis G. Merr.	Doidge 1950
AS: <i>C. multiformis</i> f. <i>subascypha</i> (Vain.) Evans	
ochrochlora Flörke	Doidge 1950
<i>C. fimbriata</i> var. <i>ochrochlora</i> (Flörke) Vain.	
pertriosa Kremp.	Doidge 1950
<i>C. rangiformis</i> var. <i>pungens</i> (Ach.) Vain.	
pocillum (Ach.) O.J. Rich.	Doidge 1950
<i>C. pyxidata</i> var. <i>pocillum</i> (Ach.) Flot.	
poeciloclada Abbayes	Swinscow & Krog 1988
polia R. Sant.	Almborn 1988b
<i>Cladina polia</i> (R. Sant.) W.A. Weber	
portentosa (Dufor) Coem.	Brusse 1993
pyncoclada (Pers.) Nyl.	Doidge 1950
INC.: <i>C. pyncoclada</i> f. <i>exalbescens</i> Vain.	
pyxidata (L.) Fr.	Doidge 1950
ramulosa (With.) J.R. Laundon	Doidge 1950
<i>C. pityrea</i> (Flörke) Fr.	
INC.: <i>C. pityrea</i> var. <i>subareolata</i> Vain.	
<i>C. pityrea</i> var. <i>zwackhii</i> Vain. f. <i>scyphifera</i> (Delise) Vain.	
rangiferina (L.) Weber ex F.H. Wigg	Doidge 1950, Almborn 1988b
rangiformis Hoffm.	Doidge 1950
AS: <i>C. rangiformis</i> Hoffm. var. <i>foliosa</i> Flörke rei Schaer.	
<i>C. fimbriata</i> var. <i>nemoxyna</i> (Ach.) Coem.	
<i>C. fimbriata</i> var. <i>nemoxyna</i> f. <i>fibula</i> (Ach.) Vain.	
squamosa (Scop.) Hoffm.	Doidge 1950
subradiata (Vain.) Sandst.	Doidge 1950
<i>C. fimbriata</i> var. <i>subradiata</i> Vain.	
<i>C. fimbriata</i> var. <i>balfourii</i> (Cromb.) Vain.	
subulata (L.) Weber ex F.H. Wigg.	Doidge 1950
<i>C. fimbriata</i> var. <i>subulata</i> (L.) Vain.	
<i>C. fimbriata</i> var. <i>radiata</i> (Schreb.) Coem.	
Clathroporina Müll. Arg. (1882)	
locuples (Stizenb.) Zahlbr.	Doidge 1950
Cliostomum Fr. (1825)	
flavum (Zahlbr.) Brusse	Brusse 1993, Doidge 1950
<i>Toninia flava</i> Zahlbr.	
Coccocarpia Pers. (1827)	
palmicola (Spreng.) Arv. & D.J. Galloway	Arvidsson 1982, Brusse 1988e
pellita (Ach.) Müll Arg.	Doidge 1950
AS: <i>Coccocarpia pellita</i> var. <i>parmelioides</i> Müll. Arg.	
Coelopogon Brusse & Kärnefelt (1991)	
abraxas Brusse	Brusse & Kärnefelt 1991

epiphorellus (Nyl.) Brusse & Kärnefelt	Kärnefelt 1986, Almborn 1988b,
<i>Coelocaulon epiphorellum</i> (Nyl.) Kärnefelt	Brusse & Kärnefelt 1991
<i>Cornicularia epiphorella</i> (Nyl.) Du Rietz	
Coenogonium Ehrenb. (1820)	
afrum A. Massal.	Doidge 1950
flavicans (Vězda & Farkas) Kalb & Lücking	Farkas, 2004
interplexum Nyl.	Doidge 1950
luteum (Dicks.) Kalb & Lücking	Doidge 1950, Brusse 1991c
<i>Microphiale lutea</i> (Dicks.) Zahlbr.	
<i>Dimerella lutea</i> (Dicks.) Trevis.	
moniliforme Tuck.	Brusse 1988e
subluteum (Rehm) Kalb & Lücking	Brusse 1991b
<i>Dimerella epiphylla</i> (Müll. Arg.) Malm	
Collema P. Browne (1756)	
almbornii Degel.	Degelius 1974
<i>Paracollemma almbornii</i> (Degel.) Otálora, P.M. Jørg. & Wedin	
coccophorum Tuck.	Schultz et al. 2009
<i>Enchylium coccophorum</i> (Tuck.) Otálora, P.M. Jørg. & Wedin	
crispum (L.) Weber ex F.H. Wigg.	Doidge 1950
<i>Blennothallia crispa</i> (L.) Otálora, P.M. Jørg. & Wedin	
fasciculare (L.) Weber ex F.H. Wigg.	Doidge 1950, Degelius 1974
<i>C. aggregatum</i> (Ach.) Röhl.	
<i>Arctomia fascicularis</i> (L.) Otálora & Wedin	
<i>Gabura fasciculare</i> (L.) P. M. Jørg.,	
furfuraceum (Arnold) Du Rietz	Degelius 1974
AS: <i>C. furfuraceum</i> var. <i>luzonense</i> Degel.	
hueanum Degel. (var. hueanum)	Degelius 1974, Moberg 1987
japonicum (Müll. Arg.) Hue	Degelius 1974
kauaiense H. Magn.	Degelius 1974
<i>Scytinium kauaiense</i> (H. Magn.) Otálora, P.M. Jørg. & Wedin	
leptaleum Tuck.	Degelius 1974
AS: <i>C. leptaleum</i> var. <i>bilosum</i> (Mont.) Degel.	
nigrescens (Huds.) DC.	Doidge 1950
polycarpon Hoffm.	Degelius 1974
<i>Enchylium polycarpon</i> (Hoffm.) Otálora, P.M. Jørg. & Wedin	
redundans Nyl.	Doidge 1950
subconveniens Nyl.	Galloway 1995
subflaccidum Degel.	Degelius 1974
tenax (Sw.) Ach.	Doidge 1950, Degelius 1974
<i>Enchylium tenax</i> (Sw.) Gray	
texanum Degel.	Zedda & Rambold 2004
thysaneum Ach.	Doidge 1950
Combea De Not. (1846)	
mollusca (Ach.) Nyl.	Doidge 1950, Almborn 1988a, Almborn 1988b, Follmann et al. 1994
Conotrema Tuck. (1848)	
volvarioides (Fée) Müll. Arg.	Doidge 1950
Coniarthonia Grube (2001)	
wilmsiana (Müll. Arg.) Grube	Doidge 1950
<i>Arthonia wilmsiana</i> Müll. Arg.	
Corynecystis Brusse (1985)	
capensis Brusse	Brusse 1985a, Büdel 1987
<i>Peltula capensis</i> (Brusse) Büdel	
Cratiria Marbach (2000)	
aggregiens (Stirt.) Marbach	Marbach 2000
<i>Buellia aggregiens</i> (Stirt.) Zahlbr.	
Crutarndina Parnmen, Lücking & Lumbsch (2012)	
petractoides (P.M. Jørg. & Brodo)	Brusse 1988e
Parnmen, Lücking & Lumbsch	
<i>Thelotrema subtile</i> Tuck.	
Culbersonia Essl. (2000)	
nubila (Moberg) Essl.	Obermeyer 2009
<i>Pyxine nubila</i> Moberg	

Cryptothecia Stirt. (1876)	
subnidulans Stirt.	Doidge 1950
Degelia Arv. & D.J. Galloway (1981)	
plumbea (Lightf.) P.M. Jørg. & P. James	Doidge 1950
<i>Parmeliella plumbea</i> (Lightf.) Vain.	
Dermatiscum Nyl. (1867)	
fallax Brusse	Brusse 1986c
thunbergii (Ach.) Nyl.	Almborn 1987, Almborn 1988b
viride (L.f.) Zahlbr.	Doidge 1950
Dermatocarpon Eschw. (1824)	
deserti Zahlbr.	Doidge 1950
peltatum (Taylor) Zahlbr.	Doidge 1950
<i>Endocarpon peltatum</i> Taylor	
vitellinum Spreng.	Doidge 1950
Dibaeis Clem. (1909)	
¹ baeomyces (L.f.) Rambold & Hertel	Doidge 1950, Almborn 1988a,
<i>Baeomyces roseus</i> Pers.	Thomas & Bhat 1996
¹ Reported as <i>Baeomyces rosens</i> Pers. by Thomas & Bhat 1996).	
Digitothyrea P.P. Moreno & Egea (1992)	
rotundata (Büdel, Henssen & Wessels)	
P.P. Moreno & Egea	Henssen et al. 1985
<i>Thyrea rotundata</i> Büdel, Henssen & Wessels	
Dimelaena Norman (1853)	
australiensis H. Mayrhofer & Sheard	Mayrhofer et al. 1996
oreina (Ach.) Norman	Doidge 1950
<i>Rinodina oreina</i> (Ach.) A. Massal.	
Diploicia A. Massal. (1852)	
africana (Tuck.) Matzer, H. Mayrhofer & Rambold	Matzer et al. 1998
Diploschistella Vain. (1926)	
urceolata Vain.	Doidge 1950
Diploschistes Norman (1853)	
actinostomus (Pers. ex Ach.) Zahlbr.	Doidge 1950, Almborn 1988b
	Guderley & Lumbsch 1996,
	Zedda & Rambold 2004
aeneus (Müll. Arg.) Lumbsch	Doidge 1950, Guderley & Lumbsch
<i>D. actinostomus</i> var. <i>aeneus</i> (Müll. Arg.) J. Steiner	1996, Zedda & Rambold 2004
austroafricanus Guderley & Lumbsch	Guderley & Lumbsch 1996
cinereocaesius (Sw.) Vain.	Doidge 1950, Guderley & Lumbsch 1996
¹ diacapis (Ach.) Lumbsch	Almborn 1988b
diploschistoides (Vain.) Salisbury	Almborn 1960,
<i>D. almbornii</i> C.W. Dodge	Guderley & Lumbsch 1996
<i>D. caesioplumbeus</i> (Nyl.) Vain.	
<i>D. actinostomus</i> var. <i>caesioplumbeus</i> (Nyl.)	
J. Steiner (SA collections only)	
euganeus (A. Massal.) J. Steiner	Doidge 1950,
<i>Diploschistes anactinus</i> (Nyl.) Zahlbr.	Guderley & Lumbsch 1996
<i>Diploschistes deuterius</i> (Nyl.) Zahlbr.	
hensseniae Lumbsch & Elix	Guderley & Lumbsch 1996,
	Zedda & Rambold 2004
hypoleucus Lumbsch & Elix	Guderley & Lumbsch 1996
isabellinus Zahlbr.	Doidge 1950, Guderley & Lumbsch 1996
muscorum subsp. <i>bartlettii</i> Lumbsch	Doidge 1950,
<i>D. arenarius</i> (Schaer.) Müll. Arg.	Guderley & Lumbsch 1996
<i>D. scruposus</i> var. <i>arenarius</i> (A. Massal.) Müll. Arg.	
scruposus (Schreb.) Norm.	Doidge 1950, Guderley & Lumbsch 1996, Thomas & Bhat 1996
INC: <i>D. scruposus</i> f. <i>iridatus</i> (A. Massal.) Zahlbr.	
sticticus (Körb.) Müll. Arg.	Doidge 1950, Lumbsch 1993,
<i>D. perispicillatus</i> Zahlbr.	Guderley & Lumbsch 1996
<i>D. subcupreus</i> (Nyl.) Zahlbr.	
cf. <i>thelenelloides</i> Lumbsch & Aptroot	Zedda & Rambold 2004
thunbergianus (Ach.) Lumbsch & Vězda	Doidge 1950,
<i>Gyalecta thunbergiana</i> Ach.	Guderley & Lumbsch 1996
¹ Not treated by Guderley & Lumbsch 1996	

Diplotomma Flot. (1849)	
alboatrum (Hoffm.) Flot.	Nordin 2000
<i>Buellia alboatra</i> (Hoffm.) Th. Fr.	
Dirina Fr. (1825)	
capensis Fée	Doidge 1950
Dirinaria (Tuck.) Clem. (1909)	
aegialita (Afz.) Moore (var. <i>aegialita</i>)	Doidge 1950, Awasthi 1975
<i>Physcia aegialita</i> (Ach.) Nyl.	
africana (Müll. Arg.) D. D. Awasthi	Doidge 1950, Awasthi 1975
<i>Physcia africana</i> Müll Arg.	
applanata (Fée) D.D. Awasthi	Doidge 1950
<i>Physcia applanata</i> (Fée) Zahlbr.	
aspera (H. Magn.) D. D. Awasthi	Awasthi 1975
coccinea (Müll. Arg.) D. D. Awasthi	Awasthi 1975, Swinscow & Krog 1988
confluens (Fr.) D. D. Awasthi (var. confluens)	Awasthi 1975
flava (Müll. Arg.) C.W. Dodge	Brusse 1988e
melanoclina (C. Knight) D. D. Awasthi	Awasthi 1975
leopoldii (Stein) D. D. Awasthi	Awasthi 1975
¹ picta (Sw.) Schaer. ex Clem.	Doidge 1950, Thomas & Bhat 1994,
<i>Physcia picta</i> (Sw.) Nyl.	Thomas & Bhat 1996
purpurascens (Vain.) B.J. Moore	Awasthi 1975
INC.: <i>Dirinaria purpurascens</i> f. <i>colorata</i> D. D. Awasthi	
subpicta (Nyl.) C. W. Dodge	Doidge 1950, Awasthi 1975
<i>Physcia subpicta</i> Nyl.	
¹ Reported as <i>Dirinaria picta</i> (Sw.) Aem & Shear. by Thomas & Bhat 1994.	
Dufourea Ach. (1809)	
physcioides A. Massal.	Doidge 1950
Echidnocymbium Brusse (1987)	
speciosum Brusse	Brusse 1987e
Echinoplaca Fée (1825)	
epiphylla Fée	Brusse 1988e
pellicula (Müll. Arg.) R. Sant.	Brusse 1988e
strigulacea (Müll. Arg.) R. Sant.	Brusse 1991c, Farkas 2004
<i>Actinoplaca strigulacea</i> Müll. Arg.	
Endocarpon Hedw. (1788)	
pusillum Hedw.	Doidge 1950
<i>Dermatocarpon pusillum</i> (Hedw.) Anzi	
Enterographa Fée (1825)	
crassa (DC.) Fée	Doidge 1950
<i>Chiodecton venosum</i> (Pers.) Zahlbr.	
Enterostigma Müll. Arg. (1885)	
compunctum (Ach.) Müll. Arg.	Doidge 1950
Ephebe Fr. (1825)	
lanata (L.) Vain.	Doidge 1950
orthogonia Henssen	Henssen 1963
Eremastrella S. Vogel (1955)	
crystallifera (Taylor) Gotth. Schneid.	Almborn 1988b, Vogel 1955
<i>E. tobleri</i> Vogel	
montana Brusse	Brusse 1987f
<i>Psora almborniana</i> Lumbsch & Kothe	
Erioderma Fée (1825)	
leylandii (Taylor) Müll. Arg.	Jørgensen 2001, Jørgensen 2003
*Etayoa Diederich & Ertz (2014)	
*trypethelii (Flakus & Kukwa) Diederich & Ertz	Ertz et al 2014
* <i>Phaeosporobolus trypethelii</i> Flakus & Kukwa	
Fellhanera Vězda (1986)	
bouteillei (Desm.) Vězda	Santesson 1952, Farkas 2004
<i>Catillaria bouteillei</i> (Desm.) A. Zahlbr.	
fuscatula (Müll. Arg.) Vězda	Brusse 1991b, Farkas 2004
stanhopiae (Müll. Arg.) Lücking, Lumbsch & Elix	Farkas, 2004
ubternella (Nyl.) Vězda	Farkas, 2004
Flavoparmelia Hale (1986)	
amplexa (Stirt.) Hale	Doidge 1950, Hale 1976a
<i>Pseudoparmelia amplexa</i> (Stirt.) Hale	

<i>Parmelia amplexa</i> Stirt.	
caperata (L.) Hale	Doidge 1950
<i>Parmelia caperata</i> (L.) Ach.	
pachydactyla (Hale) Hale	Brusse 1991c
rutidota (Hook.f. & Taylor) Hale	Doidge 1950, Doidge 1950
<i>Parmelia subcaperatula</i> Nyl.	
<i>Parmelia subconspersa</i> Nyl.	
salazinicola Elix	Elix 1999a
soredians (Nyl.) Hale	Doidge 1950, Doidge 1950,
<i>Parmelia conspersa</i> var. <i>polyphylla</i> Müll. Arg.	Hale 1976a
<i>Parmelia soredians</i> Nyl.	
<i>Pseudoparmelia soredians</i> (Nyl.) Hale	
Flavopunctelia (Krog) Hale (1984)	
flaventior (Stirt.) Hale	Brusse 1988e
soredica (Nyl.) Hale	Brusse 1988e
Fuscidea V. Wirth & Vězda (1972)	
hottentotta Brusse	Doidge 1950, Brusse 1989a
<i>Lecidea rivulosa</i> Ach. (SA records only)	
<i>Fuscidea cyathoides</i> (Ach.) V. Wirth & Vězda (SA records only)	
Fuscopannaria P.M. Jørg. (1994)	
leucosticta (Tuck.) P.M. Jørg.	Doidge 1950
<i>Pannaria leucosticta</i> var. <i>isidiopsis</i> Nyl.	
subimixta (C. Knight) P. M. Jørg.	Jørgensen 2002b, Jørgensen 2003
Glyphis Ach. (1814)	
cicatricosa Ach.	Doidge 1950, Almborn 1988b
INC.: <i>G. cicatricosa</i> var. <i>confluens</i> (Zenk.) Zahlbr.	
<i>G. cicatricosa</i> var. <i>simplicior</i> (Vain.) Zahlbr.	
scyphulifera (Ach.) Staiger	Doidge 1950, Almborn 1988b
<i>Gyrostomum scyphuliferum</i> (Ach.) Nyl.	
Glyphopeltis Brusse (1985)	
ligustica (B. de Lesd.) Timdal	Brusse 1985b, Timdal 1988
<i>G. eburina</i> Brusse	
Gomphillus Nyl. (1855)	
calycioides (Delise ex Duby) Nyl.	Brusse 1989c
Gonolecania Zahlbr. (1924)	
umosonigricans (Müll. Arg.) Brusse	Brusse 1991b
<i>Byssolecania fumosonigricans</i> R. Sant.	
Graphina Müll. Arg. (1880)	
acharii (Fée) Müll. Arg.	Doidge 1950, Almborn 1988b
analogia (Nyl.) Zahlbr.	Doidge 1950
atrofusca Müll. Arg.	Doidge 1950
byllei (Vain.) Zahlbr.	Doidge 1950
INC.: <i>G. byllei</i> var. <i>lividula</i> (Vain.) Zahlbr.	
obtrita (Fée) Müll. Arg.	Doidge 1950
pergracilis Zahlbr.	Doidge 1950
platycarpa (Eschw.) Zahlbr.	Doidge 1950
polycarpa Müll. Arg.	Doidge 1950
Graphis Adans. (1763)	
denudans Vain.	Doidge 1950
devestiens Nyl.	Doidge 1950
diaphoroides Müll. Arg.	Doidge 1950
intexta Nyl.	Doidge 1950
intricata Fée	Doidge 1950
scripta (L.) Ach.	Doidge 1950
striatula (Ach.) Spreng.	Doidge 1950
subolivacea Zahlbr.	Doidge 1950
Granulopyrenis Aptroot (1991)	
macrocarpoides (Zahlbr.) Aptroot	Doidge 1950
<i>Microthelia macrocarpoides</i> Zahlbr.	
Gyalecta Ach. (1808)	
carneola (Ach.) Hellb.	Doidge 1950
<i>Pachyphiale carneola</i> (Ach.) Arnold	
<i>P. cornea</i> Poetsch	

Gyalectidium Müll. Arg. (1881)	
filicinum Müll. Arg.	Brusse 1991b
microcarpum (Vězda) Lücking, Sérus. & Vězda	Brusse 1993
<i>Bullatina microcarpa</i> (Vězda) Brusse	
Gyalideopsis Vězda (1972)	
athallinoides (Nyl.) Vězda	Doidge 1950, Lumbsch 1993
<i>Diploschistes ochroniger</i> Zahlbr.	
Gymnographopsis C.W. Dodge (1967)	
latispora Egea & Torrente	Egea & Torrente 1996
Haematomma A. Massal. (1852)	
africanum (J. Steiner) C.W. Dodge	Doidge 1950, Staiger & Kalb 1995
<i>H. puniceum</i> var. <i>africanum</i> J. Steiner	
collatum (Stirt.) C.W. Dodge	Doidge 1950, Staiger & Kalb 1995
<i>H. puniceum</i> var. <i>collatum</i> (Stirt.) Zahlbr.	
fenzlianum A. Massal.	Staiger & Kalb 1995
persoonii (Fée) A. Massal.	Staiger & Kalb 1995
puniceum (Sw.) A. Massal.	Doidge 1950
<i>H. puniceum</i> var. <i>breviculum</i> (Stizenb.) Zahlbr.	
<i>H. puniceum</i> var. <i>rufidulum</i> Zahlbr.	
<i>H. puniceum</i> var. <i>subarthonioideum</i> Zahlbr.	
Hafellia Kalb, H. Mayrhofer & Scheid. (1986)	
demutans (Stirt.) Puszwald	Marbach 2000
<i>Buellia callispora</i> (C. Knight) J. Steiner	
<i>Buellia demutans</i> Zahlbr.	
dissa (Stirt.) H. Mayrhofer & Sheard	Marbach 2000
<i>Buellia dissa</i> (Stirt.) Zahlbr.	
<i>Rinodina dissa</i> (Stirt.) H. Mayrhofer	
procellarum (A. Massal.) H. Mayrhofer & Sheard	Doidge 1950
<i>Rinodina procellarum</i> (A. Massal.) H. Mayrhofer	
<i>Buellia procellarum</i> A. Massal.	
INC.: <i>Buellia procellarum</i> var. <i>continuior</i> Steiner	
<i>Buellia procellarum</i> var. <i>repens</i> Steiner	
tetrapla (Nyl.) Puszwald,	Doidge 1950
<i>Buellia callispora</i> var. <i>tetrapla</i> (Nyl.) J. Steiner	
<i>Buellia tetrapla</i> (Nyl.) Müll. Arg.	
Helminthocarpon Fée (1837)	
natalense Vain.	Doidge 1950
Heppia Nägeli ex A. Massal. (1854)	
adglutinata (Kremp.) A. Massal.	Schultz et al. 2009
euploca Vain.	Almborn 1988b
guepini (Delise) Nyl.	Doidge 1950
<i>H. guepini</i> var. <i>nigrolimbata</i> Nyl.	
lutosa (Ach.) Nyl.	Büdel 1987
Heterodermia Trevis. (1868)	
albicans (Pers.)	Swinscow & Krog 1988, Trass 1992, Moberg 2004
allardii (Kurok.) Trass	Trass 1992
antillarum (Vain.) Swinscow & Krog	Trass 1992, Moberg 2004
boryi (Fée) Kr.P. Singh & S.R. Singh	Doidge 1950
<i>Anaptychia leucomelaena</i> var. <i>angustifolia</i>	
(Meyen & Flot.) Müll. Arg.	
chilensis (Kurok.) Swinscow & Krog	Moberg 2004
comosa (Eschw.) Follmann & Redon	Brusse 1988e, Moberg 2004
dactyliza (Nyl.) Swinscow & Krog	Brusse 1988e
diademata (Taylor) D.D. Awasthi	Thomas & Bhat 1994, Moberg 2004
flabellata (Fée) D.D. Awasthi	Brusse 1988e, Moberg 2004
hypocaesia (Yasuda) D.D. Awasthi	Trass 1992
hypoleuca (Muhl.) Trevis.	Doidge 1950, Doidge 1950
<i>Anaptychia hypoleuca</i> A. Massal.	
<i>Anaptychia hypoleuca</i> var. <i>colorata</i> Zahlbr.	
isidiophora (Vain.) D.D. Awasthi	Moberg 2004
japonica (M. Sato) Swinscow & Krog	Moberg 2004
lepidota Swinscow & Krog	Brusse 1988e, Galloway 1995
leucomela (L.) Poelt	Doidge 1950, Almborn 1988b,
<i>Anaptychia leucomelaena</i> (L.) A. Massal.	Galloway 1995, Thomas & Bhat 1996,

<i>Heterodermia leucomela</i> (L.) Poelt	
lutescens (Kurock.) Follmann	
magellanica (Zahlbr.) Swinscow & Krog	
microphylla (Kurock.) Swinscow & Krog	
namaquana Brusse	
obscurata (Nyl.) Trev	
podocarpa (Bél.) D.D. Awasthi	
<i>Anaptychia podocarpa</i> (Bél.) A. Massal.	
spathulifera Moberg & Purvis	
speciosa (Wulfen) Trevis.	
<i>Anaptychia speciosa</i> (Wulfen) A. Massal.	
<i>Anaptychia speciosa</i> var. <i>esorediata</i> Vain.	
INC.: <i>Anaptychia speciosa</i> f. <i>sorediosa</i> (Müll. Arg.) Zahlbr	
subcitrina Moberg	
tremulans (Müll. Arg.) W.L. Culb.	
vulgaris (Vain.) Follm. & Redón	
Hyperphyscia Müll. Arg. (1894)	
adglutinata (Flörke) H. Mayrhofer & Poelt	
<i>Physcia adglutinata</i> (Flörke) Nyl.	
cochlearis Scutari	
coralloidea (Lyngé) Scutari	
granulata (Poelt) Moberg	
isidiata Moberg	
pandani (H. Magn.) Moberg	
pruinosa Moberg	
syncolla (Tuck. ex Nyl.) Kalb	
<i>Physcia syncolla</i> Tuck. ex Nyl.	
Hypogymnia (Nyl.) Nyl. (1896)	
bitteri (Lyngé) Ahti	
lugubris (Pers.) Krog,	
<i>Parmelia lugubris</i> Pers.	
physodes (L.) Nyl.	
<i>Parmelia physodes</i> (L.) Ach.	
subphysodes (Kremp.) Filson	
INC.: <i>Hypogymnia subphysodes</i> var. <i>austerodioides</i> Elix	
Hypotrachyna (Vain.) Hale (1974)	
colensoica Hale, Nash & Elix	
densirhizinata (Kurok.) Hale	
erythrodes (Zahlbr.) Hale	
evansii M.D.E. Knox	
fissicarpa (Kurok.) Hale	
habenula M.D.E. Knox	
heterochroa (Hale & Kurok.) Elix	
<i>H. bahiana</i> (Nyl.) Hale	
imbricatula (Zahlbr.) Hale	
laevigata (Sm.) Hale	
<i>Parmelia laevigata</i> (Sm.) Ach.	
leeukopensis Elix	
ligulata M.D.E. Knox	
neodissecta (Hale) Hale	
orientalis (Hale) Hale	
osseoalba (Vain.) Y.S. Park & Hale	
<i>H. formosana</i> (Zahlbr.) Hale	
pulvinata (Fée) Hale	
<i>Parmelia subsinuosa</i> Nyl.	
revoluta (Flörke) Hale	
<i>Parmelia revoluta</i> Flörke	
scytophylla (Kurok.) Hale	
sinuosa (Sm.) Hale	
<i>Parmelia sinuosa</i> (Sm.) Ach.	
sublaevigata (Nyl.) Hale	
<i>Parmelia sublaevigata</i> Nyl.	
subpustulifera Elix	
	Moberg 2004
	Brusse 1988e
	Galloway 1995
	Brusse 1988e, Moberg 2004
	Brusse 1992, Moberg 2004
	Brusse 1988e, Moberg 2004
	Doidge 1950, Moberg 2004
	Moberg 2004
	Doidge 1950, Galloway 1995, Thomas & Bhat 1996,
	Moberg 2004
	Moberg 2004
	Swinscow & Krog 1988, Trass 1992
	Doidge 1950, Moberg 2004
	Scutari 1997
	Moberg 2004
	Moberg 2004
	Moberg 2004
	Moberg 2004
	Moberg 2004
	Doidge 1950, Thomas & Bhat 1996, Moberg 2004
	Brusse 1993
	Doidge 1950
	Doidge 1950
	Brusse 1989c
	Nash & Elix 1987
	Brusse 1988e
	Brusse 1988e
	Knox 1982
	Swinscow & Krog 1988
	Knox 1982
	Nash & Elix 1987
	Brusse 1988e
	Doidge 1950
	Elix 1999a
	Knox 1982
	Nash & Elix 1987
	Nash & Elix 1987
	Nash & Elix 1987
	Doidge 1950
	Doidge 1950
	Nash & Elix 1987
	Doidge 1950
	Doidge 1950
	Elix 1993, Elix 1999a

Icmadophila Trevis. (1852)	
ericetorum Zahlbr.	Doidge 1950
Immersaria Rambold & Pietschm. (1989)	
athroocarpa (Ach.) Rambold & Pietschm.	Brusse 1988b
<i>Porpidia afromontana</i> Brusse	
Imshaugia S.L.F. Mey. (1985)	
aleurites (Ach.) S.L.F. Mey.	Brusse 1993
Ingvariella Guderley & Lumbsch (1997)	
bispora (Bagl.) Guderley & Lumbsch	Doidge 1950
<i>Diploschistes bellus</i> Zahlbr.	
Kroswia P.M. Jørg. (2002)	
crystallifera P. M. Jørg.	Jørgensen 2002a, Jørgensen 2003
Lasallia Mérat (1821)	
capensis (Frey) Llano	Frey 1949, Almborn 1987,
<i>Umbilicaria capensis</i> Frey	Almborn 1988b
dilacerata (Frey) Llano	Frey 1949, Almborn 1987
<i>Umbilicaria dilacerata</i> Frey	
glauca (Stizenb.) Llano	Doidge 1950, Almborn 1987
<i>Umbilicaria glauca</i> Stizenb.	
membranacea (Laurer) Llano	Doidge 1950, Almborn 1987
<i>Umbilicaria membranacea</i> Laurer	
papulosa (Ach.) Llano	Doidge 1950, Almborn 1974,
<i>Umbilicaria pustulata</i> var. <i>papulosa</i> (Ach.) Tuck.	Almborn 1987, Almborn 1988b,
	Swinscow & Krog 1988
pustulata (L.) Mérat	Doidge 1950, Almborn 1987
<i>Umbilicaria pustulata</i> f. <i>minor</i> Crombie	Swinscow & Krog 1988,
<i>Umbilicaria pustulata</i> var. <i>papillata</i> Hampe	Galloway 1995
<i>L. rubiginosa</i> (Pers.) Llano	
<i>Umbilicaria rubiginosa</i> Pers.	
<i>L. papulosa</i> var. <i>rubiginosa</i> (Pers.) Llano	
Lecanactis Eschw. (1824)	
bullata Zahlbr.	Doidge 1950
develans Nyl.	Doidge 1950
emersa (Müll. Arg.) Stizenb.	Doidge 1950
ulcerata (Müll. Arg.) Zahlbr.	Doidge 1950
Lecania A. Massal. (1853)	
arenaria (Anzi) Flagey	Doidge 1950
cyrtella Th. Fr.	Doidge 1950
fructuosa (Stizenb.) Zahlbr.	Doidge 1950
Lecanographa Egea & Torrente	
lyncea (Sm.) Egea & Torrente	Doidge 1950
<i>Opegrapha lyncea</i> (Sm.) Borr.	
subcaesioides Egea & Torrente	Egea & Torrente 1996
Lecanora Ach. (1809)	
albella (Pers.) Ach.	Doidge 1950
<i>L. pallida</i> (Schreb.) Rabenh.	
albospersa Stizenb.	Doidge 1950
allophana Nyl.	Doidge 1950
aspera Stizenb.	Doidge 1950
<i>Squamarina aspera</i> (Stizenb.) C.W. Dodge	
atraeformis Vain.	Doidge 1950
atrormata Nyl.	Doidge 1950
<i>Aspicilia atrormata</i> (Nyl.) C.W. Dodge	
atrosulphurea Ach.	Doidge 1950
INC.: <i>L. atrosulphurea</i> f. <i>leptococca</i> Stizenb.	
<i>L. atrosulphurea</i> f. <i>livens</i> Stizenb.	
bicincta Ramond	Doidge 1950
<i>L. rupicola</i> var. <i>bicincta</i> (Ramond) Clauzade & Cl. Roux	
bogotana Nyl.	Doidge 1950
breuteliana A. Massal.	Doidge 1950
<i>Aspicilia breuteliana</i> (A. Massal.) C.W. Dodge	
bylii Vain.	Doidge 1950
<i>Aspicilia bylii</i> (Vain.) C.W. Dodge	
¹ bylii Zahlbr.	Doidge 1950

caesiopallens Vain.	Doidge 1950
campestris (Schaer.) Hue	Doidge 1950
<i>L. subfusca</i> var. <i>campestris</i> (Schaer.) Rabenh.	
caesiorubella Ach.	Doidge 1950
<i>L. cancriformis</i> (Hoffm.) Vain.	
candidata Stizenb.	Doidge 1950
carneoflava Müll. Arg.	Doidge 1950
carpineae (L.) Vain.	Doidge 1950
chlarotera Nyl.	Doidge 1950
<i>L. subfusca</i> (L.) Ach.	
INC.: <i>L. subfusca</i> var. <i>subcrenulata</i> Nyl	
<i>L. subfusca</i> var. <i>subgranulata</i> Nyl.	
chondroplaca Zahlbr.	Doidge 1950
<i>Aspicilia chondroplaca</i> (Zahlbr.) C.W. Dodge	
cinefacta Stizenb.	Doidge 1950
cruda Stizenb.	Doidge 1950
deminuta (Müll. Arg.) Stizenb.	Doidge 1950
diffusilis Nyl.	Doidge 1950
<i>Aspicilia diffusilis</i> (Nyl.) C.W. Dodge	
dispersa (Pers.) Röhl.	Doidge 1950
AS: <i>L. dispersa</i> f. <i>nana</i> Vain.	
<i>L. dispersa</i> f. <i>testacea</i> Vain.	
elapheia Stizenb.	Doidge 1950
epibryon (Ach.) Ach.	Brusse 1988e
expallens Ach.	Doidge 1950
farinacea Fée	Doidge 1950
<i>L. blanda</i> Nyl.	
flexuosa Stizenb.	Doidge 1950
frustulosa Ach.	Doidge 1950
galactiniza Nyl.	Doidge 1950
glabrata (Ach.) Malme	Doidge 1950
<i>L. allophana</i> var. <i>glabrata</i> (Ach.) Steiner	
helva Stizenb.	Doidge 1950
labiosa Stizenb.	Doidge 1950
leprosa Fée	Doidge 1950
leucoxantha Müll. Arg.	Doidge 1950
nidulans Stizenb.	Doidge 1950
nubila Stizenb.	Doidge 1950
<i>Aspicilia nubila</i> (Stizenb.) Hue	
obvirescens Stizenb.	Doidge 1950
oreinoides (Körb.) Hertel & Rambold	Doidge 1950
<i>Carbonea oreinoides</i> (Körb.) Brusse	
<i>Lecidea angolensis</i> Müll. Arg.	
ostracoderma (Ach.) Ach.	Doidge 1950
polytypae Vain.	Doidge 1950
prosecha Ach.	Doidge 1950
AS: <i>L. prosecha</i> Ach. var. <i>homaloplaca</i> (Nyl.) Vain.	
<i>L. homaloplaca</i> Nyl.	
<i>Aspicilia homaloplaca</i> (Nyl.) C.W. Dodge	
psaromela Nyl.	Doidge 1950
pseudistera Nyl.	Zedda & Rambold 2004
pulicaris (Pers.) Ach.	Doidge 1950
<i>L. coilocarpa</i> (Ach.) Nyl.	
<i>L. chlarana</i> f. <i>pinastri</i> Cromb.	
rehmannii Stizenb.	Doidge 1950
rupicola (L.) Zahlbr.	Doidge 1950
sylvestris (Nyl.) Stizenb.	Doidge 1950
thiocheila Stizenb.	Doidge 1950
transvaalensis Lumbsch	Lumbsch et al. 1995
varia (Hoffm.) Ach.	Doidge 1950
vincentina Nyl.	Doidge 1950
¹ Nom. illegit. non, <i>Lecanora bylii</i> Vain. (See Appendix 2).	
Lecidea Ach. (1803)	
achristella Vain.	Doidge 1950

aeneola (Arnold) Vain.	Doidge 1950
AS: <i>L. aeneola</i> var. <i>fuscoatra</i> (Nyl.) Zahlbr.	
affine G. Merr. (nom inval. Art 38.1(a))	Doidge 1950
anteposita Nyl.	Doidge 1950
aporetica Stizenb.	Doidge 1950
bruguierae Vain.	Doidge 1950
buxea Stizenb.	Doidge 1950
caledonica Zahlbr.	Doidge 1950
capensis Zahlbr.	Doidge 1950
crassa (Nees) Stizenb.	Doidge 1950
cyanocentra Nyl.	Doidge 1950
decrustulata Vain.	Doidge 1950
elginensis Zahlbr.	Doidge 1950
erythrophaea Sommerf.	Doidge 1950
<i>L. tenebricosa</i> (Ach.) Nyl.	
esuriens Zahlbr.	Doidge 1950
exigua Chaub.	Doidge 1950
fucina Stizenb.	Doidge 1950
fuscoatra Ach.	Doidge 1950
<i>L. grisella</i> var. <i>mosigi</i> Zahlbr.	
fuscotabulata Stizenb.	Doidge 1950
geina Stizenb.	Doidge 1950
glebaria Stizenb.	Doidge 1950
glencairnensis Zahlbr.	Doidge 1950
gouritzensis Vain.	Doidge 1950
griseofuscuscula Vain. ex van der Byl	Doidge 1950
guamensis Vain.	Doidge 1950
hysbergensis Vain.	Doidge 1950
inscripta Stizenb.	Doidge 1950
insculpta Flot.	Doidge 1950
INC: <i>L. insculpta</i> f. <i>oxydata</i> Flot.	
lactaria Stizenb.	Doidge 1950
lactens Stizenb.	Doidge 1950
langbaanensis Vain.	Doidge 1950
lapicida (Ach.) Ach.	Doidge 1950
AS: <i>L. lapicida</i> var. <i>pantherina</i> Ach.	
mutabilis Fée	Doidge 1950
natalensis Nyl.	Doidge 1950
obumbrata Nyl.	Doidge 1950
ochroplaca Zahlbr.	Doidge 1950
AS: <i>L. ochroplaca</i> var. <i>intermedia</i> Zahlbr.	
<i>L. ochroplaca</i> var. <i>leprosa</i> Zahlbr.	
<i>L. ochroplaca</i> var. <i>polita</i> Zahlbr.	
oligocheila Zahlbr.	Doidge 1950
opalina Stizenb.	Doidge 1950
orbiculata Stizenb.	Doidge 1950
owaniana Müll. Arg.	Doidge 1950
pallidonigra Ach.	Doidge 1950
paraspeirea Stizenb.	Doidge 1950
peltasta Stirt.	Doidge 1950
<i>Psora peltasta</i> (Stirt.) C.W. Dodge	
peltoloma Müll. Arg.	Doidge 1950
peltulidea Stirt.	Doidge 1950
<i>Psora peltulidea</i> (Stirt.) C.W. Dodge	
phalerata Stizenb.	Doidge 1950
<i>Psora phalerata</i> (Stizenb.) C.W. Dodge	
quartzina Stizenb.	Doidge 1950
remota Vain. ex van der Byl	Doidge 1950
rhynsdorpensis Zahlbr.	Doidge 1950
squamifera Stizenb.	Doidge 1950
INC.: <i>L. squamifera</i> var. <i>byllyi</i> Zahlbr.	
stellans Stizenb.	Doidge 1950
stuppearia Stizenb.	Doidge 1950
subalbicans Nyl.	Doidge 1950

subattingens G. Merr. ex van der Byl	Doidge 1950
subceresina Zahlbr.	Doidge 1950
subexigua Vain.	Doidge 1950
subexiguella Vain.	Doidge 1950
subinquans Nyl.	Doidge 1950
sublucida Stizenb.	Doidge 1950
subcinerascens Nyl.	Doidge 1950
<i>Buellia subcinerascens</i> (Nyl.) Zahlbr.	
subsquamifera Zahlbr.	Doidge 1950
subrussula J. Steiner	Doidge 1950
sulfurosula Stizenb.	Doidge 1950
terrena Nyl.	Doidge 1950
theiochroa (Darb.) Hue	Doidge 1950
theiophoroides Vain. ex Lynge	Doidge 1950
tragorum Zahlbr.	Doidge 1950
trichiliae Zahlbr.	Doidge 1950
valida Stizenb.	Doidge 1950
vestita (Mont.) Nyl.	Doidge 1950
zeyheri A. Massal.	Doidge 1950
Lecidella Körb. (1855)	
aurata Knoph & Leuckert	Knoph & Leuckert 2000
elaeochroma (Ach.) M. Choisy	Doidge 1950
<i>Lecidea elaeochroma</i> (Ach.) Ach.	
INC.: <i>Lecidea elaeochroma</i> f. <i>flavicans</i> (Ach.) Th. Fr.	
<i>Lecidea elaeochroma</i> f. <i>geographica</i> (Bagl.) Zahlbr.	
<i>Lecidea elaeochroma</i> var. <i>hyalina</i> (Mart.) Zahlbr.	
epichromatica (Zahlbr.) Hertel	Doidge 1950
<i>Lecidea epichromatica</i> Zahlbr.	
euphorea (Flörke) Hertel	Doidge 1950
<i>Lecidea glomerulosa</i> (DC.) Steud.	
parasema (Ach.) Arnold	Doidge 1950
<i>Lecidea parasema</i> Ach.	
INC.: <i>Lecidea parasema</i> var. <i>areolata</i> G. Merr.	
<i>Lecidea parasema</i> var. <i>atropurpurea</i> Flot.	
stigmatea (Ach.) Hertel & Leuckert	Doidge 1950
<i>Lecidea cinnamomea</i> Stizenb.	
<i>Lecidea vulgata</i> Zahlbr.	
viridans (Flot.) Körb.	Doidge 1950
AS: <i>Lecidea viridans</i> var. <i>nigrella</i> (A. Massal.) J. Steiner	
Lepraria Ach. (1803)	
glauccella Ach.	Doidge 1950
incana (L.) Ach.	Brusse 1988e
Leprocaulon Nyl. (1879)	
albicans (Th. Fr.) Nyl.	Almborn 1987
Leptogium (Ach.) Gray (1821)	
africanum Zahlbr.	Doidge 1950
austroamericanum (Malme) C.W. Dodge	Galloway 1995
azureum (Sw. ex Ach.) Mont.	Galloway 1995, Doidge 1950
<i>L. tremelloides</i> var. <i>azureum</i> Nyl.	
bullatum (Sw.) Mont.	Doidge 1950
INC.: <i>L. bullatum</i> var. <i>dactylinoideum</i> Nyl.	
burgessii (L.) Mont.	Doidge 1950
caespitosum (Taylor) Swinscow & Krog	Doidge 1950, Swinscow & Krog 1988
<i>L. chloromelum</i> var. <i>caespitosum</i> (Tayl.) Zahlbr.	
capense P. M. Jørg. & A.K. Wallace	Jørgensen 1997
chloromeloides Nyl.	Doidge 1950
chloromelum (Ach.) Nyl.	Doidge 1950
INC.: <i>L. chloromelum</i> var. <i>crassius</i> Nyl.	
cochleatum (Dicks.) P.M. Jørg. & P. James	Doidge 1950
<i>L. tremelloides</i> (L.f.) S.F. Gray	
coralloideum (Meyen & Flot.) Vain.	Galloway 1995, Thomas & Bhat 1996
<i>L. phyllocarpum</i> var. <i>coralloideum</i> (Mey. & Flot.) Hue	
cyanescens (Pers.) Körb.	Thomas & Bhat 1996
daedaleum Nyl.	Doidge 1950

digitatum (A. Massal.) Zahlbr.	Swinscow & Krog 1988
hildenbrandii (Garov.) Nyl.	Doidge 1950
kraussii (Flot.) Zahlbr.	Doidge 1950
marginellum (Sw.) S.F.Gray	Doidge 1950
menziesii (Sw.) Mont.	Doidge 1950
INC.: <i>Le. menziesii</i> f. <i>fuliginosum</i> Müll. Arg.	
moluccanum (Pers.) Vain.	Doidge 1950
INC.: <i>L. moluccanum</i> var. <i>simplicata</i> Vain.	
palmatum (Huds.) Mont.	Galloway 1995
Scytinium palmatum (Huds.) Gray	
phyllocarpum (Pers.) Mont.	Doidge 1950, Thomas & Bhat 1996
INC.: <i>L. phyllocarpum</i> var. <i>macrocarpum</i> Nyl.	
saturninum Nyl.	Doidge 1950
Leptotrema Mont. & Bosch (1855)	
endoxanthellum Zahlbr.	Doidge 1950
Letrouitia Hafellner & Bellem. (1982)	
aureola (Tuck.) Hafellner & Bellem.	Doidge 1950
<i>Bombyliospora aureola</i> (Tuck.) Zahlbr.	
domingensis (Pers.) Hafellner & Bellem.	Doidge 1950
<i>Bombyliospora domingensis</i> (Pers.) Zahlbr.	
INC.: <i>Bombyliospora domingensis</i> var. <i>colorata</i> Vain.	
<i>Bombyliospora domingensis</i> var. <i>flavocrocea</i> Zahlbr	
<i>Bombyliospora domingensis</i> var. <i>glaucoctropa</i> Vain.	
<i>Bombyliospora domingensis</i> var. <i>inexplicata</i> Malme	
<i>Bombyliospora domingensis</i> var. <i>inspersa</i> Steiner	
flavidula (Tuck.) Hafellner	Doidge 1950
<i>Bombyliospora flavidula</i> (Tuck.) Zahlbr.	
vulpina (Tuck.) Hafellner & Bellem.	Doidge 1950
<i>Lopadium vulpinum</i> (Tuck.) Zahlbr.	
*Lichenoconium Petr. & Syd. (1927)	
*follmannii S.Y. Kondr. & Galloway	Kondratyuk & Galloway 1995
† Lichenothelia D. Hawksw. (1981)	
†intermedia Henssen	Henssen 1987
†tenuissima Henssen	Henssen 1987
Lichina C. Agardh (1817)	
macrospora Henssen, Budel & Wessels	Henssen et al. 1985
Lichinella Nyl. (1873)	
stipatula Nyl.	Schultz et al. 2009
Lithoglypha Brusse (1988)	
aggregata Brusse	Brusse 1988a
Lithographa Nyl. (1857)	
cerealis Stizenb.	Doidge 1950
fumida Nyl.	Doidge 1950
Lobaria (Schreb.) Hoffm.)	
interspersans (Nyl.) Vain.	Doidge 1950
isidiosa (Müll. Arg.) Vain.	Doidge 1950
meridionalis Vain.	Doidge 1950
patinifera (Taylor) Hue	Doidge 1950
pulmonaria (L.) Hoffm.	Doidge 1950, Almborn 1988b
<i>L. pulmonaria</i> f. <i>hypomela</i> (Delise) Cromb.	
<i>L. pulmonaria</i> f. <i>papillaris</i> (Delise) Hue	
<i>L. pulmonaria</i> f. <i>pleurocarpa</i> Cromb.	
quercizans (Ach.) Michx.	Doidge 1950
retigera (Bory) Trevis.	Doidge 1950, Swinscow & Krog 1988
scrobiculata (Scop.) P. Gaertn.	Doidge 1950
<i>Lobaria verrucosa</i> (Huds.) Hoffm.	
Lopadium Körb. (1855)	
woodii (Stizenb.) Zahlbr.	Doidge 1950
Lopezaria Kalb & Hafellner (1990)	
versicolor (Flot.) Kalb & Hafellner	Doidge 1950
<i>Megalospora versicolor</i> (Flot.) Zahlbr.	
Malmidea Kalb, Rivas Plata & Lumbsch (2011)	
granifera (Ach.) Kalb, Rivas Plata & Lumbsch	Doidge 1950

<i>Lecidea granifera</i> Ach.	
Maronea A. Massal. (1856)	
afroalpina Brusse	Brusse 1989b
constans (Nyl.) Hepp	Doidge 1950
crassilabra (Müll. Arg.) H. Magn.	Doidge 1950
Mazosia A. Massal. (1854)	
melanophthalma (Müll. Arg.) R. Sant.	Brusse 1991c, Farkas 2004
phyllosema (Nyl.) A. Zahlbr.	Santesson 1952
Megalaria Hafellner (1984)	
intermixta (Nyl.) Kalb	Doidge 1950
<i>Catillaria intermixta</i> (Nyl.) Arnold	
INC.: <i>C. intermixta</i> f. <i>cyanocentra</i> Zahlbr.	
Megalospora Meyen (1843)	
tuberculosa (Fée) Sipman	Doidge 1950
<i>Bombyliospora tuberculosa</i> (Fée) A. Massal.	
<i>Bombyliospora tuberculosa</i> f. <i>geotropica</i> (Stizenb.) Zahlbr.	
<i>Bombyliospora zuluensis</i> Vain.	
stellenboschiana (Vain.) Zahlbr.	Doidge 1950
<i>Lecidea stellenboschiana</i> Vain.	
sulphurata Meyen	Galloway 1995, Brusse 1993
INC.: <i>M. sulphurata</i> var. <i>nigricans</i> (Müll. Arg.) Riddle	
tuberculosa (Fée) Sipman	Doidge 1950
<i>Bombyliospora incana</i> A.L.Sm.	
Melampyldium Stirt. ex Müll. Arg. (1894)	
¹ africana (Zahlbr.) Zahlbr.	Doidge 1950
<i>Melampyldium metabolum</i>	
subsp. <i>africanum</i> Zahlbr.	
¹ <i>Melampyldium metabolum</i> (Nyl.) Müll. Arg. subsp. <i>metabolum</i> has been transferred to <i>Bactrospora</i> .	
Melanelia Essl. (1978)	
panniformis (Nyl.) Essl.	Doidge 1950
Melanelixia O. Blanco, et al. (2004)	
fuliginosa (Lamy) O. Blanco et al.	Doidge 1950
glabra (Schaer.) O. Blanco et al.	Doidge 1950
Melanotheca Fée (1837)	
oculea Stizenb.	Doidge 1950
Melaspilea Nyl. (1857)	
gemella Nyl.	Doidge 1950
Micarea Fr. (1825)	
almbornii Coppins	Almborn 1974, Coppins 1999
endoviolascens Coppins	Coppins 1999
melaenida (Nyl.) Coppins	Coppins 1999
<i>Catillaria schumannii</i> var. <i>meridionalis</i> Cl. Roux & Vězda	
† Microthelia Körb. (1855)	
†confluens Müll.Arg.	Doidge 1950
Moelleropsis Gyeln. (1939)	
nebulosa (Hoffm.) Gyeln.	Jørgensen 2003
† Mycoporellum Müll. Arg. (1884)	
†lahmii Müll. Arg.	Doidge 1950
Myelochroa (Asahina) Elix & Hale (1987)	
aurulenta (Tuck.) Elix & Hale	Hale 1976c
<i>Parmelina aurulenta</i> (Tuck.) Hale	
degelii (Hale) Elix & Hale	Brusse 1988e, Elix & Hale 1987
<i>Hypotrachyna degelii</i> (Hale) Hale	
<i>Parmelia degelii</i> Hale	
perisidians (Nyl.) Elix & Hale	Doidge 1950
<i>Parmelia perisidiosa</i> Nyl.	
Neoheppia Zahlbr. (1909)	
brasiliensis Zahlbr.	Büdel 1995
Nephroma Ach. (1809)	
africanum Gyeln.	Doidge 1950
capense A. Massal.	Doidge 1950
cellulosum Ach.	Doidge 1950
flavireagens Gyeln.	Doidge 1950

helveticum Ach.	Doidge 1950
<i>N.resupinatum</i> Ach. f. <i>helveticum</i> Rabenh.	
laevigatum Ach.	Doidge 1950
tropicum (Müll. Arg.) Zahlbr.	Doidge 1950
Niebla Rundel & Bowler (1978)	
bourgaeana (Mont. ex Nyl.) Rundel & Bowler	Doidge 1950
<i>Ramalina bourgaeana</i> Nyl.	
Normandina Nyl. (1855)	
pulchella (Borrer) Nyl.	Doidge 1950, Almborn 1987, Almborn 1988a
Ocellularia G. Mey. (1825)	
capensis Zahlbr.	Doidge 1950
AS: <i>O. capensis</i> var. <i>feracior</i> Zahlbr.	
<i>O. capensis</i> var. <i>leiothallina</i> Zahlbr.	
cavata (Ach.) Müll. Arg.	Doidge 1950
galactina Zahlbr.	Doidge 1950
henatomma (Ach.) Müll. Arg.	Doidge 1950, Almborn 1974
Ochrolechia A. Massal. (1852)	
africana Vain.	Doidge 1950, Brodo 1991
¹ <i>O. africana</i> Zahlbr. (nom illeg., non Vain.)	
pallidescens (L.) A. Massal.	Doidge 1950
parella (L.) A. Massal.	Doidge 1950
¹ Although based on different types, both <i>O. africana</i> Vain. and <i>O. africana</i> Zahlbr. represent the same species, although different chemotypes.	
Opegrapha Ach. (1809)	
adpicta Zahlbr.	Doidge 1950
agelaea Fée	Doidge 1950
bacillosa Zahlbr.	Doidge 1950
capensis Müll. Arg.	Doidge 1950
diagraphoides Nyl.	Doidge 1950
diaphorella Stizenb.	Doidge 1950
exiguella Zahlbr.	Doidge 1950
interalbata Nyl.	Doidge 1950
lactifera Zahlbr.	Doidge 1950
lutulenta Nyl.	Egea & Torrente 1996
parvula Nyl.	Doidge 1950
prosodea Ach.	Doidge 1950
AS: <i>O. prosodea</i> var. <i>microcarpella</i> Zahlbr.	
semitrata Müll. Arg.	Doidge 1950
signatella Vain.	Doidge 1950
tapetica Zahlbr.	Doidge 1950
zanei A. Massal.	Doidge 1950
Pannaria Delise ex Bory (1828)	
capensis J. Steiner	Doidge 1950
centrifuga P.M. Jørg.	Jørgensen 2003
conoplea (Ach.) Bory	Jørgensen 2003
globigera Hue	Jørgensen 2003
hookeri (Borrer) Nyl.	Doidge 1950
lurida (Mont.) Nyl.	Doidge 1950, Swinscow & Krog 1988 Galloway 1995, Jørgensen 2003
planuscula P.M. Jørg.	Jørgensen 2003
rubiginosa (Thunb. ex Ach.) Delise	Doidge 1950, Almborn 1966, Almborn 1988b, Swinscow & Krog 1988, Jørgensen 2003
<i>P. rubiginosa</i> var. <i>lanuginosa</i> (Hoffm.) Zahlbr.	
<i>P. rubiginosa</i> var. <i>phloeodes</i> Stizenb.	
squamulosa P. M. Jørg.	Jørgensen 2003
tavaresii P. M. Jørg.	Krog 2000, Jørgensen 2003
Paralecanographa Ertz & Tehler (2011)	
grumulosa (Dufour) Ertz & Tehler	Egea & Torrente 1996
<i>Lecanographa grumulosa</i> (Dufour) Egea & Torrente	
Parmelia Ach. (1803)	
caffrorum Zahlbr.	Doidge 1950
erumpens Kurok.	Hale 1986
kerguelensis F. Wilson	Hale 1986, Brusse 1988e
oleagina Stizenb.	Doidge 1950
omphalodes (L.) Ach.	Doidge 1950

<i>P. omphalodes</i> var. <i>panniformis</i> Ach.	
saxatilis (L.) Ach.	Doidge 1950, Brusse 1993
stenophylloides (Müll. Arg.) Vain.	Doidge 1950
sulcata Taylor	Almborn 1988b
xanthotropa Stirt.	Doidge 1950
Parmeliella Müll. Arg. (1862)	
brisbanensis (C. Knight) P.M. Jørg.	Galloway 1995
& D.J. Galloway	
<i>Pannaria brisbanensis</i> C. Knight	
coelestina Zahlbr.	Doidge 1950, Jørgensen 1998, Jørgensen 2003
dactylifera P. M. Jørg.	Jørgensen 2003
furfuracea P. M. Jørg.	Jørgensen 2001, Jørgensen 2003
imbricatula (Müll. Arg.) P. M. Jørg.	Jørgensen 2003
lacerata P. M. Jørg.	Jørgensen 1998, Jørgensen 2003
mariana (Fr.) P. M. Jørg. & D. J. Galloway	Galloway 1995
triptophylla (Ach.) Müll. Arg.	Doidge 1950
<i>P. corallinoides</i> (Hoffm.) Zahlbr	
Parmelina Hale (1974)	
quercina (Willd.) Hale	Doidge 1950
<i>Parmelia quercina</i> (Willd.) Vain.	
INC.: <i>Parmelia quercina</i> f. <i>cupiseda</i> Vain.	
tiliacea (Hoffm.) Hale	Doidge 1950
<i>Parmelia scorteae</i> (Ach.) Ach.	
Parmelinella Elix & Hale (1987)	
wallichiana (Taylor) Elix & Hale	Doidge 1950, Hale 1976c
<i>Parmelia junodii</i> J. Steiner	
<i>Parmelina wallichiana</i> (Taylor) Hale	
Parmelinopsis Elix & Hale (1987)	
ectypa (Brusse) DePriest & B.W. Hale	Brusse 1991c, DePriest & B.W. Hale 1998
<i>Parmelia ectype</i> Brusse	Hale 1976c
horrescens (Taylor) Elix & Hale	
<i>Parmelina dissecta</i> (Nyl.) Hale	
<i>Parmelina horrescens</i> (Taylor) Hale	
spathulata (Kurok.) Elix & Hale	Hale 1976c
<i>Parmelina spathulata</i> (Kurok.) Hale	
spumosa (Asahina) Elix & Hale	Hale 1976c
<i>Parmelina spumosa</i> (Asahina) Hale	
subfaticens (Kurok.) Elix & Hale	Hale 1976c
<i>Parmelina subfaticens</i> (Kurok.) Hale	
Parmentaria Fée (1825)	
capensis Zahlbr.	Doidge 1950
Parmotrema A. Massal. (1860)	
abessinicum (Kremp.) Hale	Doidge 1950
<i>Parmelia abessinica</i> Nyl.	
andinum (Müll. Arg.) Hale	Doidge 1950, Almborn 1988b, Thomas & Bhat 1996
<i>Parmelia andina</i> Müll. Arg	Almborn 1988b, Thomas & Bhat 1994
austrosinense (Zahlbr.) Hale	
<i>Parmelia austrosinensis</i> Zahlbr.	
blanchetianum (Müll. Arg.) Kalb	Elix 1993, Elix 1999a
cetratum (Ach.) Hale	Doidge 1950, Hale & Fletcher 1990
<i>Parmelia cetrata</i> Ach.	
<i>Rimelia cetrata</i> (Ach.) Hale & A. Fletcher	
<i>Parmelia owaniana</i> Stirt.	
INC.: <i>Parmelia cetrata</i> f. <i>ciliosa</i> Viaud-Gr.-Mar.	
commensuratum (Hale) Hale	Brusse 1991c
<i>Rimelia commensurata</i> Hale & A. Fletcher	
cooperi (J. Steiner & Zahlbr.) Sérus.	Doidge 1950
<i>Parmelia cooperi</i> J. Steiner & Zahlbr.	
crinitum (Ach.) M. Choisy	Doidge 1950, Almborn 1988b
<i>Parmelia pilosella</i> Hue	
<i>Parmelia proboscidea</i> Taylor	
<i>Parmelia crinita</i> Ach.	
cristiferum (Taylor) Hale	Doidge 1950, Doidge 1950

<i>Parmelia cristifera</i> Taylor	
cryptoxanthum (Abbayes) Hale	Swinscow & Krog 1988
defectum (Hale) Hale	Swinscow & Krog 1988, Almborn 1991
<i>Parmelia defecta</i> Hale	Almborn 1988b
dilatatum (Vain.) Hale	
<i>Parmelia dilatata</i> Vain.	
direagens (Hale) Hale	Swinscow & Krog 1988
eciliatum (Nyl.) Hale	Doidge 1950
<i>Parmelia resupina</i> Stirt.	
eunetum (Stirt.) Hale	Doidge 1950
<i>Parmelia euneta</i> Stirt.	
grayanum (Hue) Hale	Almborn 1988a, Almborn 1988b
hababianum (Gyeln.) Hale	Doidge 1950
<i>Parmelia abessinica</i> var. <i>sorediosa</i> Müll. Arg.	
latissimum (Fée) Hale	Doidge 1950
<i>Parmelia latissima</i> Fée	
macleyanum (Müll. Arg.) Hale	Doidge 1950
<i>Parmelia macleyana</i> Müll. Arg.	
mellissii (C.W. Dodge) Hale	Brusse 1988e
<i>Parmelia mellissii</i> C.W. Dodge	
natalensis J. Steiner & Zahlbr.	Doidge 1950
<i>Parmelia natalensis</i> J. Steiner & Zahlbr.	
nilgherrense (Nyl.) Hale	Doidge 1950
<i>Parmelia nilgherrensis</i> Nyl.	
perforatum (Jacq.) A. Massal.	Doidge 1950
<i>Parmelia perforata</i> (Jacq.) Ach.	
perlutum (Huds.) M. Choisy	Doidge 1950
<i>Parmelia perlata</i> (Huds.) Ach.	
<i>Parmotrema chinense</i> (Osbeck) Hale & Ahti	
(INC.: <i>Parmelia perlata</i> var. <i>ciliata</i> f. <i>sorediifera</i> Müll. Arg.).	
poolii (C. W. Dodge) Krog & Swinscow	Doidge 1950
<i>Parmelia proboscidea</i> var. <i>sorediifera</i> Müll. Arg.	
reticulatum (Taylor) M. Choisy	Doidge 1950, Almborn 1988b, Galloway 1995
<i>Parmelia reterimulosa</i> J. Steiner & Zahlbr.	
<i>Parmelia reticulata</i> Taylor	
<i>Rimelia reticulata</i> (Taylor) Hale & A. Fletcher	
stuhlmannii (C.W. Dodge) Krog & Swinscow	Brusse 1991b
<i>Parmelia stuhlmannii</i> C.W. Dodge	
sulphuratum (Nees & Flot.) Hale	Doidge 1950
<i>Parmelia persulphurata</i> Nyl.	
tinctorum (Despr. ex Nyl.) Hale	Doidge 1950
<i>Parmelia tinctorum</i> Despr. ex Nyl.	
xanthinum (Müll. Arg.) Hale	Nash & Elix 1987
Peccania A. Massal. ex Arnold (1858)	
arabica (Müll. Arg.) Henssen	Schultz et al. 2009
arizonica Herre	Schultz et al. 2009
aff. cerebriformis Henssen & Büdel	Zedda & Rambold 2004
aff. fontequeriana P.P. Moreno & Egea	Zedda & Rambold 2004
subnigra (B. de Lesd.) Wetmore	Schultz et al. 2009
Peltigera Willd. (1787)	
africana (Jatta) Swinscow & Krog	Swinscow & Krog 1988
canina (L.) Willd.	Doidge 1950, Almborn 1988b
INC.: <i>P. canina</i> f. <i>leucorrhiza</i> Flörke	
didactyla (With.) J.R. Laundon	Verseghy 1962, Almborn 1966
<i>P. erumpens</i> (Taylor) Lange	
<i>P. hazslinszkyi</i> Gyeln.	
<i>Peltigera leptoderma</i> Nyl.	
<i>Solorina sorediifera</i> Nyl.	
hymenina (Ach.) Delise	Doidge 1950
<i>P. polydactyla</i> f. <i>hymenina</i> (Ach.) Flot.	
malacea (Ach.) Funck	Doidge 1950
membranacea (Ach.) Nyl.	Doidge 1950
<i>P. canina</i> f. <i>membranacea</i> (Ach.) Duby	
polydactylon (Neck.) Hoffm.	Doidge 1950

<i>P. polydactyla</i> (Neck.) Hoffm.	
sorediifera (Nyl.) Vitik.	Doidge 1950
<i>Solorina sorediifera</i> Nyl.	
Peltula Nyl. (1853)	
africana (Jatta) Swinscow & Krog	Büdel 1987
bolanderi (Tuck.) Wetmore	Büdel 1987
boletiformis (Hue) Henssen & Büdel	Büdel 1987
clavata (Kremp.) Wetmore	Büdel 1987
coriacea Büdel	Büdel & Henssen 1986, Büdel 1987, Zedda & Rambold 2004
euploca (Ach.) Poelt ex Ozenda & Clauzade	Büdel 1987
farinosa Büdel	Büdel & Lange 1994, Büdel & Nash 2002
impressa (Vain.) Swinscow & Krog	Büdel 1987, Swinscow & Krog 1988
lingulata (Vain.) Swinscow & Krog	Büdel 1987, Swinscow & Krog 1988
marginata Büdel	Büdel 1987
obscurans (Nyl.) Gyeln.	Büdel 1987
AS: <i>P. obscurans</i> var. <i>hassei</i> (Zahlbr.) Wetmore	
patellata (Bagl.) Swinscow & Krog	Schultz et al. 2009
placodizans (Zahlbr.) Wetmore	Büdel 1987
rodriguesii (Cromb.) Büdel	Büdel 1987, Büdel 1989
tortuosa (Nees) Wetmore	Büdel 1987, Swinscow & Krog 1988
umbilicata (Vain.) Swinscow & Krog	Büdel 1987, Swinscow & Krog 1988
† Peridiothelia D. Hawksw. (1985)	
†fuliguncta (Norman) D. Hawksw.	Doidge 1950
<i>Microthelia micula</i> Körb. (misapplied name)	
Pertusaria DC. (1805)	
amara (Ach.) Nyl.	Doidge 1950
INC.: <i>P. amara</i> var. <i>capensis</i> J. Steiner	
ambigens (Nyl.) Tuck.	Doidge 1950
aperta Stizenb.	Doidge 1950
casta Zahlbr.	Doidge 1950
chiodectonoides Bagl. ex A. Massal.	Doidge 1950
<i>P. inquinata</i> (Ach.) Th. Fr.	
coccodes Nyl.	Doidge 1950
commutans Vain.	Doidge 1950
cryptostoma Müll. Arg.	Doidge 1950
diaziana A. Massal.	Doidge 1950
dispersa Vain.	Doidge 1950
duplicata Vain.	Doidge 1950
<i>P. variolosa</i> Müll. Arg. (non <i>P. variolosa</i> (Kremp.) Vain.)	
elatior Stirt.	Doidge 1950
enterostigmoides Zahlbr.	Doidge 1950
euglypta Tuck.	Doidge 1950
eyelpistia A. Massal.	Doidge 1950
flavens Nyl.	Doidge 1950
flavicunda Tuck.	Doidge 1950
granulata (Ach.) Müll. Arg.	Doidge 1950
INC.: <i>P. granulata</i> var. <i>variolaroides</i> Flot.	
laevigata Arnold	Doidge 1950
leioplaca DC.	Doidge 1950
<i>P. alpina</i> Hepp.	
INC.: <i>P. leioplaca</i> var. <i>pyncocarpa</i> Nyl.	
leioplacella Nyl.	Doidge 1950
leonina Stizenb.	Doidge 1950, Almborn 1988b
leucosoroides Nyl.	Doidge 1950
limosa Zahlbr.	Doidge 1950
melanospora Nyl.	Doidge 1950
multiplicans Vain.	Doidge 1950
nivea G. Merr.	Doidge 1950
orbiculata (Schreb.) Zahlbr.	Doidge 1950
pustulata (Ach.) Duby	Doidge 1950
<i>P. melaleuca</i> (Turn. & Borr.) Duby	

spaniostoma Vain.	Doidge 1950
subdealbata Nyl.	Doidge 1950
subvelatula Vain.	Doidge 1950
thiostoma Nyl.	Doidge 1950
trypetheliiformis Nyl.	Doidge 1950
velata (Turner) Nyl.	Doidge 1950
vepallida Nyl.	Doidge 1950
wawreana A. Massal.	Doidge 1950
wawreanoides Nyl.	Doidge 1950
wilmsii Stizenb.	Doidge 1950
xanthomelaena Müll. Arg.	Doidge 1950
*Phacopsis Tul. (1852)	
*australis Aptroot & Triebel	Aptroot & Triebel 2002
*falcispora Triebel & Rambold (var. falcispora)	Triebel et al. 1995
*oxyspora (Tulasne) Triebel & Rambold	Triebel et al. 1995
AS: <i>Phacopsis oxyspora</i> var. <i>fusca</i> Triebel & Rambold	
Phaeographina Müll. Arg. (1882)	
caesiopruinosa (Fée) Müll. Arg.	Doidge 1950
limbata Müll. Arg.	Doidge 1950
subfarinacea (Nyl.) Zahlbr.	Doidge 1950
Phaeographis Müll. Arg. (1882)	
conjungens Zahlbr.	Doidge 1950
cryptica Zahlbr.	Doidge 1950
inusta (Ach.) Müll. Arg.	Doidge 1950
INC.: <i>P. inusta</i> var. <i>emergens</i> Vain.	
mesographa Müll. Arg.	Doidge 1950
Phaeophyscia Moberg (1977)	
adiostola (Essl.) Essl.	Moberg 2004
ciliata (Körb.) Moberg	Doidge 1950
<i>Physcia obscura</i> (Ehrh.) Hampe ex Fűrnr.	
confusa Moberg	Moberg 2004
endococcina (Körb.) Moberg	Doidge 1950, Moberg 2004
<i>Physcia endococcina</i> (Körb.) Nyl.	
fumosa Moberg	Moberg 2004
hirsuta (Mereschk.) Essl.	Thomas & Bhat 1996, Moberg 2004
hispidula (Ach.) Essl.	Doidge 1950, Moberg 2004
AS: <i>Physcia setosa</i> (Ach.) Nyl.	
INC.: <i>Physcia setosa</i> f. <i>deminuta</i> Cromb.	
<i>Physcia setosa</i> f. <i>virella</i> B.deLesd.	
orbicularis (Neck.) Moberg	Doidge 1950, Moberg 2004
AS: <i>Physcia obscura</i> var. <i>glaucoviridis</i> Zahlbr.	
Phlyctella Kremp. (1876)	
andensis Nyl.	Doidge 1950
capillaris (Stirt.) Stizenb.	Doidge 1950
Phlyctidia Müll. Arg. (1895)	
boliviensis (Nyl.) Müll. Arg.	Doidge 1950
Phlyctis (Wallr.) Flot. (1850)	
argena Flot.	Doidge 1950
candida Zahlbr.	Doidge 1950
Phyllopsora Müll. Arg. (1894)	
albicans Müll. Arg.	Timdal & Krog 2001
breviuscula (Nyl.) Müll. Arg.	Doidge 1950
corallina (Eschw.) Müll. Arg.	Doidge 1950, Timdal & Krog 2001,
INC: var. <i>ochroxantha</i> (Nyl.) Brako	Almborn 1988a, Almborn 1988b,
<i>Lecidea ochroxantha</i> Nyl.	Galloway 1995
<i>Lecidea ochroxantha</i> f. <i>aethiopica</i> Stizenb.	
furfuracea (Pers.) Zahlbr.	Timdal & Krog 2001
nemoralis Timdal & Krog	Timdal & Krog 2001
pannosa Müll. Arg.	Brusse 1989e
<i>P. haemophae</i> sensu Brusse 1988e	
parvifolia (Pers.) Müll. Arg.	Doidge 1950
INC.: <i>P. parvifolia</i> var. <i>fibrillifera</i> (Nyl.) Müll. Arg.	
<i>P. parvifolia</i> var. <i>pulvinata</i> J. Steiner	
parvifoliella (Nyl.) Müll. Arg.	Doidge 1950

thaleriza (Stirt.) Gotth. Schneider	Doidge 1950,
<i>Lecidea thaleriza</i> Stirt.	Swinscow & Krog 1988
Physcia (Schreb.) Michx. (1803)	
adscendens (Fr.) H. Olivier	Doidge 1950, Moberg 2004
affixa Nyl.	Doidge 1950
aipolia (Ehrh. ex Humb.) Fűrnr.	Doidge 1950
albata (F. Wilson) Hale	Moberg 2004
alnophila (Vain.) Loht., Moberg, Myllys & Tehler	Doidge 1950
<i>Physcia aipolia</i> var. <i>alnophila</i> Vain.	
atrostriata Moberg	Moberg 2004
biziana (A. Massal.) Zahlbr.	Almborn 1988a, Almborn 1988b, Moberg 2004
caesia (Hoffm.) Hampe ex Fűrnr.	Doidge 1950
clementei (Turner) Lynge	Doidge 1950
<i>Physcia clementiana</i> J. Kickx f.	
crispa (Pers.) Nyl.	Doidge 1950
INC.: <i>Physcia crispa</i> f. <i>melanophthalma</i> Vain.	
decorticata Moberg	Moberg 2004
dilatata Nyl.	Doidge 1950
dimidiata Nyl.	Doidge 1950
dubia (Hoffm.) Lettau	Brusse 1988e
endochrysea Hampe	Doidge 1950
erumpens Moberg	Moberg 2004
erythrocardia Vain.	Doidge 1950
integrata Nyl.	Doidge 1950, Moberg 2004
INC.: <i>Physcia integrata</i> var. <i>obessa</i> Vain.	
jackii Moberg	Moberg 2004
krogiae Moberg	Moberg 2004
poncinsii Hue	Moberg 2004
stellaris (L.) Nyl.	Doidge 1950, Almborn 1988b, Thomas & Bhat 1994
tribacea (Ach.) Nyl.	Brusse 1988e, Moberg 2004
tribacoides Nyl.	Doidge 1950, Moberg 2004
undulata Moberg	Moberg 2004
venustula Stizenb.	Doidge 1950
¹ zuluensis Vain.	Doidge 1950
¹ Nom invalid : ICNArt. 32.1c.	
Physciella Essl. (1986)	
chloantha (Ach.) Essl.	Doidge 1950
<i>Physcia obscura</i> var. <i>chloantha</i> (Ach.) Rabenh.	
Physconia Poelt (1965)	
distorta (With.) J.R. Laundon	Doidge 1950
<i>Physcia pulverulenta</i> (Schreb.) Hampe	
grisea (Lam.) Poelt	Brusse 1988e
Physma A. Massal. (1854)	
byrsaeum (Ach.) Tuck.	Galloway 1995
byrsinum (Ach.) Müll. Arg.	Doidge 1950
allicarpum Hue	Doidge 1950
Pilophorus Th. Fr. (1857)	
aciculare (Ach.) Th. Fr.	Doidge 1950
<i>Pilophoron aciculare</i> (Ach.) Nyl.	
Placidium A. Massal. (1855)	
acarosporoides (Zahlbr.) Breuss	Bruess 1993
<i>Catapyrenium acarosporoides</i> (Zahlbr.) J.W. Thomson	
<i>Heteroplacidium acarosporoides</i> (Zahlbr.) Breuss	
kaernefeltii (Breuss) Breuss	Bruess 1993
<i>Catapyrenium kaernefeltii</i> (Breuss) Breuss	
semaforonense (Breuss) Breuss	Zedda & Rambold 2004
squamulosum (Ach.) Breuss	Bruess 1993, Bruess 1995, Zedda & Rambold 2004
<i>Catapyrenium squamulosum</i> (Ach.) Bruess	
tenellum (Breuss) Breuss	Bruess 1993, Zedda & Rambold 2004
<i>Catapyrenium tenellum</i> Breuss	
Placopsis (Nyl.) Linds. (1866)	
gelida (L.) Linds.	Almborn 1988b

Placynthiopsis Zahlbr. (1932)	
africana Zahlbr.	Doidge 1950
Platismatia W.L. Culb. & C.F. Culb. (1968)	
glauc (L.) W. L. Culb. & C. F. Culb.	Kärnefelt 1987b, Almborn 1991
† Pleurotrema Müll. Arg. (1885)	
†trichosporum Müll Arg.	Doidge 1950
†uniseriale (Zahlbr.) D. Hawksw.	Doidge 1950
<i>Microthelia uniserialis</i> Zahlbr.	
<i>Anisomeridium uniseriale</i> (Zahlbr.) R.C. Harris	
Poeltiaria Hertel (1984)	
corralensis (Räsänen) Hertel	Brusse 1988e
<i>Porpidia corralensis</i> (Räsänen) Brusse	
howickensis (Vain.) Rambold & Haiduk	Doidge 1950
<i>Lecidea howickensis</i> Vain.	
turgescens (Körb.) Hertel	Brusse 1989d
<i>Porpidia turgescens</i> (Körb.) Brusse	
urbanskyana (Zahlbr.) Hertel	Brusse 1989c
<i>Porpidia urbanskyana</i> (Zahlbr.) Brusse	
Polyblastiopsis Zahlbr. (1903)	
alba (Müll. Arg.) Zahlbr.	Doidge 1950
transvaalensis (Müll. Arg.) Zahlbr.	Doidge 1950
Polychidium (Ach.) Gray (1821)	
dendriscum (Nyl.) Henssen	Brusse 1988e
Porina Ach. (1809)	
albella Müll. Arg.	Doidge 1950
balanina Brusse	Brusse 1986b
chlorotica (Ach.) Müll. Arg.	Doidge 1950
<i>Bacidia luteola</i> f. <i>chlorotica</i> (Ach.) Zahlbr.	
dwesica Brusse & Dickinson	Brusse & Dickinson 1991, Farkas 2004
epiphylla (Fée) Fée (var. epiphylla)	Santesson 1952, Lücking & Vězda 1998, Farkas 2004
epiphylloides Vězda	Farkas, 2004
euryspermum Zahlbr.	Doidge 1950
fulvella Müll. Arg.	Santesson 1952, Farkas 2004
mitatrix Müll. Arg.	Santesson 1952, Farkas 2004
knysnana Zahlbr.	Doidge 1950
mazosioides Lücking & Vězda	Farkas, 2004
nitidula Müll. Arg.	Brusse 1988e, Farkas, 2004
palmicola Malcolm & Vězda	Farkas, 2004
tetracerae (Ach.) Müll Arg.	Doidge 1950
trichothelioides R. Sant.	Brusse 1991b, Farkas 2004
variegata Fée	Doidge 1950
Porocyphus Körb. (1855)	
effiguratus Henssen	Henssen et al. 1985
Porpidia Körb. (1855)	
albocaerulescens (Wulfen) Hertel & Knoph	Doidge 1950
<i>Lecidea albocaerulescens</i> (Wulf.) Ach.	
crustulata (Ach.) Hertel & Knoph.	Doidge 1950, Doidge 1950
<i>Lecidea crustulata</i> Ach.,	
<i>Lecidea meiospora</i> Nyl.	
flavicunda (Ach.) Gowan	Doidge 1950
<i>Lecidea albocaerulescens</i> var. <i>flavocaerulescens</i> (Hornem.) Schaer.	
soredizodes (Lamy) J. R. Laundon	Brusse 1993
speirea (Ach.) Kremp.	Doidge 1950
<i>Lecidea speirea</i> (Ach.) Ach.	
Protoparmelia M. Choisy (1929)	
badia (Hoffm.) Hafellner	Doidge 1950
<i>Lecanora badia</i> var. <i>cinerascens</i> Flot.	
Psathyrophlyctis Brusse (1987)	
serpentaria Brusse	Brusse 1987c
Pseudocyphellaria Vain. (1890)	
argyracea (Delise) Vain.	Doidge 1950

<i>Sticta argyracea</i> Delise.	
INC.: <i>Sticta argyracea</i> f. <i>rigidula</i> Zahlbr.	
<i>Sticta argyracea</i> var. <i>aspera</i> Kremp.	
<i>Sticta argyracea</i> var. <i>flavescens</i> Zahlbr.)	
aurata (Ach.) Vain.	Doidge 1950, Almborn 1988a,
<i>Sticta aurata</i> Ach.	Almborn 1988b
INC.: <i>Sticta aurata</i> var. <i>pallens</i> Nyl.	
carpoloma (Delise) Vain.	Doidge 1950
<i>Sticta carpoloma</i> var. <i>albocyphellata</i> Nyl.	
clathrata (De Not.) Malme	Doidge 1950
<i>Sticta clathrata</i> DeNot.	
INC.: <i>Sticta clathrata</i> var. <i>subhirsuta</i> Vain. ex Van der Byl	
crocata (L.) Vain.	Doidge 1950, Almborn 1988a
<i>Sticta crocata</i> (L.) Ach.	
INC.: <i>Sticta crocata</i> var. <i>isidalia</i> Gyeln.	
coronata (Müll. Arg.) Malme	Doidge 1950, Galloway 1995
<i>Sticta endochrysea</i> Delise	
gilva (Ach.) Malme	Doidge 1950
<i>Sticta gilva</i> Ach.	
INC.: <i>Sticta gilva</i> var. <i>angustilobata</i> Gyeln.	
<i>Sticta gilva</i> var. <i>lanata</i> Gyeln.	
<i>Sticta gilva</i> var. <i>pseudogilva</i> Gyeln.	
intricata (Delise) Vain.	Doidge 1950
<i>Sticta intricata</i> Delise	
INC.: <i>Sticta intricata</i> var. <i>hesseana</i> Zahlbr.	
mougeotiana (Delise) Vain.	Doidge 1950
<i>Sticta mougeotiana</i> Delise	
INC.: <i>Sticta mougeotiana</i> var. <i>aurigera</i> Nyl.	
norvegica (Gyeln.) P. James	Doidge 1950
<i>Sticta thouarsii</i> Delise	
* Pseudonitschkia Coppins & S.Y. Kondr. (1995)	
* <i>parmotrematis</i> Coppins & S.Y. Kondr.	Coppins & Kondratyuk 1995
Pseudoparmelia Lynge (1914)	
chapadensis (Lynge) Hale	Elix & Nash 1997
chlorea (Stizenb.) Krog & Swinscow	Doidge 1950, Doidge 1950,
<i>Parmelia chlorea</i> Stizenb.	Elix & Nash 1997
<i>Parmelia subschenkiana</i> Gyeln.	
convexa Elix & T.H. Nash	Elix & Nash 1997
uleana (Müll. Arg.) Elix & T.H. Nash	Elix & Nash 1997
Pseudopyrenula Müll. Arg. (1883)	
papulosa (Nyl.) Müll Arg.	Doidge 1950
Psora Hoffm. (1796)	
cf. <i>cerebriformis</i> W.A. Weber	Zedda & Rambold 2004
crenata (Taylor) Reinke	Doidge 1950,
<i>Lecidea crenata</i> (Tayl.) Stizenb.	Zedda & Rambold 2004
INC.: <i>Lecidea crenata</i> var. <i>coroniformis</i> (Kremp.) Zahlbr.	
<i>Lecidea crenata</i> var. <i>speirea</i> (Tayl.) Zahlbr.	
deceptoria (Nyl.) Flagey	Doidge 1950
<i>Lecidea deceptoria</i> Nyl.	
deciapiens (Hedw.) Hoffm.	Doidge 1950, Almborn 1988b
<i>Lecidea deciapiens</i> (Hedw.) Ach.	
Psoroma Ach. ex Michx. (1803)	
asperellum Nyl.	Doidge 1950, Jørgensen 2003
fruticulosum P. James & Henssen	Jørgensen 2003
sphinctrinum (Mont.) Nyl.	Doidge 1950
Psorotheciopsis Rehm (1900)	
patellarioides (Rehm) R. Sant.	Farkas 2004
Pterygiopsis Vain. (1890)	
convexa Henssen, Budel & Wessels	Henssen et al. 1985
melanophthalma Henssen, Budel & Wessels	Henssen et al. 1985
submersa Budel, Henssen & Wessels	Henssen et al. 1985
Punctelia Krog (1982)	
borreri (Sm.) Krog	Doidge 1950, Doidge 1950

<i>Parmelia aleuriza</i> Vain. ex Lynge	
<i>Parmelia borrieri</i> (Sm.) Turner	
<i>Parmelia insignata</i> Stizenb	
<i>Parmelia subaequans</i> Nyl.	
constantimontium Sérus.	Swinscow & Krog 1988
rudecta (Ach.) Krog	Doidge 1950, Doidge 1950
<i>Parmelia rudecta</i> Ach.	
<i>Parmelia toxodes</i> Stirt.	
stictica (Delise ex Duby) Krog	Doidge 1950
<i>Parmelia borrieri</i> var. <i>stictica</i> Delise ex Duby	
subrudecta (Nyl.) Krog	Doidge 1950
<i>Parmelia bylilii</i> Vain. ex Lynge	
<i>Parmelia subrudecta</i> Nyl.	
Pyrenopsis (Nyl.) Nyl. (1858)	
mackenziei T.A. Jones	Doidge 1950
Pyrenowilmsia R.C. Harris & Aptroot (1991)	
ferruginosa (Müll. Arg.) Aptroot	Doidge 1950
<i>Porina ferruginosa</i> Müll. Arg.	
Pyrenula Ach. (1814)	
aspistea (Afzel. ex Ach.) Ach.	Doidge 1950
cinerea Zahlbr.	Doidge 1950
knightiana Müll. Arg.	Doidge 1950
laevigata (Pers.) Arnold	Doidge 1950
AS: Pyrenula laevigata var. <i>incusa</i> (Flot.) Zahlbr.	
mamillana (Ach.) Trevis.	Doidge 1950
<i>P. marginata</i> Hook.	
mastophora (Nyl.) Müll. Arg.	Doidge 1950
nitida (Schrader.) Ach.	Doidge 1950
nitidella (Flörke ex Schaer.) Müll. Arg.	Doidge 1950
obtecta G. Merr.	Doidge 1950
pinguis Fée	Doidge 1950
<i>P. emergens</i> (Müll. Arg.) Vain.	
AS: P. pinguis var. <i>emergens</i> (Müll. Arg.) Müll. Arg.	
pyrenuloides (Mont.) R.C. Harris	Doidge 1950
<i>Anthracotheceium pyrenuloides</i> (Mont.) Müll. Arg.	
subducta (Nyl.) Müll. Arg.	Doidge 1950
subglabriuscula Vain.	Doidge 1950
AS: P. subglabriuscula Vain. var. <i>natalensis</i> Vain.	
transparens Zahlbr.	Doidge 1950
wilmsiana Müll. Arg.	Doidge 1950
Pyxine Fr. (1825)	
berteriana (Fée) Imshaug	Doidge 1950
<i>P. meissneri</i> Tuck.	
cocoes (Sw.) Nyl.	Doidge 1950, Moberg 2004
eschweileri Vain.	Doidge 1950
nubila Moberg	Moberg 2004
obscurascens Malme	Moberg 2004
petricola Nyl.	Doidge 1950, Moberg 2004
<i>P. endoleuca</i> (Müll. Arg.) Vain.	
reticulata (Vain.) Vain.	Brusse 1988e
sorediata (Ach.) Mont.	Moberg 2004
subcinerea Stirt.	Moberg 2004
Ramalina Ach. (1809)	
angulosa Laurer	Doidge 1950
arabum (Dill. ex Ach.) Meyen & Flot.	Doidge 1950
arbuscula Stizenb.	Doidge 1950
aspera Räsänen	Thomas & Bhat 1994
attenuata (Pers.) Tuck.	Verseghy 1962
calicaris (L.) Röhl.	Doidge 1950
capensis Th. Fr.	Fries 1861,
	Jürgens & Niebel-Lohmann 1995
celastri (Spreng.) Krog & Swinscow	Doidge 1950, Galloway 1995,
<i>Parmelia celastri</i> Spreng.	Thomas & Bhat 1994
<i>R. yemensis</i> var. <i>membranacea</i> (Laurer) Nyl.	

<i>R. yemensis</i> var. <i>tenuissima</i> (Meyen & Flot.) Zahlbr.	
complanata (Sw.) Ach.	Doidge 1950, Versegghy 1962
INC: <i>R. complanata</i> v <i>paraguayensis</i> (Gyeln.) Szatala	
cuspidata (Ach.) Nyl.	Doidge 1950
INC.: <i>R. cuspidata</i> f. <i>implexa</i> H. Olivier	
denticulata (Eschw.) Nyl.	Doidge 1950
ecklonii (Spreng.) Meyen & Flot.	Doidge 1950, Almborn 1960
<i>R. yemensis</i> var. <i>ecklonii</i> (Spreng.) Vain	
farinacea (L.) Ach.	Doidge 1950
fastigiata Ach.	Doidge 1950
fraxinea (L.) Ach.	Doidge 1950
gracilis (Pers.) Nyl.	Doidge 1950
<i>R. filicaulis</i> G.N. Stevens	
<i>R. exiguella</i> Stirt. (Australia records)	
inflata (Hook. f. & Taylor) Hook. f. & Taylor	Doidge 1950
<i>R. geniculata</i> Hook.f. & Tayl.	
inflata subsp. <i>perpusilla</i> (Stirt.) G.N. Stevens	Doidge 1950
<i>R. geniculata</i> var. <i>olivacea</i> Müll. Arg.	
intermedia (Delise ex Nyl.) Nyl.	Doidge 1950
lacera (With.) J.R. Laundon	Doidge 1950
<i>R. duriae</i> Jatta	
lanceolata Nyl.	Doidge 1950
linearis Ach.	Doidge 1950
<i>R. celastri</i> (Spreng.) Krog & Swinscow (Australia records)	
melanothrix Laurer	Nylander 1860, Doidge 1950, Rundel & Bowler 1974
peruviana Ach.	Doidge 1950, Versegghy 1962, Brusse 1988e
<i>R. farinacea</i> var. <i>squarrosa</i> Müll. Arg.,	
? <i>R. dendriscoides</i> Nyl.	
pollinaria Ach.	Doidge 1950
INC.: <i>R. pollinaria</i> f. <i>cariosa</i> Laur.	
protensa (Nyl.) Zahlbr.	Versegghy 1962
pusilla Le Prévost	Doidge 1950
<i>R. inflata</i> subsp. <i>australis</i> G.N. Stevens (Australia records)	
reducta Krog & Swinscow	Krog & Swinscow 1976
roesleri (Hochst. ex Schaer.) Nyl.	Versegghy 1962
siliquosa (Huds.) A.L. Sm.	Doidge 1950
<i>R. scopulorum</i> Ach.	
<i>R. scopulorum</i> var. <i>cornuta</i> Ach.	
<i>R. scopulorum</i> var. <i>humilis</i> Schaer.	
subasperata Nyl.	Versegghy 1962
subfraxinea Nyl.	Doidge 1950
tenella Müll. Arg.	Brusse 1988e
usnea (L.) R. Howe	Doidge 1950
INC.: <i>R. usnea</i> var. <i>capensis</i> (Nyl.) Zahlbr.	
<i>R. usnea</i> var. <i>contorta</i> (Flot.) Zahlbr.	
yemensis (Ach.) Nyl.	Doidge 1950
INC.: <i>R. yemensis</i> f. <i>fenestralis</i> Stizenb.	
<i>R. yemensis</i> f. <i>sublinearis</i> Nyl.	
Ramboldia Kantvilas & Elix (1994)	
russula (Ach.) Kalb, Lumbsch & Elix	Doidge 1950
<i>Lecidea russula</i> Ach	
sanguinolenta (Kremp.) Kalb, Lumbsch & Elix	Brusse 1991c
<i>Pyrrhospora sanguinolenta</i> (Kremp.)	
Rambold & Hafellner	
Relicina (Hale & Kurok.) Hale (1974)	
limbata (Laurer) Hale	Doidge 1950
<i>Parmelia sphaerospora</i> Nyl.	
<i>Pseudoparmelia sphaerospora</i> (Nyl.) Hale	
planiuscula (Kurok.) Hale	Elix 1999a
Rhizocarpon Ramond ex DC. (1805)	
¹ affine G. Merr.	Doidge 1950
badioatrum (Flörke ex Spreng.) Th. Fr.	Doidge 1950

AS: <i>Rhizocarpon badioatrum</i> var. <i>alboatrum</i> Malme (nom. rejic. 56.1)	
capense Zahlbr.	Doidge 1950
disporum (Nägeli ex Hepp) Müll. Arg.	Doidge 1950
<i>R. disporum</i> var. <i>montagnei</i> (Flot.) Zahlbr.	
geographicum (L.) DC.	Doidge 1950, Almborn 1988b
INC.: <i>R. geographicum</i> f. <i>atrovirens</i> A. Massal.	
<i>R. geographicum</i> f. <i>intermedium</i> (Stizenb.) Zahlbr.	
lecanorinum Anders	Feuerer 2013
patellarium (Stizenb.) Zahlbr.	Doidge 1950
reductum Fr.	Feuerer 2013
<i>R. obscuratum</i> auct non (Ach.) A. Massal.	
superficiale (Schaer.) Vain.	Brusse 1991b
viridiatrum (Wulfen) Körb.	Doidge 1950
<i>Buellia viridiatra</i> (Wulfen) H. Olivier	
¹ Nom invalid : ICNArt. 38.1.	
Rinodina (Ach.) Gray (1821)	
albocincta Zahlbr.	Doidge 1950
capensis Hampe	Doidge 1950
confragulosa Müll. Arg.	Doidge 1950
deminutula (Stizenb.) Zahlbr.	Doidge 1950
detecta (Stizenb.) Zahlbr.	Doidge 1950
exigua (Ach.) S. F. Gray	Doidge 1950
exiguella (Vain.) H. Magn.	Doidge 1950
<i>Lecidea exiguella</i> Vain.	
ficta (Stizenb.) Zahlbr.	Doidge 1950
huefferiana Müll. Arg.	Doidge 1950
microlepida Müll. Arg.	Doidge 1950
roboris Arnold	Doidge 1950
sophodes A. Massal.	Doidge 1950
INC.: <i>Rinodina sophodes</i> var. <i>atroalbida</i> (Nyl.) Zahlbr.	
reagens Matzer & H. Mayrhofer	Matzer & H. Mayrhofer 1994
teichophiloides (Stizenb.) Zahlbr.	Doidge 1950
Roccella DC. (1805)	
arnoldii Vain.	Almborn 1988b, Galloway 1995
capensis Follm.	Follmann et al. 1994
fuciformis (L.) Lam. & DC.	Doidge 1950
montagnei Bél.	Doidge 1950
<i>R. linearis</i> var. <i>guineensis</i> Vain.	
<i>R. linearis</i> var. <i>primaria</i> Vain.	
phycopsis Ach.	Doidge 1950
<i>R. fucoides</i> (Dicks.) Vain.	
<i>R. tinctoria</i> DC.	
Roccellina Darb. (1898)	
hypomecha (Ach.) Tehler	Doidge 1950, Almborn 1988a,
<i>Roccella hypomecha</i> (Ach.) Bory	Almborn 1988b, Follmann et al. 1994
INC.: <i>Roccella hypomecha</i> var. <i>benguellensis</i> (Welw.) Vain.	
Roccellographa J. Steiner (1902)	
circumscripta (Taylor) Ertz & Tehler	Egea & Torrente 1996
<i>Sclerophyton circumscriptum</i> (Leight.) Zahlbr.	
Ropalospora A. Massal. (1860)	
lugubris (Sommerf.) Poelt	Doidge 1950
<i>Bacidia lugubris</i> (Sommerf.) Zahlbr.	
Sarcographa Fée (1825)	
disjectans (Nyl.) Zahlbr.	Doidge 1950
Sarcogyne Flot. (1851)	
regularis Körb.	Feuerer 2013
Schaereria Körb. (1855)	
fuscocinerea (Nyl.) Clauzade & Cl. Roux	Hertel 2001
Schismatomma Flot. & Körb. ex A. Massal. (1852)	
septenarium (Stizenb.) Zahlbr.	Doidge 1950
Schizodiscus Brusse (1988)	
afroalpinus Brusse	Brusse 1988c

Schistoplaca Brusse (1987)	
alvearialis Brusse	Brusse 1987g
Siphula Fr. (1831)	
ceratites (Wahlenb.) Fr.	Doidge 1950
decumbens Nyl.	Doidge 1950
<i>S. torulosa</i> (Thunb. ex Ach.) Nyl.	
dregei (<i>nomen nudum</i>)	Doidge 1950
flavovirens Kantvilas, Zedda & Elix	Zedda & Rambold 2004
incrustans Vain.	Doidge 1950
minor Vain.	Doidge 1950
verrucigera (J. F. Gmel.) R. Sant.	Almborn 1987, Almborn 1988b,
<i>S. tabularis</i> (Thunb. ex Ach.) Nyl.	Galloway 1995, Doidge 1950
Solorina Ach. (1808)	
simensis Flot.	Almborn 1987, Almborn 1988b
Sphaerophorus Pers. (1794)	
globosus (Huds.) Vain.	Brusse 1991b
Sphinctrina Fr. (1825)	
anglica Nyl.	Doidge 1950
<i>S. microcephala</i> (Sm.) Nyl.	
fuscescens Nyl.	Doidge 1950
meridionalis Stizenb.	Doidge 1950
turbinata (Pers.) De Not	Doidge 1950
<i>S. gelasinata</i> (With.) Zahlbr.	
Sporopodium Mont. (1851)	
xanthleucum (Müll. Arg.) Zahlbr.	Brusse 1991b, Farkas 2004
Squamarina Poelt (1958)	
cartilaginea (With.) P. James	Galloway 1995
Staurothele Norman (1853)	
clopima (Wahlenb.) Th. Fr.	Doidge 1950
Stegobolus Mont. (1845)	
austroafricanus Frisch	Frisch & Kalb 2006
wrightii (Tuck.) Frisch	Brusse 1991c
<i>Thelotrema wrightii</i> Tuck.	
Stereocaulon Hoffm. (1796)	
atlanticum (I.M. Lamb) I.M. Lamb	Almborn 1987
	Swinscow & Krog 1988
claviceps Th. Fr.	Almborn 1987, Sérusiaux 1979,
	Swinscow & Krog 1988
corticatulum Nyl.	Almborn 1987,
	Swinscow & Krog 1988
delisei Bory ex Duby	Almborn 1987
esterhuyseniae I.M. Lamb	Almborn 1987
meyeri Stein	Almborn 1987,
	Swinscow & Krog 1988
ramulosum Raesch.	Doidge 1950
<i>S. proximum</i> Nyl.	
Sticta (Schreb.) Ach. (1803)	
ambavillaria Ach.	Doidge 1950
damicornis (Sw.) Ach.	Doidge 1950
fuliginosa (Dicks.) Ach.	Doidge 1950, Almborn 1988b
hornemanni Fr.	Doidge 1950
limbata Ach.	Doidge 1950
subcrocata Gyeln.	Doidge 1950
sublimbata (J. Steiner) Swinscow & Krog	Doidge 1950
<i>S. weigelii</i> var. <i>sublimbata</i> J. Steiner	
sylvatica Ach.	Doidge 1950
tomentosa (Sw.) Ach.	Doidge 1950
variabilis (Bory) Ach.	Doidge 1950
weigelii (Ach.) Vain.	Doidge 1950
Strigula Fr. (1823)	
actinoplacoides Vain.	Doidge 1950
africana Vain.	Doidge 1950
argyronema Müll. Arg.	Doidge 1950

maculata (Cooke & Massee) R. Sant.	Brusse 1988e
nemathora Mont. (var. nemathora)	Santesson 1952, Farkas 2004
nitidula Mont.	Brusse 1991c, Farkas 2004
obducta (Müll. Arg.) R.C. Harris	Santesson 1952, Farkas 2004
orbicularis Fr.	Doidge 1950, Santesson 1952, Farkas 2004
<i>Strigula complanata</i> (Fée) Mont.	
INC.: <i>Strigula complanata</i> var. <i>virescens</i>	
pallida Kalchbr.	Doidge 1950
phyllogena (Müll. Arg.) R.C. Harris	Brusse 1991b
<i>Porina phyllogena</i> Müll Arg.	
smaragdula Fr.	Doidge 1950, Almborn 1988b, Santesson 1952, Farkas 2004
<i>Strigula elegans</i> (Fée) Müll Arg.	
INC.: <i>Strigula elegans</i> var. <i>stellata</i> (Nyl. & Cromb.) R. Sant.	
subtilissima (Fée) Müll. Arg.	Brusse 1988e
¹ Not in Index Fungorum.	
Synalissa Fr. (1825)	
austroafricana Zahlbr.	Doidge 1950
Tapellaria Müll. Arg. (1890)	
epiphlla (Müll. Arg.) R. Sant.	Brusse 1991c, Farkas 2004
Teloschistes Norman (1853)	
capensis (L.f.) Müll. Arg.	Doidge 1950, Almborn 1988b, Almborn 1989
chrysophthalmus (L.) Th. Fr.	Doidge 1950, Almborn 1988b, Almborn 1989, Verseghy 1963
INC.: <i>T. chrysophthalmus</i> var. <i>subpulvinaris</i> Gyeln.	
<i>T. chrysophthalmus</i> f. <i>armatus</i> (Rabenh.) Hillmann	
<i>T. chrysophthalmus</i> f. <i>cinereus</i> Müll. Arg.	
<i>T. chrysophthalmus</i> f. <i>dilatatus</i> Hillmann	
cymbalifer (G. Mey.) Müll. Arg	Verseghy 1962
exilis (Michx.) Vain.	Doidge 1950, Almborn 1989, Galloway 1995
<i>T. flavicans</i> f. <i>minor</i> (Cromb.) Hillmann	
INC.: <i>T. exilis</i> var. <i>dealbatus</i> Hillmann	
<i>T. exilis</i> var. <i>pulvinatus</i> Hillmann	
flavicans (Sw.) Norm.	Doidge 1950, Almborn 1988 Almborn 1989
INC.: <i>T. flavicans</i> var. <i>croceus</i> (Ach.) Müll. Arg.	
<i>T. flavicans</i> var. <i>intermedius</i> Müll. Arg.	
hypoglaucus (Nyl.) Zahlbr.	Doidge 1950, Almborn 1989, Thomas & Bhat 1994
perrugosus Müll Arg. em. Almb.	Doidge 1950, Swinscow & Krog 1988, Almborn 1989
<i>T. costatus</i> (J. Steiner) Hillmann	
<i>T. validus</i> (Müll. Arg.) Hillmann	Doidge 1950, Almborn 1989
puber (Ach.) Almb.	
<i>T. capensis</i> f. <i>puber</i> Malme	
<i>T. verrucosus</i> Hillmann	
<i>T. flavicans</i> var. <i>puberulus</i> (Ach.) Müll. Arg.	
pulvinaris (Zahlbr.) Almb.	Doidge 1950, Almborn 1989
<i>T. chrysophthalmus</i> var. <i>pulvinaris</i> Zahlbr.	
Tephromela M. Choisy (1929)	
atra (Huds.) Hafellner	Doidge 1950
<i>Lecanora atra</i> (Huds.) Ach.	
promontorii (Zahlbr.) Kalb	Doidge 1950
<i>Lecidea promontorii</i> Zahlbr.	
Thelenella Nyl. (1855)	
brasiliensis (Müll. Arg.) Vain.	Mayrhofer & McCarthy 1991
luridella (Nyl.) H. Mayrhofer	Mayrhofer 1987
Thelopsis Nyl. (1855)	
obscura Egea & Torrente	Egea & Torrente 1996
Thelotrema Ach. (1803)	
berkeleyanum (Mont.) Brusse	Brusse 1988e
capense Zahlbr.	Doidge 1950
leioplacoides Nyl.	Doidge 1950
lepadinum Ach.	Doidge 1950
Thyrea A. Massal. (1856)	
otaviana Brusse	Brusse 1987b

Tomasellia A. Massal. (1856)	
africana Zahlbr.	Doidge 1950
Toninia A. Massal. (1852)	
aromatica (Sm.) A. Massal.	Brusse 1993
australis Timdal	Timdal 1992, Zedda & Rambold 2004
bumamma (Nyl.) Zahlbr.	Doidge 1950, Almborn 1988b, Swinscow & Krog 1988
caesiopallida (Nyl.) Zahlbr.	Doidge 1950
cinereovirens (Schaer.) A. Massal.	Brusse 1993
incretata (Stizenb.) Zahlbr.	Doidge 1950
lutosa (Ach.) Timdal	Brusse 1993, Brusse 1991b, Zedda & Rambold 2004
<i>T. toniniana</i> (A. Massal.) Zahlbr. (sensu Brusse 1991b)	
nigropallida (Nyl.) Abbayes	Doidge 1950
<i>Lecidea nigropallida</i> Nyl.	
aff. ruginosa (Tuck.) Herre	Zedda & Rambold 2004
Topeliopsis Kantvilas & Vězda (2000)	
muscigena (Stizenb.) Kalb	Doidge 1950
<i>Thelotrema muscigenum</i> Stizenb.	
Trapelia M. Choisy (1929)	
chiodectonoides Brusse	Brusse 1987d
coarctata (Turner) M. Choisy	Doidge 1950
<i>Lecanora coarctata</i> (Turner) Ach.	
INC.: <i>Lecanora coarctata</i> f. <i>cotaria</i> Ach.	
<i>Lecanora coarctata</i> f. <i>fulgiana</i> Zahlbr	
<i>Lecanora coarctata</i> var. <i>fossulans</i> Sizenb.	
rediviva Brusse	Brusse 1991d
Trapeliopsis Hertel & Gotth. Schneid. (1980)	
granulosa (Hoffm.) Lumbsch	Doidge 1950, Brusse 1991b
<i>Lecidea granulosa</i> (Hoffm.) Ach.	
parilis Brusse	Brusse 1991d
Tylophoron Nyl. ex Stizenb. (1862)	
africanum Vain.	Doidge 1950
bylii G. Merr. ex van der Byl	Doidge 1950
*Tremella Dill. ex L. (1753)	
*parmeliarum Diederich	Diederich 1996
Trypethelium Spreng. (1804)	
austroafricanum Zahlbr.	Doidge 1950
eluteriae Spreng.	Doidge 1950
phlyctaena Fée	Doidge 1950
Tuckermannopsis Gyeln. (1933)	
chlorophylla (Willd.) Hale	Almborn 1987, Kärnefelt 1987b
<i>Cetraria chlorophylla</i> (Willd.) Poetsch	
Umbilicaria Hoffm. (1789)	
bolusiana Frey	Frey 1949
cylindrica (L.) Delise	Frey 1949
decussata (Vill.) Zahlbr.	Frey 1949
haplocarpa Nyl.	Frey 1949, Almborn 1987
hirsuta (Sw. ex Westr.) Ach.	Frey 1949
laevis Pers.	Frey 1949
AS: <i>U. laevis</i> var. <i>garsidei</i> Frey	
polyphylla (L.) Baumg.	Frey 1949, Swinscow & Krog 1988
schelpei Frey	Frey 1949
subglabra (Nyl.) Frey	Frey 1949, Swinscow & Krog 1988
umbilicarioides (Stein) Krog & Swinscow	Swinscow & Krog 1988
Usnea Dill. ex Adans. (1763)	
aequatoriana Motyka	Doidge 1950
africana Motyka	Motyka 1938, Doidge 1950
amplissima Stirt.	Motyka 1938, Doidge 1950
articulata (L.) Hoffm.	Doidge 1950
INC.: <i>U. articulata</i> f. <i>minor</i> Kremp.	
australis Fr.	Doidge 1950
baileyi (Stirt.) Zahlbr.	Doidge 1950, Brusse 1988e

<i>U. implicata</i> (Stirt.) Zahlbr.	
<i>Eumitria baileyi</i> Stirt.	
¹ <i>barbata</i> (L.) F.H. Wigg.	Doidge 1950
<i>U. plicata</i> (L.) Weber ex F.H. Wigg.	
<i>bornmuelleri</i> J. Steiner	Motyka 1938
² <i>capensis</i> Motyka	Motyka 1938, Doidge 1950
<i>cartilaginea</i> Laurer	Motyka 1938, Doidge 1950
<i>complanata</i> (Müll. Arg.) Motyka	Brusse 1988e
<i>contorta</i> Jatta	Motyka 1938, Doidge 1950
<i>cornea</i> Motyka	Motyka 1938
<i>cornuta</i> Körb.	Doidge 1950
<i>dasaea</i> Stirt.	Doidge 1950, Almborn 1960,
<i>U. undulata</i> Stirt.	Swinscow & Krog 1988,
	Clerc & Herrera-Campos 1997
<i>dasopoga</i> (Ach.) Röhl.	Doidge 1950
AS: <i>U. dasypoga</i> (Ach.) Röhl. (dubious)	
<i>dasypogoides</i> Nyl.	Doidge 1950
<i>delicata</i> Vain.	Motyka 1938, Doidge 1950
<i>densirostra</i> Taylor	Doidge 1950
<i>diffRACTA</i> Vain.	Doidge 1950
<i>Dolichousnea diffRACTA</i> (Vain.) Articus	
<i>distensa</i> Stirt.	Motyka 1936, Motyka 1938,
	Doidge 1950
<i>exasperata</i> (Müll. Arg.) Motyka	Swinscow & Krog 1978,
<i>U. flaccida</i> (Müll. Arg.) Motyka (nom. illegit.), non <i>U. flaccida</i> Hoffm.	Swinscow & Krog 1988
<i>filamentosa</i> Motyka	Motyka 1938
<i>flexilis</i> Stirt.	Motyka 1936, Doidge 1950
<i>florida</i> (L.) Weber ex F.H. Wigg.	Doidge 1950
INC.: ³ <i>U. florida</i> var. <i>asperima</i> Müll. Arg	
<i>U. florida</i> var. <i>scabrosa</i> Vain.	
<i>flotowii</i> Zahlbr.	Doidge 1950
AS: <i>U. flotowii</i> var. <i>subhispida</i> Zahlbr.	
<i>fusca</i> Motyka	Motyka 1938, Doidge 1950
<i>gonioides</i> Stirt.	Motyka 1938, Doidge 1950,
	Swinscow & Krog 1988
<i>havaasii</i> Motyka	Motyka 1938, Doidge 1950
<i>hirta</i> (L.) Weber ex F.H. Wigg.	Motyka 1936, Doidge 1950,
<i>U. leprosa</i> Motyka	Swinscow & Krog 1988,
	Clerc 1997
<i>hispida</i> Motyka	Almborn 1960
<i>hispidula</i> (Müll. Arg.) Zahlbr.	Doidge 1950
<i>horridula</i> (Müll. Arg.) Motyka	Motyka 1938, Doidge 1950,
	Almborn 1960
<i>laevis</i> (Eschw.) Nyl.	Doidge 1950
<i>liechtensteinii</i> J. Steiner	Brusse 1988e
<i>Eumitria liechtensteinii</i> (J. Steiner) Vain.	
<i>longissima</i> Ach.	Doidge 1950
<i>maculata</i> Stirt.	Motyka 1938, Doidge 1950,
	Swinscow & Krog 1988,
	Almborn 1991
<i>molliuscula</i> Stirt.	Motyka 1938, Doidge 1950
<i>moniliformis</i> Motyka	Doidge 1950
<i>mutabilis</i> Stirt.	Motyka 1938, Doidge 1950
<i>nidifica</i> Taylor	Doidge 1950
<i>U. intercalaris</i> Kremp.	
<i>ochrophora</i> (Stizenb.) Motyka	Motyka 1936, Doidge 1950
<i>perplexans</i> Stirt.	Brusse 1988e
<i>picta</i> (J. Steiner) Motyka	Doidge 1950
<i>poliothrix</i> Kremp.	Doidge 1950
<i>praelonga</i> Stirt.	Motyka 1936, Doidge 1950
<i>primitiva</i> Motyka	Motyka 1938, Doidge 1950
<i>promontorii</i> Motyka	Motyka 1938, Doidge 1950
<i>pulverulenta</i> (Müll. Arg.) Motyka	Doidge 1950
<i>pulvinata</i> Fr.	Doidge 1950, Swinscow & Krog 1988,

rubicunda Stirt. <i>U. rubiginea</i> (Michx.) A. Massal. <i>U. lurida</i> Stirt. INC.: <i>U. rubicunda</i> var. <i>spilota</i> (Stirt.) G.N. Stevens <i>U. spilota</i> Stirt.	Almborn 1960, Almborn 1988b Doidge 1950, Almborn 1974, Almborn 1988b
rubrotincta Stirt. <i>U. rubescens</i> Stirt. var. <i>rubrotincta</i> (Stirt.) Motyka	Motyka 1938, Doidge 1950
sorediosula (Müll. Arg.) Motyka	Motyka 1938, Doidge 1950
steineri Zahlbr. <i>U. subflorida</i> (Zahlbr.) Motyka	Doidge 1950, Galloway 1995, Truong et al. 2011
strigosa (Ach.) Eaton	Doidge 1950
strigosella J. Steiner	Motyka 1938, Doidge 1950
subfloridana Stirt. <i>U. comosa</i> (Ach.) Röhl.	Doidge 1950
subgracilis Vain. <i>U. hesperina</i> Motyka	Clerc 1997, Truong et al. 2013
subleprosa Motyka	Motyka 1938
sublurida Stirt.	Motyka 1938, Doidge 1950
submollis J. Steiner	Thomas & Bhat 1996
sulcata Motyka	Motyka 1938, Doidge 1950
trichina Motyka	Motyka 1938, Doidge 1950
trichodeoides Vain. ex Motyka <i>Dolichousnea trichodeoides</i> (Vain. ex Motyka) Articus	Doidge 1950, Almborn 1960
welwitschiana Motyka	Brusse 1988e
¹Extremely dubious. This species is not known from South Africa (P. Clerc, <i>pers. comm.</i>)	
²Nom. illegit., non <i>U. capensis</i> (L.f.) Hoffm. (See Appendix 2).	
³Not in Index Fungorum. <i>U. barbata</i> var. <i>asprissima</i> Müll. Arg is <i>U. baileyi</i>.	
Vainionora Kalb (1991) flavovirens (Fée) Kalb <i>Lecanora flavovirens</i> Fée	Doidge 1950
Verrucaria Schrad. (1794) compacta <i>aggr.</i> (A. Massal.) Jatta erodens Müll. Arg. microlepidea Zahlbr. INC.: <i>microlepidea</i> var. <i>hilarior</i> Zahlbr.	Zedda & Rambold 2004 Doidge 1950 Doidge 1950
nigrescens Pers. rebellans Zahlbr. viridula Ach.	Doidge 1950 Doidge 1950 Doidge 1950
Xanthodactylon P.A. Duvign. (1941) alexanderbaai (S.Y. Kondr. & Kärnefelt) S.Y. Kondr. & Kärnefelt <i>Xanthoria alexanderbaai</i> S.Y. Kondr. & Kärnefelt Dufourea alexanderbaai (S.Y. Kondr. & Kärnefelt) Frödén, Arup & Søchting	Kärnefelt et al 2002a, Kondratyuk et al. 2008
flammeum (L.f.) C.W. Dodge <i>Xanthoria flammea</i> (L. f.) Hillmann Dufourea flammea (L. f.) Ach.	Doidge 1950, Almborn 1988b
turbinatum (Vain.) C.W. Dodge <i>Xanthoria turbinata</i> Vain. Dufourea turbinata (Vain.) Frödén, Arup & Søchting	Kondratyuk et al. 2008
wirthii S.Y. Kondr. & Kärnefelt	Kondratyuk et al. 2008
Xanthomendoza S.Y. Kondr. & Kärnefelt (1997) mendozae (Räsänen) S.Y. Kondr. & Kärnefelt	Kondratyuk & Kärnefelt 1997
Xanthoparmelia (Vain.) Hale (1974) abraxas (Brusse) Elix <i>Parmelia abraxas</i> Brusse	Brusse 1991b, Elix 1997
adamantea (Brusse) O. Blanco et al. <i>Parmelia adamantea</i> Brusse <i>Neofuscelia adamantea</i> (Brusse) Elix	Brusse 1991b, Elix 1997, Esslinger 2000, Blanco et al. 2004

adhaerens (Nyl.) Hale <i>Parmelia adhaerens</i> Nyl. <i>Karoowia adhaerens</i> (Nyl.) Hale <i>Parmelia interrupta</i> Stizenb. <i>X. interrupta</i> (Stizenb.) Krog & Swinscow	Doidge 1950, Elix et al. 1986a, Nash & Elix 1987, Swinscow & Krog 1988, Hale 1989, Hale 1990
adligans (Brusse) G. Amo, et al. <i>Karoowia adligans</i> (Brusse) Hale <i>Parmelia adligans</i> Brusse	Brusse 1988e, Hale 1989, Amo, et al. 2010
affinis Hale	Hale 1987b, Hale 1990
africana Hale	Hale 1986
afroincerta Elix	Elix 1999c
afrolavicola Hale	Hale 1990
agamalis (Brusse) Elix <i>Parmelia agamalis</i> Brusse <i>Paraparmelia agamalis</i> (Brusse) Elix	Brusse 1989c, Elix 1997, Elix 2003
aggregata M.D.E. Knox	Almborn 1988a, Almborn 1988b, Hale 1990
albomaculata Hale	Hale 1985, Hale 1990
aliphatica Hale	Hale 1986, Hale 1990
aliphaticella A. Thell et al. <i>Namakwa aliphatica</i> Elix	Thell et al 2006
almbornii (Hale) Hale <i>Parmelia almbornii</i> Hale	Hale 1971, Hale 1990
amphixanthoides (J. Steiner & Zahlbr.) Hale <i>Parmelia amphixanthoides</i> J. Steiner & Zahlbr.	Doidge 1950, Hale 1990, Zedda & Rambold
amplexuloides Hale	Nash & Elix 1987, Hale 1990
annexa (Kurok.) Elix <i>Parmelia annexa</i> Kurok. <i>Pseudoparmelia annexa</i> (Kurok.) Hale <i>Paraparmelia annexa</i> (Kurok.) Elix & J. Johnst.	Hale 1976a, Hale & Kurokawa, 1964
antleriformis (Elix) Elix & J. Johnst. <i>Parmelia antleriformis</i> Elix	Hale 1990
applicata Hale <i>Parmelia salax</i> Brusse	Hale 1987b, Hale 1990
applicatella (Elix) O. Blanco <i>Neofuscelia applicatella</i> Elix	Elix 1999b, Blanco et al. 2004
arcana (Kurok.) Elix <i>Parmelia arcana</i> Kurok. <i>Paraparmelia arcana</i> (Kurok.) Elix & J. Johnst. <i>Pseudoparmelia arcana</i> (Kurok.) Hale	Hale 1976a, Elix 2001
areolata Hale <i>Parmelia areolata</i> (Hale) Brusse	Hale 1987a, Hale 1990
arida Egan & Derstine	Hale 1987a, Hale 1990
arquata (Brusse) G. Amo, et al. <i>Parmelia arquata</i> Brusse <i>Karoowia arquata</i> (Brusse) Hale	Brusse 1988e, Hale 1989, Amo, et al. 2010
asilaris (Brusse) Elix <i>Parmelia asilaris</i> Brusse <i>Paraparmelia asilaris</i> (Brusse) Elix	Brusse 1988d, Elix 1997, Elix 2003
assimilis (Brusse) Elix <i>Parmelia assimilis</i> Brusse <i>X. triebeliae</i> Elix	Brusse 1991b, Elix 1997
astricta (Brusse) Elix <i>Parmelia astricta</i> Brusse <i>Paraparmelia astricta</i> (Brusse) Elix <i>Paraparmelia olivetorica</i> T.H. Nash & Elix	Brusse 1984, Nash & Elix 1987, Brusse 1988e, Elix, 2003
atroviridis (Essl.) O. Blanco et al. <i>Parmelia atroviridis</i> Essl. <i>Neofuscelia atroviridis</i> (Essl.) Essl.	Esslinger 1977, Esslinger 2000, Blanco et al. 2004
atroventralis (Hale) Hale <i>Parmelia atroventralis</i> Hale	Hale 1971, Swinscow & Krog 1988
ausiana Hale	Hale 1990
australasica D. Galloway	Elix et al. 1986a, Hale 1990
austroafricana (Stirt.) Hale	Doidge 1950, Swinscow & Krog 1988,

<i>Parmelia subquercina</i> Müll. Arg.	Hale 1990
<i>Parmelia austroafricana</i> Stirt.	
<i>Parmelia conspersa</i> var. <i>austroafricana</i> (Stirt.) Stizenb.	
<i>austrocapensis</i> Hale	Hale 1987b, Hale 1990
<i>azaniensis</i> (Brusse) A. Thell	Thell et al. 2006, Brusse 1991a
<i>Almbornia azaniensis</i> Brusse	
<i>bainskloofensis</i> Elix & T.H. Nash	Elix 2002
<i>barda</i> (Brusse) Elix	Brusse 1987a,
<i>Parmelia barda</i> Brusse	DePriest & B. Hale 1998,
<i>Neofuscelia barda</i> (Brusse) DePriest & B.W. Hale	Esslinger 2000, Elix 2001
<i>Paraparmelia barda</i> (Brusse) Elix	Elix 2003
<i>barclyensis</i> Hale	Hale 1986, Hale 1990
<i>basutoensis</i> (Hale) Elix	Hale 1976a, Elix 2001
<i>Parmelia basutoensis</i> Hale	
<i>Paraparmelia basutoensis</i> (Hale) Elix & J. Johnst.	
<i>Pseudoparmelia basutoensis</i> (Hale) Hale	
<i>beatricea</i> Hale	Hale 1987a, Hale 1990
<i>beckeri</i> O. Blanco et al	Elix 1999b, Blanco et al. 2004
<i>Neofuscelia wesselsii</i> Elix	
<i>bibax</i> (Brusse) Hale	Doidge 1950, Brusse 1986a,
<i>Parmelia bibax</i> Brusse	Hale 1990
<i>bicontinens</i> Elix & T.H. Nash	Nash & Elix 1987, Hale 1990
<i>brandwagensis</i> (Elix) O. Blanco et al.	Elix 1999b, Blanco et al. 2004
<i>Neofuscelia brandwagensis</i> Elix	
<i>brevilobulata</i> Hale	Doidge 1950, Hale 1986, Hale 1987a,
<i>Parmelia brevilobata</i> (Hale) Brusse	Brusse 1989c, Hale 1990,
	Brusse 1991b
<i>brunnthaleri</i> (J. Steiner & Zahlbr.) Hale	Doidge 1950, Hale 1990
<i>Parmelia brunnthaleri</i> J. Steiner & Zahlbr.	
<i>brussei</i> (Elix) O. Blanco et al.	Elix 1997, Blanco et al 2004
<i>Neofuscelia brussei</i> Elix	
<i>burmeisteri</i> (Elix) Egan	Brusse 1988e, Hale 1990
<i>Parmelia burmeisteri</i> Elix	
<i>cafferensis</i> (Essl.) O. Blanco et al.	Esslinger 1977, Almborn 1988b,
<i>Parmelia cafferensis</i> Essl.	Esslinger 2000,
<i>Neofuscelia cafferensis</i> (Essl.) Essl.	Blanco et al. 2004
<i>caliginosa</i> (Essl.) O. Blanco et al.	Esslinger 1977, Almborn 1988b,
<i>Neofuscelia caliginosa</i> (Essl.) Essl.	Esslinger 2000, Blanco et al. 2004
¹ <i>calvinia</i> Hale	Hale 1986, Hale 1990
<i>capensis</i> Hale	Hale 1986, Hale 1990
<i>Parmelia capicola</i> Brusse	
² <i>cedri-montana</i> Brusse	Hale 1990, Brusse 1988e
<i>Parmelia cedri-montana</i> (Brusse) Brusse	
<i>ceresella</i> (Elix) O. Blanco et al.	Elix 1999b, Esslinger 2000,
<i>Neofuscelia ceresella</i> Elix	Blanco et al. 2004
<i>ceresensis</i> Hale	Hale 1986
<i>ceresina</i> (Lyngé) Hale	Doidge 1950, Elix et al. 1986a,
<i>Parmelia ceresina</i> Vain.	Nash & Elix 1987, Hale 1990
<i>chalybaeizans</i> (J. Steiner & Zahlbr.) Hale	Doidge 1950, Doidge 1950, Hale 1990
<i>Parmelia schreuderiana</i> Gyeln.	
<i>Parmelia schenckiana</i> var. <i>chalybaeizans</i> J. Steiner & Zahlbr.	
<i>chionophila</i> (Brusse) Elix	Brusse 1994, Elix 1997
<i>Parmelia chionophila</i> Brusse	
<i>cirrhomedullosa</i> Hale	Hale 1990
<i>clivorum</i> (Brusse) Hale	Hale 1990, Brusse 1984
<i>Parmelia clivorum</i> Brusse	
<i>colensoica</i> T.H. Nash, Elix & J. Johnst.	Elix & Johnston 1988b, Hale 1990
<i>Parmelia colensoica</i> (T.H. Nash, Elix & J. Johnst.) Brusse	
<i>colorata</i> (Gyeln.) Hale	Doidge 1950, Hale 1990
<i>Parmelia colorata</i> Gyeln.	

competita Hale	Brusse 1986d, Hale 1986,
<i>Parmelia eximia</i> Brusse	Brusse 1988e, Hale 1990
concolor (Spreng.) Hale	Doidge 1950, Nash & Elix 1987,
<i>Parmelia concolor</i> Spreng.	Hale 1990
INC.: <i>Parmelia concolor</i> var. <i>multifida</i> (Flot.) Zahlbr.	
<i>Parmelia concolor</i> var. <i>platyphylla</i>	
(A. Massal.) Zahlbr.	
condyloides (Kurok.) Elix	Hale 1972, Hale 1976a
<i>Parmelia condyloides</i> Kurok.	Nash & Elix 1987, Elix 2003
<i>Pseudoparmelia condyloides</i> (Kurok.) Hale	
<i>Paraparmelia condyloides</i> (Kurok.) Elix &	
J. Johnst.	
coneruptens Hale	Hale 1990
congensis (Stein) Hale	Nash & Elix 1987, Elix et al. 1986a
<i>Parmelia congensis</i> Stein	
<i>X. crateriformis</i> Elix & J. Johnst.	
³ conspersa (Ach.) Hale	Doidge 1950, Doidge 1950,
<i>Parmelia conspersa</i> (Ehrh. ex Ach.) Ach.	Brusse 1988e
INC.: <i>Parmelia conspersa</i> var. <i>benguellensis</i> Vain.	
<i>Parmelia conspersa</i> var. <i>hypomelaena</i> Vain.	
<i>Parmelia conspersa</i> f. <i>isidiata</i> (Anzi) Stizenb.	
<i>Parmelia conspersa</i> var. <i>lacinulata</i> Gyeln.	
<i>Parmelia conspersa</i> var. <i>polyphylla</i> Müll. Arg.	
<i>Parmelia digitulata</i> Nyl.	
consersula (Nyl.) Hale	Doidge 1950, Hale 1990
<i>Parmelia consersula</i> Nyl.	
constrictans (Nyl.) Hale	Crombie 1877, Doidge 1950,
<i>Parmelia constrictans</i> Nyl.	Elix et al. 1986a, Hale 1990
<i>Parmelia conspersa</i> var. <i>constrictans</i> (Nyl.)	
Müll. Arg.	
contrastata Hale	Hale 1987a, Hale 1990
conturbata (Müll. Arg.) O. Blanco, et al.	Doidge 1950, Esslinger 2000,
<i>Parmelia conturbata</i> Müll. Arg.	Blanco et al. 2004
<i>Neofuscelia conturbata</i> (Müll. Arg.) Essl.	
coriacea Hale	Hale 1987a, Hale 1990
crassilobata Hale	Hale 1986, Hale 1990,
	Zedda & Rambold 2004
cravenii Elix & J. Johnst	Elix 1999a, Elix 2003
crustulosa (Essl.) O. Blanco et al.	Esslinger 1977, Esslinger 2000,
<i>Parmelia crustulosa</i> Essl.	Blanco et al. 2004
<i>Neofuscelia crustulosa</i> (Essl.) Essl.	
cumberlandia (Gyeln.) Hale	Hale 1990
<i>Parmelia cumberlandia</i> Gyeln.	
denudata Hale	Hale 1986, Hale 1990
diacida Hale	Hale 1986, Hale 1990
diadeta (Hale) Hale	Hale 1971, Swinscow & Krog 1988,
<i>Parmelia diadeta</i> Hale	Hale 1990
dichromatica (Hale) Hale	Hale 1971, Hale 1990
diffRACTAICA Hale	Hale 1987a, Brusse 1989c, Hale 1990
<i>X. lesothoensis</i> Hale	
diutina (Brusse) O. Blanco et al.	Brusse 1993, Blanco et al. 2004
<i>Parmelia diutina</i> Brusse	
<i>Karoowia diutina</i> (Brusse) Elix	
domokosii (Gyeln.) Hale	Doidge 1950, Hale 1990
<i>Parmelia domokosii</i> Gyeln.	
domokosioides Elix & T.H. Nash	Elix 1999c
dregeana (Hampe) O. Blanco et al.	Doidge 1950, Esslinger 2000,
<i>Parmelia dregeana</i> Hampe	Blanco et al. 2004
<i>Neofuscelia dregeana</i> (Hampe) Essl.	
dubitella Elix	Elix 2002
duplicata Hale	Hale 1986, Hale 1990
dwaasbergensis (Brusse) Elix	Brusse 1989d, Elix 2001, Elix 2003
<i>Parmelia dwaasbergensis</i> Brusse	
<i>Paraparmelia dwaasbergensis</i> (Brusse) Elix	

dysprosa Brusse & M.D.E. Knox	Hale 1990
effigurata Hale	Hale 1986, Hale 1990
emolumenta (Brusse) Elix	Brusse 1994, Elix 1997
<i>Parmelia emolumenta</i> Brusse	
endochromatica Hale	Hale 1986, Hale 1990
endomiltoides (Nyl.) Hale	Hale 1990
<i>Parmelia conspersa</i> var. <i>endomiltodes</i> (Nyl.) Müll. Arg.	
enteroxantha Hale	Hale 1986, Hale 1990
epacridea (Brusse) Elix	Brusse 1993, Elix 1997
<i>Parmelia epacridea</i> Brusse	
epigaea Hale	Hale 1986, Hale 1990, Zedda & Rambold 2004
eradicata (Nyl.) Hale	Doidge 1950, Elix et al. 1986a, Hale 1990
<i>Parmelia eradicata</i> (Nyl.) Gyeln.	
<i>Parmelia conspersa</i> var. <i>eradicata</i> (Nyl.) Müll. Arg.	
<i>Parmelia hypoleia</i> var. <i>tenuifida</i> Nyl.	
erebea (Brusse) Elix	Brusse 1993, Elix 1997, Elix 2003
<i>Parmelia erebea</i> Brusse	
<i>Paraparmelia erebea</i> (Brusse) Elix	
eruptens Hale	Hale 1987a
<i>Parmelia phyllocladactylaris</i> Brusse	
esslingeri O. Blanco et al.	Doidge 1950, Esslinger 1977, Blanco et al. 2004
<i>Parmelia proluxa</i> var. <i>applicata</i> Stizenb.	
<i>Parmelia applicata</i> (Stizenb.) Essl.	
<i>Neofuscelia applicata</i> (Stizenb.) Essl.	
esterhuyseniae Hale	Hale 1986, Hale 1990, Brusse 1991b
<i>Parmelia esterhuyseniae</i> (Hale) Brusse	
exornata (Zahlbr.) Brusse & M.D.E. Knox	Doidge 1950, Hale 1988, Knox & Brusse 1983, Thell et al 2006
<i>Parmelia conturbata</i> var. <i>exornata</i> Zahlbr.	
<i>Namakwa exornata</i> (Zahlbr.) Hale	
fausta (Brusse) Elix	Brusse 1986d, Brusse 1988e, Elix 2001, Elix 2003
<i>Parmelia fausta</i> Brusse	
<i>Paraparmelia fausta</i> (Brusse) Elix	
^a festiva (Brusse) Elix	Brusse 1989e, Brusse 1991b, Elix 1997, Elix 2003
<i>Parmelia festiva</i> Brusse	
fissurina (Zahlbr.) O. Blanco et al.	Doidge 1950, Esslinger 1977, Almborn 1991, Esslinger 2000, Blanco et al. 2004
<i>Parmelia fissurina</i> Zahlbr.	
<i>Neofuscelia fissurina</i> (Zahlbr.) Essl.	
foveolata (Essl.) O. Blanco et al.	Esslinger 1977
<i>Parmelia foveolata</i> Essl.	
<i>Neofuscelia foveolata</i> (Essl.) Essl.	
frondosa (Hale) A. Thell et al.	Hale 1971, Hale 1985, Thell et al 2006
<i>Parmelia frondosa</i> Hale	
<i>Xanthomaculina frondosa</i> (Hale) Hale	
fucina Hale	Hale 1990
fumarafricana Elix	Elix 1999c
fynbosiana (Elix) Elix	Elix 2001, Elix 2003
<i>Paraparmelia fynbosiana</i> Elix	
ganymedea (Brusse) G. Amo, et al.	Brusse 1988e, Hale 1989, Amo, et al. 2010
<i>Parmelia ganymedea</i> Brusse	
<i>Karoowia ganymedea</i> (Brusse) Hale	
geesterani (Hale) Hale	Hale 1976a, Nash & Elix 1987, Hale 1990
<i>Parmelia geesterani</i> Hale	
<i>Pseudoparmelia geesterani</i> (Hale) Hale	
gemmulifera (Elix & Nash) Elix	Elix 2001, Elix 2003
<i>Paraparmelia gemmulifera</i> Elix	
glabrans (Nyl.) O. Blanco et al.	Esslinger 1977, Esslinger 2000, Blanco et al. 2004
<i>Parmelia glabrans</i> Nyl.	
<i>Neofuscelia glabrans</i> (Nyl.) Essl.	
globisidiosa Hale	Hale 1986, Hale 1990
glomelliferonica (Elix) O. Blanco et al.	Elix 1999b, Blanco et al. 2004
<i>Neofuscelia glomelliferonica</i> Elix	
greytonensis Hale	Hale 1990
gyrophorica Hale	Hale 1986, Hale 1990

heterodoxa (Hale) Hale	Hale 1971, Hale 1990
<i>Parmelia heterodoxa</i> Hale	
hottentotta (Ach.) A. Thell et al.	Doidge 1950, Almborn 1988b,
<i>Parmelia cuprea</i> Pers.	Galloway 1995, Thell et al. 2006
<i>Parmelia hottentotta</i> (Ach.) Ach.	
INC.: <i>Parmelia hottentotta</i> var. <i>diachrosta</i> Stirt.	
<i>Parmelia hottentotta</i> var. <i>pachythalla</i> Nyl.	
<i>Parmelia hottentotta</i> var. <i>phalacra</i> Zahlbr.	
<i>Xanthomaculina hottentotta</i> (Ach.) Hale,	
hybrida Hale	Hale 1986, Brusse 1988e, Hale 1990
hypoleia (Nyl.) Hale	Doidge 1950, Elix et al. 1986a,
<i>Parmelia hypoleia</i> Nyl.	Almborn 1988a, Almborn 1988b,
INC.: <i>Parmelia hypoleia</i> var. <i>crenata</i> Nyl	Swinscow & Krog 1988,
<i>Parmelia hypoleioides</i> Vain.	Hale 1990
hypoleiella Elix	Elix 2002
hypoprotocetrarica (Kurok. & Elix) Hale	Elix et al. 1986a, Nash & Elix 1987,
<i>Parmelia hypoprotocetrarica</i> Kurok. & Elix	Hale 1990
hypopsila (Müll. Arg.) Hale	Doidge 1950, Nash & Elix 1987,
<i>X. austroamericana</i> Hale	Hale 1990
<i>Parmelia subconspersa</i> f. <i>lobulifera</i> Gyeln.	
hyporhytida (Hale) Hale	Hale 1971, Almborn 1988a,
<i>Parmelia hyporhytida</i> Hale	Almborn 1988b, Hale 1990,
	Zedda & Rambold 2004
ianthina Brusse	Hale 1990
imitatrix (Taylor) O. Blanco et al.	Esslinger 1977, Almborn 1988b,
<i>Parmelia imitatrix</i> Taylor	Esslinger 2000, Blanco et al. 2004,
<i>Neofuscelia imitatrix</i> (Taylor) Essl.	Zedda & Rambold 2004
incerta (Kurok. & Filson) Elix & J. Johnst.	Nash & Elix 1987, Hale 1990
<i>Parmelia incerta</i> Kurok. & Filson	
inconspicua Hale	Hale 1987a, Hale 1990
<i>Parmelia tantillum</i> Brusse	
(non <i>Parmelia inconspicua</i> Spreng.)	
indumenica Hale	Hale 1986, Hale 1990
infausta (Brusse) Elix	Brusse 1989e, Elix 1997
<i>Parmelia infausta</i> Brusse	
inops (Brusse) Elix	Brusse 1989d, Elix 2003, Elix 2001
<i>Parmelia inops</i> Brusse	
<i>Paraparmelia inops</i> (Brusse) Elix	
iniquita Elix & J. Johnst.	Nash & Elix 1987, Hale 1990
insipida (Brusse) G. Amo, et al.	Brusse 1986e, Brusse 1988e,
<i>Parmelia insipida</i> Brusse	Hale 1989, Amo, et al. 2010
<i>Karoowia insipida</i> (Brusse) Hale	
inuncta (Brusse) Hale	Brusse 1986d, Hale 1990
<i>Parmelia inuncta</i> Brusse	
ischnoides (Kurok.) Elix	Hale & Kurokawa 1964, Hale 1976a
<i>Parmelia ischnoides</i> Kurok.	Elix et al. 1986b
<i>Pseudoparmelia ischnoides</i> (Kurok.) Hale	
<i>Paraparmelia ischnoides</i> (Kurok.) Elix & J. Johnst.	
isidiigera (Müll. Arg.) Elix & J. Johnst.	Nash & Elix 1987, Hale 1990
karoo M.D.E. Knox & Brusse	Hale 1990
karooensis Hale	Hale 1986, Hale 1990
keralensis Hale	Hale 1987a, Hale 1990
kleinswartbergensis Elix	Elix 2002
knoxii Elix	Elix 1999c
laciniata Hale	Hale 1987a, Hale 1990
lapidula (Essl.) O. Blanco et al.	Esslinger 2000, Blanco et al. 2004
<i>Neofuscelia lapidula</i> Essl.	
latilobata Hale	Hale 1987a, Hale 1990
laxchalybaeizans Hale	Hale 1987a
laxencrustans Elix & J. Johnst.	Elix et al 1986
lecanoracea (Müll. Arg.) Elix	Doidge 1950, Hale 1971, Hale 1976a,
<i>Parmelia lecanoracea</i> Müll. Arg.	Elix 2001
<i>Pseudoparmelia lecanoracea</i> (Müll. Arg.) Hale	
<i>Paraparmelia lecanoracea</i> (Müll. Arg.) Elix & J. Johnst.	

leonora (A. Massal.) Hale <i>Parmelia leonora</i> Spreng. ex A.Massal. <i>X. acrita</i> D. Knox & Hale	Hale 1986, Swinscow & Krog 1988, Almborn 1988a, Almborn 1988b, Hale 1990, Zedda & Rambold 2004
leptoplaca (Brusse) G. Amo, et al. <i>Lecanora leptoplaca</i> Zahlbr. (nom illeg.) <i>Parmelia leptoplaca</i> Brusse <i>Karoowia leptoplaca</i> (Brusse) Hale	Doidge 1950, Brusse 1986e, Amo et al. 2010
leucostigma Brusse	Hale 1990
lichinoidea (Nyl.) O. Blanco et al. <i>Parmelia lichinoidea</i> Nyl. ex Cromb. <i>Neofuscelia lichinoidea</i> (Nyl. ex Cromb.) Essl.	Crombie 1876, Doidge 1950, Esslinger 1977, Almborn 1987, Almborn 1991, Esslinger 2000, Blanco et al. 2004 Esslinger 1977, Blanco et al. 2004
lineella (Essl.) O. Blanco et al. <i>Parmelia lineella</i> Essl. <i>Neofuscelia lineella</i> (Essl.) Essl.	
lineola (E.C. Berry) Hale <i>Parmelia lineola</i> E.C.Berry	Hale 1990
lividica Hale <i>Paraparmelia lividica</i> (Hale) DePriest & B.W. Hale	Hale 1986, Brusse 1988e
lobarica (Elix) O. Blanco et al. <i>Neofuscelia lobarica</i> Elix	Elix 1999b, Blanco et al. 2004
lobulifera Hale	Hale 1986, Hale 1990
lobuliferella Elix	Elix 2002
loriloba (Essl.) O. Blanco et al. <i>Parmelia loriloba</i> Essl. <i>Neofuscelia loriloba</i> (Essl.) Essl.	Esslinger 1977, Almborn 1988a, Esslinger 2000, Blanco et al. 2004
lucrosa (Brusse) Elix <i>Parmelia lucrosa</i> Brusse	Brusse 1991b, Elix 1997
luminosa (Elix) Hale <i>Parmelia luminosa</i> Elix	Hale 1990
lurida (Brusse) Elix <i>Parmelia lurida</i> Brusse	Brusse 1988d, Elix 1997
lyrigeria (Brusse) G. Amo, et al. <i>Parmelia lyrigeria</i> Brusse <i>Karoowia lyrigeria</i> (Brusse) Elix	Brusse 1989d, Elix 1999a, Amo et al. 2010
maculodecipiens Elix	Elix 1999c
magnificans Elix	Elix 1999c
manina (Brusse) O. Blanco et al. <i>Parmelia manina</i> Brusse <i>Neofuscelia manina</i> (Brusse) Elix	Brusse 1993, Elix 1997, Blanco et al 2004
maritima (Elix) Elix <i>Paraparmelia maritima</i> Elix	Elix 1999a, Elix 2003
marroninipuncta (Brusse) Hale <i>Parmelia marroninipuncta</i> Brusse	Brusse 1988e, Hale 1990
maxima Hale	Hale 1990
mbabanensis Hale	Hale 1987b, Hale 1990
mehalei (Essl.) O. Blanco et al. <i>Neofuscelia mehalei</i> Essl.	Esslinger 2000, Blanco et al. 2004
melancholica (J. Steiner & Zahlbr.) <i>Parmelia melancholica</i> J. Steiner & Zahlbr. <i>Neofuscelia melancholica</i> (J. Steiner & Zahlbr.) Essl.	Doidge 1950, Blanco et al. 2004 O. Blanco et al.
mesmerizans (Brusse) Elix <i>Parmelia mesmerizans</i> Brusse	Brusse 1994, Elix 1997
microlobulata Hale	Hale 1987b, Hale 1990
micromaculata Elix	Elix 2002
microscopica (Hale) G. Amo, et al. <i>Karoowia microscopica</i> Hale	Hale 1989, Amo, et al. 2010
minuta M.D.E. Knox & Hale	Hale 1986, Nash & Elix 1987, Hale 1990, Brusse 1991b
minutella O. Blanco et al. <i>Parmelia minuta</i> Essl. <i>Neofuscelia minuta</i> (Essl.) Essl. mollis Hale	Esslinger 1977, 1978, Blanco et al 2004 Hale 1986, Hale 1990,

molliuscula (Ach.) Hale	Almborn 1988a, Almborn 1988b
<i>Parmelia molliuscula</i> Ach.	Doidge 1950, Elix et al. 1986a,
<i>Parmelia pseudoconsersa</i> Gyeln.	Hale 1990
<i>Parmelia steineri</i> Gyeln.	
<i>Parmelia consersa</i> var. <i>thamniella</i> (Stirt.) Stizenb.	
molybdiza (Nyl.) Elix	Doidge 1950, Hale 1976a, Elix 1999a
<i>Parmelia atrichoides</i> Nyl.	
<i>Parmelia brachyphylla</i> Müll. Arg.	
<i>Parmelia molybdiza</i> Nyl.	
<i>Paraparmelia molybdiza</i> (Nyl.) Elix & J. Johnst.	
mongaensis (Elix) Elix	Brusse 1986d, Brusse 1988e,
<i>Parmelia mongaensis</i> Elix	Nash & Elix 1987
<i>Parmelia insignis</i> Brusse	
<i>Paraparmelia mongaensis</i> (Elix) Elix & J. Johnst.	
mougeotii (Schaer.) Hale	Doidge 1950, Hale 1990,
<i>Parmelia mougeotii</i> Schaer.	Brusse 1991b
mucinae G. Amo, et al.	Brusse 1986e, Hale 1990,
<i>Parmelia squamatica</i> Brusse	Brusse 1987a,
<i>Parmelia princeps</i> Brusse	DePriest & B. Hale 1998,
<i>Neofuscelia princeps</i> (Brusse) DePriest & B.W. Hale	Esslinger 2000, Amo, et al. 2010
<i>Karoowia squamatica</i> (Brusse) Hale	
multiacida Elix	Elix 1999c
musculina (Brusse) Elix	Brusse 1991b, Elix 1997
<i>Parmelia musculina</i> Brusse	
mutabilis (Taylor) Hale	Brusse 1988e, Hale 1990,
<i>Parmelia mutabilis</i> Taylor	Thomas & Bhat 1994
namakwa Hale	Hale 1986, Hale 1990
namaquensis Hale	Hale 1986, Hale 1990
natalensis Hale	Doidge 1950, Hale 1987a,
<i>Parmelia perfuncta</i> Brusse	Brusse 1989c, Hale 1990
(non <i>Parmelia natalensis</i> J. Steiner & Zahlbr.)	
naudesnekia Hale	Hale 1987b, Hale 1990
nautilomontana (Brusse) O. Blanco et al.	Brusse 1993, Elix 1999a,
<i>Parmelia nautilomontana</i> Brusse	Esslinger 2000, Blanco et al. 2004
<i>Neofuscelia nautilomontana</i> (Brusse) Elix	
neocongensis Hale	Hale 1990
neocongruens Hale	Hale 1990
neoconsersa (Gyeln.) Hale	Elix 2002
<i>Parmelia neoconsersa</i> Gyeln.	
neocumberlandia T.H. Nash & Elix	Elix 2002
neosterhuyseniae O. Blanco et al.	Esslinger 1986, Esslinger 2000,
<i>Neofuscelia esterhuyseniae</i> Essl.	Blanco et al. 2004
neonreagens O. Blanco et al.	Esslinger 1986, Esslinger 2000,
<i>Neofuscelia nonreagens</i> Essl.	Blanco et al. 2004
neopropagulifera (Gyeln.) Hale	Hale 1987b, Hale 1990
<i>X. neopropaguloides</i> Hale (nom. superf.)	
neoreptans Hale	Hale 1987a, Hale 1990
neorimalis (Elix & P.M. Armstr.) Elix & T.H. Nash	Nash & Elix 1987, Hale 1990
<i>Parmelia neorimalis</i> Elix & P.M. Armstr.	
neosynestia Hale	Hale 1986, Hale 1990
neotasmanica Hale	Hale 1986, Hale 1990
neotumidosa Hale	Hale 1987b, Hale 1990
neoweberi Hale	Hale 1987a, Hale 1990
nigropsoromifera (T.H. Nash) Egan	Brusse 1988e, Hale 1990
nimbicola (Brusse) Elix	Brusse 1986em Elix 1997
<i>Parmelia nimbicola</i> Brusse	
<i>Paraparmelia nimbicola</i> (Brusse) Elix	
norlobaridonica (T. H. Nash & Elix) Elix	Nash & Elix 1987
<i>Paraparmelia norlobaridonica</i> T.H. Nash & Elix	
norlobaronica Hale	Brusse 1988e, Nash & Elix 1987, Hale 1989, Hale 1990

obscurata Hale	Hale 1987b, Hale 1990
ochropulchra Hale	Hale 1986, Hale 1990
olifantensis Hale	Hale 1986, Hale 1990, Elix et al. 1986a
olivetorica Hale	Hale 1986, Brusse 1988e, Hale 1990
oreophila (Brusse) Elix <i>Parmelia oreophila</i> Brusse	Brusse 1991b, Elix 1997
oribensis Hale	Hale 1986, Hale 1990
ovealmbornii A. Thell et al. <i>Almbornia cafferensis</i> Essl.	Thell et al 2006, Esslinger 1981, Almborn 1987, Almborn 1988a, Almborn 1991
oveana (Elix) Elix <i>Paraparmelia oveana</i> Elix	Nash & Elix 1987, Elix 2001, Elix 2003
pachyclada Hale	Hale 1987a, Hale 1990
paradoxa Hale <i>Parmelia mixta</i> Brusse	Hale 1997a, Hale 1990
parviloba (Essl.) O. Blanco et al. <i>Parmelia parviloba</i> Essl. <i>Neofuscelia parviloba</i> (Essl.) Essl.	Esslinger 1978, Brusse 1988e, Brusse 1993, Esslinger 2000, Blanco et al. 2004
parvoincerta Elix & J. Johnst.	Hale 1990
patula (Brusse) Elix <i>Parmelia patula</i> Brusse	Brusse 1984, Brusse 1988e, Elix 2002
perfissa (J. Steiner & Zahlbr.) Elix <i>Parmelia perfissa</i> J. Steiner & Zahlbr.	Elix 2001, Elix 2003
perplexa (Stizenb.) Hale <i>Parmelia perplexa</i> Stizenb.	Doidge 1950, Hale 1990
perrugosa Hale	Hale 1987a, Hale 1990
perspersa (Stizenb.) G. Amo, et al. <i>Parmelia perspersa</i> Stizenb. <i>Karoowia perspersa</i> (Stizenb.) Hale <i>Parmelia encrustans</i> Hale	Doidge 1950, Hale 1989, Amo, et al. 2010
phaeophana (Stirt.) Hale <i>Parmelia phaeophana</i> Stirt. <i>Parmelia citrinireagens</i> Gyeln. INC.: <i>Parmelia citrinireagens</i> var. <i>angustior</i> Gyeln. <i>Parmelia digitulata</i> var. <i>esaxicola</i> Gyeln. <i>Parmelia imitans</i> f. <i>protoimbricatoides</i> Gyeln. <i>Parmelia terricola</i> J. Steiner & Zahlbr. <i>X. nuwarensis</i> Hale	Doidge 1950, Hale 1986, Hale 1990
plittii (Gyeln.) Hale <i>Parmelia plittii</i> Gyeln. <i>Parmelia imitans</i> f. <i>protoimbricatoides</i> Gyeln. <i>Parmelia subconspersa</i> var. <i>africana</i> Gyeln. (ANGOLA) <i>Parmelia terricola</i> J. Steiner & Zahlbr.	Hale 1990
polystictica (Elix) Blanco et al. <i>Neofuscelia polystictica</i> Elix	Elix 1999b, Blanco et al. 2004
ponderosa (Brusse) Elix <i>Parmelia ponderosa</i> Brusse	Brusse 1989e, Elix 1997
pristiloba (Brusse) Elix <i>Parmelia pristiloba</i> Brusse <i>Neofuscelia pristiloba</i> (Brusse) Elix <i>Paraparmelia pristiloba</i> (Brusse) Elix	Brusse 1984, Elix 1997, Elix 2001, Elix 2003
probarbellata Hale	Hale 1986, Hale 1990
prodomokosii Hale, Elix & J. Johnst.	Elix & Johnston 1988a, Hale 1990
prolata (Hale) Elix <i>Parmelia prolata</i> Hale <i>Paraparmelia prolata</i> (Hale) Elix & J. Johnst. <i>Pseudoparmelia prolata</i> (Hale) Hale	Hale 1972, Hale 1976a, Elix 2003, Zedda & Rambold 2004
prolixula (Cromb.) O. Blanco et al. <i>Parmelia prolixula</i> Nyl. <i>Neofuscelia prolixula</i> (Nyl.) Essl.	Doidge 1950, Blanco et al. 2004
protocetrarica (Hale) G. Amo, et al. <i>Karoowia protocetrarica</i> Hale	Hale 1989, Amo, et al. 2010

protodysprosa Hale	Hale 1987a, Hale 1990
protomatrae (Gyeln.) Hale	Doidge 1950, Hale 1990
protoquintaria Hale	Hale 1990, Brusse 1994
<i>Parmelia protoquintaria</i> (Hale) Brusse	
proximata Hale	Hale 1987a, Hale 1990
pseudepheboides (Essl.) O. Blanco et al.	Esslinger 2000, Blanco et al. 2004
<i>Neofuscelia pseudepheboides</i> Essl.	
pseudocafferensis (Essl.) O. Blanco et al.	Esslinger 2000, Blanco et al. 2004
<i>Neofuscelia pseudocafferensis</i> Essl.	
pseudocongensis Hale	Hale 1987b, Hale 1990
pseudoglabrans (Essl.) O. Blanco et al.	Esslinger 2000, Blanco et al. 2004
<i>Neofuscelia pseudoglabrans</i> Essl.	
pseudohypoleia (Elix) Elix & J. Johnst.	Nash & Elix 1987, Hale 1990
<i>Parmelia pseudohypoleia</i> Elix	
pseudopulla (Essl.) O. Blanco et al.	Esslinger 2000, Blanco et al. 2004
<i>Neofuscelia pseudopulla</i> Essl.	
psornorstictica Hale	Hale 1990
psoromica Hale	Hale 1987b, Hale 1990
psoromifera (Kurok.) Hale	Brusse 1988e, Hale 1990
<i>Parmelia psoromifera</i> Kurok.	
pudens (Brusse) Elix	Brusse 1986d, Elix 2001
<i>Parmelia pudens</i> Brusse	
<i>Paraparmelia pudens</i> (Brusse) Elix	
pulla (Ach.) O. Blanco et al.	Doidge 1950, Esslinger 2000, Blanco et al. 2004
<i>Parmelia proluxa</i> (Ach.) Carroll	
<i>Neofuscelia pulla</i> (Ach.) Essl.	
pustulifera Hale, T.H. Nash & Elix	Hale 1986, Hale 1990
pustulosorediata Hale	Hale 1990
putida (Brusse) Elix	Brusse 1991b, Esslinger 2000, Elix 1997
<i>Parmelia putida</i> Brusse	
putsoa Hale	Hale 1987b, Hale 1990, Brusse 1993
<i>Parmelia putsoa</i> (Hale) Brusse	Esslinger 2000, Blanco et al. 2004
pyrenaica (Essl.) O. Blanco et al.	
<i>Parmelia pyrenaica</i> Essl.	
<i>Neofuscelia pyrenaica</i> (Essl.) Essl.	
quinonella (Elix) O. Blanco et al.	Elix 1997, Blanco et al. 2004
<i>Neofuscelia quinonella</i> Elix	
quintaria (Hale) Hale	Hale 1971, Hale 1990
<i>Parmelia quintaria</i> Hale	
quintarioides (Essl.) O. Blanco et al.	Esslinger 2000
<i>Neofuscelia quintarioides</i> Essl.	
ralla (Brusse) G. Amo, et al.	Brusse 1986e, Brusse 1988e, Hale 1989, Amo, et al. 2010
<i>Parmelia ralla</i> Brusse	
<i>Karoowia ralla</i> (Brusse) Hale	
rubromedulla Hale	Hale 1986, Hale 1990
rubropustulata Hale	Hale 1987a, Hale 1990
rugulosa Hale	Hale 1987b, Hale 1990
salamphixantha Hale	Hale 1990
salazinica (Hale) G. Amo, et al.	Hale 1989, Amo, et al. 2010
<i>Karoowia salazinica</i> Hale	
saleruptens Hale	Hale 1990, Brusse 1989c
<i>Parmelia geckonalis</i> Brusse	
saniensis Hale	Brusse 1989c, Hale 1990
<i>Parmelia saniensis</i> (Hale) Brusse	
saxeti (Stizenb.) G. Amo, et al.	Doidge 1950, Hale 1989, Amo, et al. 2010
<i>Parmelia saxeti</i> Stizenb	
<i>Karoowia saxeti</i> (Stizenb.) Hale	
scabrella (Essl.) O. Blanco et al.	Esslinger 1977, Esslinger 1978, Esslinger 2000, Blanco et al. 2004
<i>Parmelia scabrella</i> Essl.	
<i>Neofuscelia scabrella</i> (Essl.) Essl.	
scabrosa (Taylor) Hale	Doidge 1950, Elix et al. 1986a, Brusse 1988e, Hale 1990
<i>Parmelia scabrosa</i> Taylor	
<i>Parmelia conspersa</i> var. <i>hypoclystoides</i> Müll. Arg.	

scabrosinита (Essl.) Elix	Esslinger 2000
<i>Paraparmelia scabrosinита</i> Essl.	
schenkiana (Müll. Arg.) Hale	Doidge 1950, Hale 1990
<i>Parmelia schenckiana</i> Müll. Arg.	
INC.: <i>Parmelia schenckiana</i> f. <i>imperfecta</i> Gyeln.	
scitula (Brusse) G. Amo, et al.	Brusse 1988e, Hale 1989,
<i>Karoowia scitula</i> (Brusse) Hale	Amo, et al. 2010
shebaiensis T. H. Nash & Elix	Nash & Elix 1987, Hale 1990
sigillata (Brusse) Hale	Brusse 1988e, Hale 1990
<i>Parmelia sigillata</i> Brusse	
simulans Hale	Hale 1986, Zedda & Rambold 2004
sipmanii T.H. Nash & Elix	Elix 2002
sitiens (Brusse) Elix	Brusse 1989d, Elix 2001, Elix 2003
<i>Parmelia sitiens</i> Brusse	
<i>Paraparmelia sitiens</i> (Brusse) Elix	
skyrinifera Hale	Hale 1986, Hale 1990
spargens Hale	Brusse 1988e, Hale 1990
spesica (Essl.) O. Blanco et al.	Esslinger 1977, Blanco et al. 2004
<i>Parmelia spesica</i> Essl.	
<i>Neofuscelia spesica</i> (Essl.) Essl.	
spissa (Brusse) G. Amo, et al.	Brusse 1988d, Brusse 1989c,
<i>Karoowia spissa</i> (Brusse) Hale	Hale 1989, Amo, et al. 2010
springbokensis Hale	Hale 1990
squamans (Stizenb.) O. Blanco et al.	Doidge 1950, Esslinger 1977,
<i>Parmelia squamans</i> Stizenb.	Almborn 1988b, Esslinger 2000,
<i>Neofuscelia squamans</i> (Stizenb.) Essl.	Blanco et al. 2004
squamariata (Nyl.) O. Blanco et al.	Crombie 1876, Doidge 1950,
<i>Parmelia squamariata</i> Nyl. ex Cromb.	Esslinger 1977, Esslinger 1978,
INC.: <i>Parmelia squamariata</i> f. <i>cinerascens</i> Nyl.	Henssen & Titze 1992,
<i>Neofuscelia almbornii</i> Henssen	Esslinger 2000, Blanco et al. 2004
<i>Neofuscelia squamariata</i> (Nyl. ex Cromb.) Essl.	
squamatica Elix & T.H. Nash	Elix 1999c
standaertii (Gyeln.) Hale	Doidge 1950, Hale 1990
<i>Parmelia standaertii</i> var. <i>africana</i> Gyeln.	
stenosporonica Hale	Hale 1986, Hale 1990
subbullata Hale	Hale 1990
subchalybaeizans (Hale) G. Amo, et al.	Hale 1989, Amo, et al. 2010
<i>Karoowia subchalybaeizans</i> Hale	
subcolorata Hale	Hale 1986, Hale 1990
subconvoluta Hale	Hale 1990
subcrustosa Hale	Hale 1986
subdeciapiens (Vain. ex Lynge) Hale	Doidge 1950, Doidge 1950, Hale 1990
<i>Parmelia brunthaleri</i> f. <i>irregularis</i> Gyeln.	
<i>Parmelia subdeciapiens</i> Vain. ex Lynge	
subdomokosii Hale	Hale 1971, Elix et al. 1986a,
	Hale 1990
suberadicata (Abbayes) Hale	Elix et al. 1986a
<i>Parmelia suberadicata</i> Abbayes	
subflabellata (J. Steiner) Hale	Doidge 1950, Hale 1990
<i>Parmelia subflabellata</i> J. Steiner	
subhosseana (Essl.) O. Blanco et al.	Esslinger 2000, Blanco et al. 2004
<i>Parmelia subhosseana</i> Essl.	
<i>Neofuscelia subhosseana</i> (Essl.) Essl.	
subimitatrix (Essl.) O. Blanco et al.	Esslinger 1977, Esslinger 2000,
<i>Parmelia subimitatrix</i> Essl.	Blanco et al. 2004
<i>Neofuscelia subimitatrix</i> (Essl.) Essl.	
subincerta (Essl.) O. Blanco et al.	Esslinger 2000, Blanco et al. 2004
<i>Parmelia subincerta</i> Essl.	
<i>Neofuscelia subincerta</i> (Essl.) Essl.	
sublaevis (Cout.) Hale	Doidge 1950, Hale 1990
<i>Parmelia sublaevis</i> Cout.	
<i>Parmelia conspersa</i> var. <i>hypoclysta</i> Nyl.	
subnigra Hale	Hale 1986, Hale 1990
subochracea Hale	Hale 1986, Hale 1990

subpallida Hale	Hale 1987a, Hale 1990
subpigmentosa Hale	Hale 1990
subplittii Hale	Hale 1987b, Hale 1990
subramigera (Gyeln.) Hale	Nash & Elix 1987, Hale 1990
<i>Parmelia subramigera</i> Gyeln.	
subruginosa Hale	Hale 1986
subsquamariata (Elix) O. Blanco et al.	Elix 1999b, Esslinger 2000,
<i>Neofuscelia subsquamariata</i> Elix	Blanco et al. 2004
substenophylloides Hale	Hale 1990
substygiodes (Essl.) O. Blanco et al.	Esslinger 2000,
<i>Neofuscelia substygiodes</i> Essl.	Blanco et al. 2004
supposita (Brusse) O. Blanco et al.	Brusse 1994, Elix 1997,
<i>Parmelia supposita</i> Brusse	Blanco et al, 2004
<i>Karoowia supposita</i> (Brusse) Elix	
surrogata Hale	Hale 1986, Hale 1990
swartbergensis Hale	Hale 1987a, Hale 1990
synestia (Stirt.) Hale	Doidge 1950, Hale 1990
<i>Parmelia synestia</i> Stirt.	
tablensis Hale, T.H. Nash & Elix	Hale 1986, Hale 1990
tasmanica (Hook.f. & Taylor) Hale	Doidge 1950, Elix et al. 1986a,
<i>Parmelia tasmanica</i> Hook.f. & Taylor.	Nash & Elix 1987,
<i>Parmelia laxa</i> f. <i>lacinulata</i> Gyeln.	Almborn 1988a, Almborn 1988b,
<i>Parmelia conspersa</i> var. <i>incisa</i> (Taylor) Zahlbr.	Hale 1990
tegeta Elix & J. Johnst.	Elix et al. 1986a, Nash & Elix 1987,
	Hale 1990
tenuiloba Hale	Hale 1987b, Hale 1990
terricola Hale, T. H. Nash & Elix	Hale 1986, Nash & Elix 1987,
	Hale 1990
thamnolica Hale	Hale 1986, Brusse 1988e, Hale 1990
toninioides Hale	Hale 1986, Hale 1990
tortula (Kurok.) Elix	Hale & Kuokawa 1964, Hale 1976a
<i>Parmelia tortula</i> Kurok.	
<i>Paraparmelia tortula</i> (Kurok.) Elix & J. Johnst.	
<i>Pseudoparmelia tortula</i> (Kurok.) Hale	
trachythallina (Essl.) O. Blanco et al.	Esslinger 1977, Esslinger 2000,
<i>Parmelia trachythallina</i> Essl.	Blanco et al. 2004
<i>Neofuscelia trachythallina</i> (Essl.) Essl.	
transvaalensis Hale, T. H. Nash & Elix	Hale 1986, Hale 1990
treurensis Hale, T. H. Nash & Elix	Hale 1986, Hale 1990
tsekensis Hale	Hale 1989, Brusse 1991b
<i>Parmelia tsekensis</i> (Hale) Brusse	
tzaneensis (Elix) Elix	Elix 2001, 2003
<i>Paraparmelia tzaneensis</i> Elix	
tumidosa Hale	Hale 1986, Hale 1990
tyrrhea (Brusse) Elix	Brusse 1993, Elix 1997
<i>Parmelia tyrrhea</i> Brusse	
umtamvuna Hale	Hale 1987a, Brusse 1989c, Hale 1990
<i>Parmelia umtamvuna</i> (Hale) Brusse	
unctula Hale	Brusse 1988e, Hale 1990
usitata (Brusse) Elix	Brusse 1986a, Elix 1997, Elix 2003
<i>Parmelia usitata</i> Brusse	
<i>Paraparmelia usitata</i> (Brusse) Elix	
vanderbylii (Zahlbr.) Elix	Doidge 1950, Hale 1976a, Elix 2001
<i>Parmelia vanderbylii</i> Zahlbr.	
<i>Pseudoparmelia vanderbylii</i> (Zahlbr.) Hale	
<i>Paraparmelia vanderbylii</i> (Zahlbr.) Elix	
vendensis Hale	Hale 1987a, Hale 1990
verecunda (Brusse) Hale	Brusse 1988e, Hale 1990
<i>Parmelia verecunda</i> Brusse	
verisidiosa (Essl.) O. Blanco et al.	Esslinger 1977, Almborn 1988b,
<i>Parmelia verisidiosa</i> Essl.	Esslinger 2000,
<i>Neofuscelia verisidiosa</i> (Essl.) Essl.	Blanco et al. 2004
verrucella (Essl.) O. Blanco et al.	Esslinger 1977, Almborn 1988b,
<i>Parmelia verrucella</i> Essl.	Esslinger 2000,

<i>Neofuscelia verrucella</i> (Essl.) Essl.	Blanco et al. 2004
verruciformis Elix & J. Johnst.	Nash & Elix 1987, Hale 1990
verrucigera (Nyl.) Hale	Swinscow & Krog 1988, Hale 1990
<i>Parmelia verrucigera</i> Nyl.	
<i>X. lusitana</i> (Nyl.) Krog	
verruculifera (Nyl.) O. Blanco et al.	Doidge 1950, Blanco et al. 2004
<i>Parmelia verruculifera</i> Nyl.	
<i>Neofuscelia verruculifera</i> (Nyl.) Essl.	
victoriana Elix & J. Johnst.	Hale 1990
violacea (Kurok.) Elix	Brusse 1984. Brusse 1991b, Hale 1976a, Elix 2003, Elix 1997, Esslinger 2000
<i>Pseudoparmelia violacea</i> (Kurok.) Hale	
<i>Paraparmelia violacea</i> (Kurok.) Elix & J. Johnst.	
<i>Neofuscelia violacea</i> (Kurok.) Elix	
<i>Neofuscelia parilis</i> (Brusse) Elix	
<i>Parmelia parilis</i> Brusse	
<i>Parmelia vernicosa</i> Brusse	
<i>Paraparmelia vernicosa</i> (Brusse) Essl.	
<i>Neofuscelia vernicosa</i> (Brusse) Elix	
viridis Hale	Hale 1986, Hale 1990
waboombergensis (Essl.) O. Blanco et al.	Esslinger 2000, Blanco et al. 2004
<i>Neofuscelia waboombergensis</i> Essl.	
waboomburgensis Elix	Elix 2002
weberi Hale	Elix et al. 1986a, Hale 1990
wesselsii Hale	Hale 1986, Hale 1990, Almborn 1988a, Almborn 1988b Elix 2001, Elix 2003
wirthii (Elix) Elix	
<i>Paraparmelia wirthii</i> Elix	
worcesteri (J. Steiner & Zahlbr.) Hale	Doidge 1950, Hale 1990
<i>Parmelia worcesteri</i> J. Steiner & Zahlbr.	
xanthomelaena (Müll. Arg.) Hale	Doidge 1950, Elix et al. 1986a, Nash & Elix 1987, Hale 1987b Hale 1990
<i>Parmelia xanthomelaena</i> Müll. Arg.	
xanthomelanella Elix	Doidge 1950, Hale 1990 Nash & Elix 1987
<i>Parmelia mougeotii</i> var. <i>dealbata</i> A. Massal.	
<i>Paraparmelia xanthomelanoides</i> Elix & Nash	
<i>X. xanthomelanoides</i> Elix & J. Johnst.	
¹ Brusse (1988) considers this species a synonym of <i>X. competitiva</i> .	
² Published as <i>cedrus-montana</i> .	
³ Old records are dubious. Correctly reported by Brusse 1988.	
⁴ Possibly a synonym of <i>X. olivetorica</i> (Brusse 1991b).	
⁵ Brusse (1988e) considered this 'species' a mixture of <i>X. astricta</i> and <i>X. endochromatica</i> .	
Xanthoria (Fr.) Th. Fr. (1861)	
aureola (Ach.) Erichsen	Doidge 1950
<i>X. parietina</i> var. <i>aureola</i> (Ach.) Th. Fr.	
bonae-spei S.Y. Kondr. & Kärnefelt	Kondratyuk et al. 2004
<i>Dufourea bonae-spei</i> (S.Y. Kondr. & Kärnefelt) Frödén, Arup & Søchting	
candelaria (L.) Th. Fr.	Doidge 1950
<i>Polycauliona candelaria</i> (L.) Frödén, Arup & Søchting	
AS: <i>X. candelaria</i> f. <i>fibrillosa</i> Hillm.	
<i>X. candelaria</i> var. <i>semigranularis</i> Zahlbr.	
capensis Kärnefelt, Arup & L. Lindblom	Almborn 1988b, Kärnefelt et al. 1995
<i>Dufourea capensis</i> (Kärnefelt, Arup & L. Lindblom) Frödén, Arup & Søchting	
dissectula S.Y. Kondr. & Kärnefelt	Kondratyuk et al. 2004
<i>Dufourea dissectula</i> (S.Y. Kondr. & Kärnefelt) Frödén, Arup & Søchting	
doidgeae Eichenb., Aptroot & Honegger	Eichenberger, et al. 2007
<i>Dufourea doidgeae</i> (Eichenb., Aptroot & Honegger) Frödén, Arup & Søchting	
elegans (Link) Th. Fr.	Doidge 1950, Almborn 1988b
<i>Rusavskia elegans</i> (Link) S. Y. Kondr. & Kärnefelt	

<i>Caloplaca elegans</i> (Link) Th. Fr.	
<i>Caloplaca tegularis</i> (Ehrh.) Sandt	
ectaneoides (Nyl.) Zahlbr.	Doidge 1950
hirsuta Eichenb., Aptroot & Honegger	Eichenberger, et al. 2007
<i>Dufourea hirsuta</i> (Eichenb., Aptroot & Honegger) Frödén, Arup & Søchting	
inflata Eichenb., Aptroot & Honegger	Eichenberger, et al. 2007, Kondratyuk et al. 2008
<i>Dufourea inflata</i> (Eichenb., Aptroot & Honegger) Frödén, Arup & Søchting	
karrooensis S.Y. Kondr. & Kärnefelt	Kärnefelt et al. 2002a
<i>Dufourea karrooensis</i> S.Y. Kondr. & Kärnefelt) Frödén, Arup & Søchting	
ligulata (Körb.) P. James	Kondratyuk et al 2009
<i>Dufourea ligulata</i> (Körb.) Frödén, Arup & Søchting	
marlothii Zahlbr.	Doidge 1950
<i>Dufourea marlothii</i> (Zahlbr.) Frödén, Arup & Søchting	
¹ monofoliosa S.Y. Kondr. & Kärnefelt	Kondratyuk et al. 2008
parietina (L.) Th. Fr.	Doidge 1950, Almborn 1988b, Galloway 1995, Verseghe 1963
<i>X. parietina</i> f. <i>albicans</i> (Müll. Arg.) Hillmann	
<i>X. parietina</i> f. <i>rutilans</i> Th. Fr.,	
<i>X. parietina</i> var. <i>ectanea</i> (Ach.) J. Kickx f.,	
<i>X. parietina</i> var. <i>macrophylla</i> (Stizenb.)	
INC.: <i>X. parietina</i> var. <i>irregularis</i> Gylén.	
(nomen nudum)	
sipmanii S.Y. Kondr. & Kärnefelt	Kondratyuk et al. 2008
<i>Dufourea sipmanii</i> (S.Y. Kondr. & Kärnefelt) Frödén, Arup & Søchting	
¹ Nom. illegit., holotype not designated (See Appendix 1).	
<i>Zwackhia</i> Körb. (1855)	
bonplandii (Fée) Ertz	Doidge 1950
<i>Opegrapha bonplandi</i> Fée	

References

- Almborn, O., 1960, 'Lichenes Africani. Fasc. II (Nos. 26–50)', *Botanical Museum of the University, Lund, Sweden*, 1–10.
- Almborn, O., 1966, 'Revision of some lichen genera in southern Africa I', *Botaniska Notiser* 119, 70–112.
- Almborn, O., 1974, 'Lichenes Africani. Fasc. IV (Nos. 76–100)', *Botanical Museum of the University, Lund, Sweden*, 1–10.
- Almborn, O., 1987, 'Lichens at high altitudes in southern Africa'. *Bibliotheca Lichenologica* 25, 401–417.
- Almborn, O., 1988a, 'Lichenes Africani. Fasc. V (Nos. 101–125)', *Botanical Museum of the University, Lund, Sweden*, 1–9 (unnumbered).
- Almborn, O., 1988b, 'Some distribution patterns in the lichen flora of South Africa' *Monographs in Systematic Botany from the Missouri Botanical Garden* 25, 429–432.
- Almborn, O., 1989, 'Revision of the lichen genus *Teloschistes* in central and southern Africa', *Nordic Journal of Botany* 8, 521–537.
- Almborn, O., 1991, 'Lichenes Africani. Fasc. VI (Nos. 126–150)', *Botanical Museum of the University, Lund, Sweden*, 1–9.
- Amo De Paz, G., Lumbsch, H.T., Cubas, P., Elix, J.A. & Crespo, A., 2010, 'The genus *Karoowia* (Parmeliaceae, Ascomycota) includes unrelated clades nested within *Xanthoparmelia*', *Australian Systematic Botany* 23, 173–184.
- Aptroot, A. & Treibel, D., 2002, 'A new *Phacopsis* species on *Paraparmelia* and *Xanthoparmelia* in southern Africa', *Nova Hedwigia* 74, 405–409.
- Arup, U., Søchting, U. & Frödén, P., 2013, 'A new taxonomy of the family Teloschistaceae'. *Nordic Journal of Botany* 31' 16–83.
- Arvidsson, L., 1982, 'A monograph of the lichen genus *Coccocarpia*', *Opera Botanica* 67, 1–96.
- Awasthi, D.D., 1975, 'A monograph of the lichen genus *Dirinaria*', *Bibliotheca Lichenologica* 2, 1–108.
- Blanco, O., Crespo, A., Elix, J.A., Hawksworth, D.L. & Lumbsch, H.T., 2004, 'A molecular phylogeny and a new classification of parmelioid lichens containing *Xanthoparmelia*-type lichenan (Ascomycota: Lecanorales)', *Taxon* 53, 959–975.
- Bruss, O., 1993, 'Studien über die Flechtengattung *Catapyrenium* (Verrucariaceae). V. Einige Arten aus dem südlichen Afrika', *Linzer Biologische Beiträge* 25, 339–346.
- Bruss, O., 1995, 'The genus *Catapyrenium* (Verrucariales) in the southern hemisphere', *Cryptogamic Botany* 5, 177–183.
- Brodo, I.M., 1991, 'Studies in the lichen genus *Ochrolechia*. 2. Corticolous species of North America', *Canadian Journal of Botany* 69, 733–772.
- Brusse, F., 1984, 'New species and combinations in *Parmelia* (Lichenes) from southern Africa', *Bothalia* 15, 315–321.
- Brusse, F., 1985a, '*Corynecystis*, a new lichen genus from the Karoo, South Africa', *Bothalia* 15, 552–553.
- Brusse, F., 1985b, '*Glyphopeltis* (Lecideaceae), a new lichen genus from southern Africa', *Lichenologist* 17, 267–268.
- Brusse, F., 1986a, 'Two new species of *Parmelia* (Lichenes) from southern Africa', *South African Journal of Botany* 52, 105–108.
- Brusse, F., 1986b, 'Porinaceae. A new species of *Porina* on limestone', *Bothalia* 16, 62–64.
- Brusse, F., 1986c, '*Dermatiscum fallax* (Physciaceae), a new lichen from southern Africa', *Mycotaxon* 25, 161–164.
- Brusse, F., 1986d, 'Five new species of *Parmelia* (Lichenes, Parmeliaceae) from southern Africa', *Mycotaxon* 27, 183–192.
- Brusse, F., 1986e, 'Four new effigurate-crustose species of *Parmelia* (Lichenes, Parmeliaceae) from southern Africa', *Mycotaxon* 27, 237–245.
- Brusse, F., 1987a, 'Two new brown subcrustose *Parmelia* species from southern Africa (lichenized ascomycetes)', *Bothalia* 17, 25–28.
- Brusse, F., 1987b, 'A new species of *Thyrea* from Otavi dolomite (Damara System)', *Bothalia* 17, 37–40.
- Brusse, F., 1987c, '*Psathyrophlyctis*, a new lichen genus from southern Africa', *Bothalia* 17, 182–184.
- Brusse, F., 1987d, 'A new species of *Trapelia* (Lichenes) from southern Africa', *Bothalia* 17, 187–188.
- Brusse, F., 1987e, '*Echidnocymbium* (Biatoreaceae), a new lichen genus from southern Africa', *Mycotaxon* 29, 173–176.
- Brusse, F., 1987f, '*Eremastrella montana* (Psoraceae), a new lichen species from the Drakensberg, South Africa', *Mycotaxon* 29, 177–181.
- Brusse, F., 1987g, '*Schistoplaca* (Lichenes, Biatoreaceae), a new lichen genus', *Mycotaxon* 29, 245–249.
- Brusse, F., 1988a, '*Lithoglypha*, a new lichen genus from Clarens Sandstone', *Bothalia* 18, 89–90.
- Brusse, F., 1988b, 'A new species of *Porpidia* from the Drakensberg', *Bothalia* 18, 93–94.

- Brusse, F., 1988c, 'Schizodiscus, a new porpidioid lichen genus from Drakensberg', *Bothalia* 18, 94–96.
- Brusse, F., 1988d, 'Three new species of *Parmelia* (Lichenes) from southern Africa', *Mycotaxon* 31, 155–162.
- Brusse, F., 1988e, 'Five new species of *Parmelia* (Parmeliaceae, lichenized ascomycetes) from southern Africa, with new combinations and notes, and new lichen records', *Mycotaxon* 31, 533–555.
- Brusse, F., 1989a, 'A new species of *Fuscidea* (Lichenes) from the Cape Fold Mountains', *Bothalia* 19, 35–36.
- Brusse, F., 1989b, 'A new species of *Maronea* (Lichenes) from the Drakensberg', *Bothalia* 19, 36–37.
- Brusse, F., 1989c, 'Two new species of *Parmelia* (Parmeliaceae, Lichenes), further new combinations and notes, and additional new lichen records from southern Africa', *Mycotaxon* 34, 399–406.
- Brusse, F., 1989d, 'Four new species of *Parmelia* (Lichenes) from southern Africa, with further notes, new combinations and new lichen records', *Mycotaxon* 35, 21–34.
- Brusse, F., 1989e, 'Three new species in the lichen genus *Parmelia* (Parmeliaceae, Ascomycotina) from southern Africa, with further notes', *Mycotaxon* 36, 305–311.
- Brusse, F., 1991a, 'A new species in the lichen genus *Almbornia* (Parmeliaceae, Ascomycotina)', *Mycotaxon* 40, 265–267.
- Brusse, F., 1991b, 'Eight new species in the lichen genus *Parmelia* (Parmeliaceae, Ascomycotina) from southern Africa with notes on southern African lichens', *Mycotaxon* 40, 377–393.
- Brusse, F., 1991c, 'A new species in the lichen genus *Parmelia* (Parmeliaceae, Ascomycotina), from the Blouberg, northern Transvaal, South Africa, with further notes on southern African lichens', *Mycotaxon* 42, 163–169.
- Brusse, F., 1991d, 'Two new species in the Agyriaceae (lichenized Ascomycotina, Lecanorales) from Southern Africa', *Bothalia* 21, 154–156.
- Brusse, F., 1992, 'Gomphillaceae (Lichenes). A new species of *Bullatina* from the Transkei Wild Coast', *Bothalia* 22, 44–46.
- Brusse, F., 1993, 'Eight new species in the lichen genus *Parmelia* (Ascomycotina, Parmeliaceae) from Southern Africa, with notes on Southern African lichens', *Mycotaxon* 49, 1–17.
- Brusse, F., 1994, 'A remarkable new lichen genus *Catarrhospora* (Ascomycotina, Porpidiaceae), from Cape Floral Kingdom, South Africa', *Mycotaxon* 52, 501–512.
- Brusse, F. & Dickinson, C.H. 1991, 'A new foliicolous species in the lichen genus *Porina* (Porinaceae, Pyrenulales) from Southern Africa', *Mycotaxon* 42, 347–350.
- Brusse, F. & Kärnefelt, I. 1991, 'The new southern hemisphere lichen genus *Coelopogon* (Lecanorales, Ascomycotina), with a new species from Southern Africa', *Mycotaxon* 42, 35–41.
- Büdel, B. 1987, 'Zur Biologie und Systematik der Flechtengattung *Heppia* und *Peltula* im südlichen Afrika', *Bibliotheca Lichenologica* 23, 1–105.
- Büdel, B. 1989, 'New localities for *Peltula rodriguezi*', *Lichenologist* 21, 293.
- Büdel, B. 1995, 'The lichen genus *Neoheppia*', *Mycotaxon* 54, 137–145.
- Büdel, B. & Henssen, A. 1986, 'Zwei neue *Peltula*-Arten von Südafrika (Lichenes)', *International Journal of Mycology and Lichenology* 2, 235–249.
- Büdel, B. & Lange, O. 1994, 'The role of cortical and epinecral layers in the lichen genus *Peltula*. *Cryptogamic Botany* 4, 262–269.
- Büdel, B. & Nash, T.H., 2002, '*Peltula*', in T.H. Nash, B.D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*. I, pp. 331–340. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Clerc, P., 1997, 'Notes on the genus *Usnea* Dill. ex Adanson', *Lichenologist* 29, 209–215.
- Clerc, P. & Herrera-Campos, M.A., 1997, 'Saxicolous species of *Usnea* subgenus *Usnea* (lichenized Ascomycetes) in North America', *Bryologist* 100, 281–301.
- Coppins, B., 1999, 'Two new species of *Micarea* from South Africa', *Lichenologist* 31, 559–565.
- Coppins, B. & Kondratyuk, S.Y., 1995, '*Stygiomyces* and *Pseudonitschka*: two new genera of lichenicolous fungi', *Edinburgh Journal of Botany* 52, 229–236.
- Crombie, J.M. 1876, 'New Lichens from the Cape of Good Hope. *The Journal of Botany* 14, 18–21.
- Crombie, J.M. 1877, 'Lichenes Capenses, an enumeration of the lichens collected at the Cape of Good Hope by A.E. Eaton during the Venus-Transit Expedition in 1874', *Journal of the Linnean Society. Botany*, 15, 165–180.
- Degelius, G. 1974, 'The lichen genus *Collema* with special reference to the extra-European species', *Symbolae Botanicae Upsalienses* 20, 1–215.
- Depriest, P.T. & Hale, B.W. 1998, 'New combinations in parmelioid genera (Ascomycotina: Parmeliaceae)', *Mycotaxon* 67, 201–206.
- Diederich, P. 1996: The Lichenicolous Heterobasidiomycetes. *Bibliotheca Lichenologica* 61, 1–198.
- Dodge, E.M. 1950, 'The South African fungi and lichens to the end of 1945', *Bothalia* 5, 1–1094.
- Eichenberger, C., Aptroot, A. & Honegger, R. 2007, 'Three new *Xanthoria* species from Southern Africa: *X. hirsuta*, *X. inflata* and *X. doidgeae*', *Lichenologist* 39, 451–458.
- Egea, J.M. & Torrente, P. 1996, 'Tres nuevas especies de hongos liquenizados de la Provincia del Cabo (Sudáfrica) [Three new species of lichenized fungi from Cape Province (South Africa)]', *Cryptogamie, Bryologie-Lichénologie* 17, 295–312.
- Egea, J.M. & Torrente, P. 1997, 'Tres nuevas especies de hongos liquenizados de la provincia del Cabo (Sudáfrica) Corrección', *Cryptogamie, Bryologie-Lichénologie* 18, 77.
- Elix, J.A., 1993, 'New species in the lichen family Parmeliaceae (Ascomycotina) from Australia', *Mycotaxon* 47, 101–129.
- Elix, J.A., 1997, 'New species and new combinations in the lichen family Parmeliaceae (Ascomycotina) from South Africa', *Mycotaxon* 63, 335–343.
- Elix, J.A., 1999a, 'Further new species and new reports in the lichen family Parmeliaceae (Ascomycotina) from South Africa', *Mycotaxon* 70, 103–110.
- Elix, J.A., 1999b, 'New species of *Neofuscelia* (lichenized Ascomycotina, Parmeliaceae) from the southern hemisphere', *Mycotaxon* 71, 431–456.
- Elix, J.A., 1999c, 'New species of *Xanthoparmelia* (lichenized Ascomycotina, Parmeliaceae) from South Africa', *Mycotaxon* 73, 51–61.
- Elix, J.A., 2001, 'A Revision of the Lichen Genus *Paraparmelia* Elix & J. Johnst.', *Bibliotheca Lichenologica* 80, 1–224.
- Elix, J.A., 2002, 'New species of *Xanthoparmelia* (lichenized Ascomycotina, Parmeliaceae) from Africa', *Lichenologist* 34, 283–291.
- Elix, J.A., 2003, 'The lichen genus *Paraparmelia*, a synonym of *Xanthoparmelia* (Ascomycota, Parmeliaceae)', *Mycotaxon* 87, 395–403.
- Elix, J.A. & Hale, M.E. 1987, '*Canomaculina*, *Myelochroa*, *Parmelinella*, *Parmelinopsis* and *Parmotremopsis*, five new genera in the Parmeliaceae (lichenized Ascomycotina)', *Mycotaxon* 29, 233–244.
- Elix, J.A. & Johnston, J. 1988a, 'New species in the lichen family Parmeliaceae (Ascomycotina) from the Southern Hemisphere', *Mycotaxon* 31, 491–510.
- Elix, J.A. & Johnston, J. 1988b, 'Further new species of *Relicina* and *Xanthoparmelia* (lichenized Ascomycotina) from the Southern Hemisphere', *Mycotaxon* 33, 353–364.
- Elix, J.A. & Nash, T.H. 1997 [1998], 'A monograph of the lichen genus *Pseudoparmelia* (Ascomycotina, Parmeliaceae)', *Bryologist* 100, 482–498.
- Elix, J.A., Johnston, J. & Armstrong, P.M. 1986a, 'A revision of the lichen genus *Xanthoparmelia* in Australia', *Bulletin of the British Natural History Museum, Botany* 15, 163–362.
- Elix, J.A., Johnston, J. & Verdon, D. 1986b, '*Canoparmelia*, *Paraparmelia* and *Relicinopsis*, three new genera in the Parmeliaceae (lichenized Ascomycotina)', *Mycotaxon* 27, 271–282.
- Ertz, D., Lawrey, J.D., Common, R.S. & Diederich, P. 2014, Molecular data resolve a new order of Arthoniomycetes sister to the primarily lichenized Arthoniales and composed of black yeasts, lichenicolous and rock-inhabiting species. *Fungal Diversity* 66, 113–137.
- Esslinger, T. L., 1977, 'A chemosystematic revision of the brown Parmeliaceae', *Journal of the Hattori Botanical Laboratory* 42, 1–211.
- Esslinger, T.L., 1978, 'A new status for the brown Parmeliaceae', *Mycotaxon* 7, 45–54.
- Esslinger, T.L., 1981, '*Almbornia*, a new lichen genus from South Africa', *Nordic Journal of Botany* 1, 125–127.
- Esslinger, T.L., 1986, 'Further reports on the brown Parmeliaceae of southern Africa', *Nordic Journal of Botany* 6, 87–91.
- Esslinger, T.L., 2000, 'Notes on the brown-colored species of Parmeliaceae (lichenized Ascomycota) in southern Africa', *Bryologist* 103, 568–591.
- Farkas, E., 2004, 'Recent additions to the knowledge of the foliicolous lichen flora of South Africa', *Bibliotheca Lichenologica*, 88, 111–125.
- Feuerer, T., 2013, 'Checklists of lichens and lichenicolous fungi', viewed February–April 2014 from <http://www.checklists.de>
- Follmann G., Schulz, M., Huneck, S & Peine, J., 1994, 'Precursors to a monograph of the lichen family Roccellaceae X. Remarks on the *Roccella hypomecha* group and description of a new species', *Journal of the Hattori Botanical Laboratory* 75, 345–357.
- Frey, E., 1949, 'Neue Beiträge zu einer Monographie des Genus *Umbilicaria* Hoffm., Nyl.', *Berichte der Schweizerischen Botanischen Gesellschaft Schweiz* 59, 427–470.
- Fries, T., 1861, 'Miscellanea lichenologica. *Flora (Regensburg)*', 1861, 409–416.
- Frisch, A. & Kalb, K., 2006, 'A monograph of Thelotremales with a complex structure of the columella', *Bibliotheca Lichenologica* 92, 371–516.
- Galloway, D.J., 1995, 'The extra-European lichen collections of Archibald Menzies MD, FLS (1754–1842)', *Edinburgh Journal of Botany* 52, 95–139.
- Guderley, R. & Lumbsch, H. T., 1996, 'The lichen genus *Diploschistes* in South Africa (Thelotremales)', *Mycotaxon* 58, 269–292.
- Hale, M.E., 1971, 'Studies on *Parmelia* subgenus *Xanthoparmelia* (Lichenes) in South Africa', *Botaniska Notiser* 124, 343–354.
- Hale, M.E., 1972, 'New species of *Parmelia* section *Cyclocheila* in southern Africa', *Bryologist* 75, 342–348.
- Hale, M.E., 1974, 'New combinations in the lichen genus *Parmotrema* Massalongo', *Phytologia* 28, 334–339.
- Hale, M.E., 1976a, 'A monograph of the lichen genus *Pseudoparmelia* Lynge (Parmeliaceae)', *Smithsonian Contributions to Botany* 31, 1–62.
- Hale, M.E., 1976b, 'A monograph of the lichen genus *Bulbothrix* Hale (Parmeliaceae)', *Smithsonian Contributions to Botany* 32, 1–29.
- Hale, M.E., 1976c, 'A monograph of the lichen genus *Parmelina* Hale (Parmeliaceae)', *Smithsonian Contributions to Botany* 33, 1–60.
- Hale, M.E., 1985, 'New species in the lichen genus *Xanthoparmelia* (Vain.) Hale (Ascomycotina: Parmeliaceae)', *Mycotaxon* 22, 281–284.

- Hale, M.E., 1986, 'New species of the lichen genus *Xanthoparmelia* from southern Africa (Ascomycotina: Parmeliaceae)', *Mycotaxon* 27, 563–610.
- Hale, M.E., 1987a, 'Additions to the *Xanthoparmelia* flora of southern Africa (lichenized Ascomycotina: Parmeliaceae)', *Mycotaxon* 29, 251–266.
- Hale, M.E., 1987b, 'New or interesting species of *Xanthoparmelia* (Vainio) Hale (Ascomycotina: Parmeliaceae)', *Mycotaxon* 30, 319–334.
- Hale, M.E., 1988, 'Namakwa, a new lichen genus in the Parmeliaceae (Ascomycotina: Parmeliaceae)', *Mycotaxon* 32, 169–174.
- Hale, M.E., 1989, 'A monograph of the lichen genus *Karoowia* Hale (Ascomycotina: Parmeliaceae)', *Mycotaxon* 35, 177–198.
- Hale, M.E., 1990, 'A synopsis of the lichen genus *Xanthoparmelia* (Vainio) Hale (Ascomycotina, Parmeliaceae)', *Smithsonian Contributions to Botany* 74, 1–250.
- Hale M.E. & Fletcher, A., 1990, '*Rimelia* Hale & Fletcher, a new lichen genus (Ascomycotina, Parmeliaceae)', *Bryologist* 93, 23–29.
- Hale, M.E. & Kurokawa, S., 1964, 'Studies on *Parmelia* subgenus *Parmelia*', *Contributions from the U.S. National Herbarium* 36, 121–191.
- Henssen, A., 1963, 'Eine Revision der Flechtenfamilien Lichinaceae und Ephebeaceae', *Symbolae Botanicae Upsalienses* 18, 1–123.
- Henssen, A., 1987, '*Lichenothelia*, a genus of microfungi on rocks', *Bibliotheca Lichenologica* 25, 257–293.
- Henssen, A. & Titze, A., 1992, '*Neofuscelia squamariata* and *Neofuscelia almbornii* sp. nov. (Parmeliaceae)', *Lichenologist* 24, 203–213.
- Henssen, A., Büdel, B. & Wessels, D., 1985, 'New or interesting members of the Lichinaceae from southern Africa I. Species from northern and eastern Transvaal', *Mycotaxon* 22, 169–195.
- Hertel, H., 2001, 'Floristic and taxonomic notes on saxicolous lecideoid lichens', *Sendtnera* 7, 93–136.
- Jørgensen, P.M., 1997, 'Further notes on hairy *Leptogium* species', *Symbolae Botanicae Upsalienses* 32, 113–130.
- Jørgensen, P.M., 1998, 'Studies in the lichen family Pannariaceae VII. On some poorly known *Parmeliella*-like species from the Southern Hemisphere', *Lichenologist* 30, 533–541.
- Jørgensen, P.M., 2001, 'New species and records of the lichen family Pannariaceae from Australia', *Bibliotheca Lichenologica* 78, 109–139.
- Jørgensen, P.M., 2002a, '*Kroswia*, a new genus in the Pannariaceae (lichenized ascomycetes)', *Lichenologist* 34, 297–303.
- Jørgensen, P.M., 2002b, 'Two species of Pannariaceae (lichenized ascomycetes) from New Zealand with a wider Southern Hemisphere distribution', *New Zealand Journal of Botany* 40, 327–329.
- Jørgensen, P.M., 2003, 'Notes on African Pannariaceae (lichenized ascomycetes)', *Lichenologist* 35, 11–20.
- Jürgens, N. & Niebel-Lohmann, A., 1995, 'Geobotanical observations on lichen fields of the southern Namib desert', *Mitteilungen aus dem Institut für Allgemeine Botanik in Hamburg* 25, 135–156.
- Kärnefelt, I., 1986, 'The genera *Bryocaulon*, *Coelocaulon* and *Cornicularia* and formerly associated taxa', *Opera Botanica* 86, 1–90.
- Kärnefelt, I., 1987a, 'A new species of *Caloplaca* from southern Africa', *Bothalia* 17, 41–43.
- Kärnefelt, I., 1987b, '*Cetraria* (Parmeliaceae) and some related genera on the African continent', *Bothalia* 17, 45–49.
- Kärnefelt, I., 1988, 'Morphology and biogeography of saxicolous *Caloplaca* in southern Africa', *Monographs in Systematic Botany from the Missouri Botanical Garden* 25, 439–452.
- Kärnefelt, I., Arup, U. & Lindblom, L., 1995, '*Xanthoria capensis* (Teloschistaceae), a new endemic species in the Cape Flora Kingdom', *Bibliotheca Lichenologica* 57, 253–264.
- Kärnefelt, I., Kondratyuk, S., Søchting, U. & Frödén, P., 2002a, '*Xanthoria karrooensis* and *X. alexanderbaai* (Teloschistaceae), two new lichen species from southern Africa', *Lichenologist* 34, 333–346.
- Kärnefelt, I., Kondratyuk, S., Søchting, U., Frödén, P. & Arup, U., 2002b, 'Two new species of *Caloplaca* (Teloschistaceae) from the Southern Hemisphere', *Bryologist* 105, 301–309.
- Kalb, K., Buaruang, K., Papong, K. & Boonpragob, K., 2009, 'New or interesting lichens from the tropics, including the lichen genus *Ramboldia* in Thailand', *Mycotaxon* 110, 109–123.
- Kerr, S. & Zavada, M. S., 1989, 'The effect of the lichen *Acarospora sinapica* on the elemental composition of three sedimentary rock substrates in South Africa', *Bryologist* 92, 407–410.
- Kilius, H., 1984, '*Catillaria sculpturata* H. Magn. and *C. crystallifera* Kilius, sp. nov.—two "window lichens" with a wide distribution', *Bryologist* 87, 327–331.
- Knoph, J.-G. & Leuckert, C., 2000, 'Chemotaxonomische Studien in der Gattung *Lecidella* (Lecanorales, Lecanoraceae) III. Die gesteinsbewohnenden Arten mit farblosem Hypothecium unter besonderer Berücksichtigung von europäischem Material [Chemotaxonomic studies in the genus *Lecidella* (Lecanorales, Lecanoraceae) III. The saxicolous species with a colourless hypothecium with special emphasis on European specimens]', *Herzogia* 14, 1–26.
- Knox, M.D.E., 1982, 'Three new species of *Hypotrachyna* from South Africa', *Bryologist* 85, 118–121.
- Knox, M.D.E. & Brusse, F.A., 1983, 'New *Xanthoparmeliae* (Lichenes) from southern and central Africa', *Journal of South African Botany* 49, 143–159.
- Kondratyuk, S.Y., 1996, 'Four new species of lichenicolous fungi', in S.P. Wasser (ed.), *Botany and Mycology for the Next Millennium: Collection of Scientific Articles Devoted to the 70th Anniversary of Academician K. M. Sytnik*, pp. 309–315, N. G. Kholodny Institute of Botany, National Academy of Sciences of Ukraine, Kiev.
- Kondratyuk, S.Y., 2002, 'Notes on lichenicolous fungi associated with xanthorioid lichens', *Ukrayins'kyi Botanichnyi Zhurnal* 59, 309–314.
- Kondratyuk, S.Y. & Galloway, D.J., 1995, 'Two new lichenicolous fungi from *Lobaria* and *Sticta* (Stictaceae)', in F.J.A. Daniels, M. Schulz & J. Peine (eds.), *Flechten Follmann. Contributions to lichenology in Honour of Gerhard Follmann*, pp. 255–261, Geobotanical and Phytotaxonomical Study Group, Botanical Institute, University of Cologne, Cologne.
- Kondratyuk, S.Y. & Kärnefelt, I., 1997, '*Josefpoeltia* and *Xanthomendoza*, two new genera in the Teloschistaceae (lichenized Ascomycotina)', *Bibliotheca Lichenologica* 68, 19–44.
- Kondratyuk, S.Y., Kärnefelt, I., Søchting, U. & Arup, U., 2004, 'New species of *Xanthoria* (Teloschistaceae) from Southern Africa', *Bibliotheca Lichenologica* 88, 349–362.
- Kondratyuk, S.Y., Kärnefelt, I., Elix, J.A. & Thell, A., 2008, 'A new circumscription of the genus *Xanthodactylon* (Teloschistaceae, lichenized ascomycetes). Eine neue Umgrenzung der Gattung *Xanthodactylon* (Teloschistaceae, lichenized Ascomycetes)', *Sauteria* 15, 265–282.
- Kondratyuk, S.Y., Kärnefelt, I., Elix, J.A. & Thell, A., 2009, 'Contributions to the Teloschistaceae, with particular reference to the Southern Hemisphere', *Bibliotheca Lichenologica* 100, 207–282.
- Kotlov, Y.V., 2002, '*Catillaria galubkovae* (Catillariaceae, Ascomycota), a new lichen species from the Cape of Good Hope', *Botanicheskii Zhurnal* 87, 110–111.
- Krog, H. & Swinscow, T.D.V., 1978, 'The genus *Ramalina* in East Africa', *Norwegian Journal of Botany* 23, 253–275.
- Krog, H., 2000, 'Corticolous macrolichens of low montane rainforests and moist woodlands of eastern Tanzania', *Sommerfeltia* 28, 1–75.
- Lücking, R. & Vězda, A., 1998, 'Taxonomic studies in foliicolous species of the genus *Porina* (lichenized Ascomycotina: Trichotheliaceae) - II. The *Porina epiphylla* group', *Willdenowia* 28, 181–225.
- Lumbsch, H.T., 1993, 'Studien über die Flechtengattung *Diploschistes* I', *Nova Hedwigia* 56, 227–236.
- Lumbsch, H.T. & Kothe, H.W., 1993, 'Die Entwicklung der Thalli von *Eremastrella crystallifera* und ihre taxonomische Bedeutung (Psoraceae; Ascomycotina)', *Nova Hedwigia* 57, 19–32.
- Lumbsch, H.T., Feige, G.B. & Elix, J.A., 1995, 'A revision of the usnic acid containing taxa belonging to *Lecanora* sensu stricto (Lecanorales: lichenized Ascomycotina)', *Bryologist* 98, 561–577.
- Marbach, B., 2000, 'Corticole und lignicole Arten der Flechtengattung *Buellia* sensu lato in den Subtropen und Tropen', *Bibliotheca Lichenologica* 74, 1–384.
- Matzer, M. & Mayrhofer, H., 1994, 'The saxicolous *Rinodina teichophila* and three closely related species from the Southern Hemisphere (Physciaceae, lichenized Ascomycetes)', *Acta Botanica Fennica* 150, 109–120.
- Matzer, M., Mayrhofer, H. & Rambold, G., 1998, '*Diploicia africana* comb. nov. (lichenized Ascomycetes, Physciaceae), an endemic species from the Cape Province (South Africa)', *Nordic Journal of Botany* 17, 433–438.
- Mayrhofer, H., 1987, 'Monographie der Flechtengattung *Thelenella*', *Bibliotheca Lichenologica* 26, 1–106.
- Mayrhofer, H., Matzer, M., Wippel, A. & Elix, J.A., 1996, 'The genus *Dimelaena* (lichenized Ascomycetes, Physciaceae) in the southern hemisphere', *Mycotaxon* 58, 293–311.
- Mayrhofer, H. & McCarthy, P.M., 1991, 'Notes on the lichenized ascomycete genus *Thelenella* Nyl. in Australia, Southern Africa and on the islands of the Subantarctic and Antarctic', *Muelleria* 1, 333–341.
- Moberg, R., 1987, 'Lichenes Selecti Exsiccati Upsalienses. Fasc. 2 (Nos 26–50)', *Thunbergia* 5, 1–9.
- Moberg, R., 2004, 'Notes on foliose species of the lichen family Physciaceae in southern Africa', *Symbolae Botanicae Upsalienses* 8, 257–288.
- Motyka, J., 1936, *Lichenum generis Usnea studium monographicum. Pars systematica, volumen primum*, J. Motyka, Leopoli.
- Motyka, J., 1938, *Lichenum generis Usnea studium monographicum. Pars systematica, volumen secundum*, J. Motyka, Leopoli.
- Nash, T.H. & Elix, J.A., 1987, 'New species and new reports in the Parmeliaceae (lichenized Ascomycotina) from South Africa and Australia', *Mycotaxon* 29, 467–476.
- Nordin, A., 2000, 'Taxonomy and phylogeny of *Buellia* species with pluriseptate spores (Lecanorales, Ascomycotina)', *Symbolae Botanicae Upsalienses* 33, 1–117.
- Nylander, W., 1860, *Synopsis methodica lichenum omnium hucusque cognitorum praemissa introductione lingua gallica tractata*, L. Martinet, Paris.
- Obermayer, W., 2009, 'New reports of *Culbersonia nubila* (Moberg) Essl. from the Tibetan Region, Bolivia, Argentina, Lesotho and South Africa', *Lichenologist* 41, 683–687.
- Otálora, M., Jørgensen, P.M. & Wedin, M., 2014, 'A revised generic classification of the jelly lichens, *Collemataceae*', *Fungal Diversity* 64, 275–293.
- Rundel, P.W. & Bowler, P. A., 1974, 'The lichen genus *Trichoramalina*', *Bryologist* 77, 188–194.
- Santesson, R., 1952, 'Foliicolous lichens I. A revision of the taxonomy of the obligately foliicolous, lichenized fungi', *Symbolae Botanicae Upsalienses* 12, 1–590.

- Schultz, M., Zedda, L. & Rambold, G., 2009, 'New records of lichen taxa from Namibia and South Africa', *Bibliotheca Lichenologica* 99, 315–334.
- Scutari, N.C., 1997, 'Three new species of *Hyperphyscia* (Physciaceae, lichenized Ascomycotina), with a revision of *Hyperphyscia adglutinata*', *Mycotaxon* 61, 87–102.
- Sérusiaux, E., 1979, 'Contribution à l'étude des lichens du Kivu (Zaire), du Rwanda et du Burundi IV. Le genre *Stereocaulon* (Schreb.) Hoffm', *Revue Bryologique et Lichenologique* 45, 1–43.
- Staiger, B. & Kalb, K., 1995, 'Haematomma-studien. I. Die Flechtengattung *Haematomma*', *Bibliotheca Lichenologica* 59, 1–198.
- Stenroos, S., 1994, 'Revision of the South African *Cladonia* section *Cocciferae*', *Acta Botanica Fennica* 150, 179–183.
- Swinscow, T. D. V. & Krog, H., 1978, 'Pendulous species of *Usnea* in East Africa', *Norwegian Journal of Botany* 25, 221–241.
- Swinscow, T. D. V. & Krog, H., 1988, *Macrolichens of East Africa*, British Museum (Natural History), London.
- Thell, A., Feuerer, T., Elix, J.A. & Kärnefelt, I., 2006, 'A contribution to the phylogeny and taxonomy of *Xanthoparmelia* (Ascomycota, Parmeliaceae)', *Journal of the Hattori Botanical Laboratory* 100, 797–807.
- Thomas, C.M. & Bhat, R.B., 1994, 'Contribution to the lichen flora of Transkei', *Mycotaxon* 50, 9–18.
- Thomas, C.M. & Bhat, R.B., 1996, 'New report of lichens from southern Africa', *Mycotaxon* 58, 375–385.
- Timdal, E., 1988, '*Glyphopeltis eburina* and *Xanthopsorella llimonae* are *Glyphopeltis ligustica*, comb. nov', *Mycotaxon* 31, 101–102.
- Timdal, E., 1992, 'A monograph of the genus *Toninia* (Lecideaceae, Ascomycetes)', *Opera Botanica* 110, 1–137.
- Timdal, E. & Krog, H., 2001, 'Further studies on African species of the lichen genus *Phyllopsora* (Lecanorales)', *Mycotaxon* 77, 57–89.
- Truong, C., Bungartz, F. & Clerc, P., 2011, 'The lichen genus *Usnea* (Parmeliaceae) in the tropical Andes and the Galapagos: species with a red-orange cortical or subcortical pigmentation', *Bryologist* 114, 477–503.
- Truong, C., Rodriguex, J.M. & Clerc, P., 2013, 'Pendulous *Usnea* species (Parmeliaceae) in tropical South America and the Galapagos', *Lichenologist* 45, 505–543.
- Trass, H., 1992, 'Synopsis of the lichen genus *Heterodermia* (Ascomycotina, Physciaceae sive Pyxinaceae)', *Folia Cryptogamica Estonica* 29, 1–24.
- Triebel, D., Rambold, G. & Elix, J.A., 1995, 'A conspectus of the genus *Phacopsis* (Lecanorales)', *Bryologist* 98, 71–83.
- Versegny, K., 1963, 'South Africa lichens from the collectings of O. A. Hoeg', *Nova Hedwigia* 4, 579–582.
- Vogel, S., 1955, 'Niedere "Fensterpflanzen" in der sudafricanischen Wüste. Eine ökologische Schilderung', *Beiträge zur Biologie der Pflanzen Breslau* 31, 45–135.
- Zedda, L. & Rambold, R., 2004, 'Diversity change of soil-growing lichens along a climate gradient in southern Africa', *Bibliotheca Lichenologica* 88, 701–714.

Note: This is the Online Appendix of Fryday, A.M., 2015, 'A new checklist of lichenised, lichenicolous and allied fungi reported from South Africa', *Bothalia* 45(1), Art. #148, 4 pages. <http://dx.doi.org/10.4102/abc.v45i1.148>