RUTACEAE

A NOTE ON VEPRIS LANCEOLATA

For many years now the White Ironwood or Witysterhout has been known as *Vepris undulata* (Thunb.) Verdoorn & C. A. Smith. However, *Boscia undulata* Thunb., Prodr. Pl. Cap.: 32 (1794), the basionym of *Vepris undulata* (Thunb.) Verdoorn & C. A. Smith in J. S. Afr. For. Assoc. 20: 35,50 (1951), is a *nomen nudum*. The name *Boscia undulata* was only validly published by Thunberg in his Fl. Cap. 1: 576 (1813). The epithet "undulata" therefore dates from

1813 and not from 1794.

During the intervening years between 1794 and the valid publication of *B. undulata* in 1813, *Toddalia lanceolata* Lam., Tab. Encycl. Méth. Bot. 2: 117 (1797), was published. The earliest specific epithet for the White Ironwood is therefore "lanceolata" and the species must now revert to the name under which it was formerly known, namely, *Vepris lanceolata* (Lam.) G. Don.

Vepris lanceolata (Lam.) G. Don, Gen. Syst. 1: 806 (1831); Harv. in Fl. Cap. 1: 447 (1860); Verdoorn in Kew Bull. 1926: 395 (1926); Burtt Davy, Fl. Transv.

Lamarck (P-LA, IDC microfiche 114/15 and 114/16). Toddalia lanceolata Lam., Tab. Encycl. Meth. Bot. 2: 117 (1797); Sim, For. Fl. Cape Col.: 157, t. 22 (1909). Syntypes as above.

2: 479 (1932). Syntypes from the Mascarenes, Herb.

Boscia undulata Thunb., [Prodr. Pl. Cap.: 32 (1794) nomen nudum] Fl. Cap. 1: 576 (1813). Syntypes from the Cape of Good Hope, Herb. Thunberg 3791, 3792 (UPS).

Scopolia lanceolata (Lam.) Spreng., Syst. Veg. 1: 779 (1824).

Asphades undulata (Thunb.) DC., Prodr. 2: 90 (1825).

Vepris undulata (Thunb.) Verdoorn & C. A. Smith in J. S. Afr. For. Assoc. 20: 35,50 (1951); Palmer & Pitman, Trees S. Afr.: 274 (1961); Mendonca in Fl. Zamb. 2 (2): 200 (1963); Ross, Fl. Natal: 214 (1973); Palmer & Pitman, Trees S. Afr. 2: 989 (1973).

J. H. Ross