




# Improving the management of threatened ecosystems in an urban biodiversity hotspot through the Durban Research Action Partnership



## Authors:

Mathieu Rouget<sup>1</sup>   
 Sean O'Donoghue<sup>2</sup>  
 Chantal Taylor<sup>3</sup>  
 Debra Roberts<sup>4</sup>   
 Rob Slotow<sup>5,6</sup> 

## Affiliations:

<sup>1</sup>Centre for Invasion Biology,  
 School of Agriculture, Earth  
 and Environmental Sciences,  
 University of KwaZulu-Natal,  
 South Africa

<sup>2</sup>Environmental Planning and  
 Climate Protection  
 Department, eThekweni  
 Municipality; School of Life  
 Sciences, University of  
 KwaZulu-Natal, South Africa

<sup>3</sup>School of Agriculture, Earth  
 and Environmental Sciences,  
 University of KwaZulu-Natal,  
 South Africa

<sup>4</sup>eThekweni Municipality;  
 School of Life Sciences,  
 University of KwaZulu-Natal,  
 South Africa

<sup>5</sup>School of Life Sciences,  
 University of KwaZulu-Natal,  
 South Africa

<sup>6</sup>Department of Genetics,  
 Evolution and Environment,  
 University College, London,  
 United Kingdom

## Corresponding author:

Mathieu Rouget,  
 rouget@ukzn.ac.za

## Read online:



Scan this QR  
 code with your  
 smart phone or  
 mobile device  
 to read online.

Cities have a vital role to play in managing biodiversity and dealing with global environmental change issues (de Oliveira *et al.* 2011; Gilbert *et al.* 2013). It is projected that, by 2030, global urban land area will have nearly tripled, making the next two decades the most rapid period of urbanisation in the world's history. This development will increase global carbon emissions and result in a 'considerable loss of habitats in key biodiversity hotspots' (Seto *et al.* 2012). Africa currently displays the fastest rate of urban growth in the world (Pieterse & Parnell 2016) and there are predictions of significant urban migrations over the next decades (UN-HABITAT 2010). It is critical that this development follows a low-carbon and climate-resilient pathway if the ambitions of the Paris Agreement to limit global temperature increase to well below 2°C are to be realised.

Global change, through land use and climate change, has a profound effect on biodiversity, resulting in changes in ecosystem functioning, the extent of natural habitats and species distribution (Sala *et al.* 2000). Cities therefore have a critical role in managing the effects of global change on biodiversity (Grimm *et al.* 2008). In South Africa, the city of Durban, which is governed by the eThekweni Municipality, has developed several innovative mechanisms to address climate change and reduce biodiversity loss (Roberts *et al.* 2012).

Durban, the third largest city in South Africa, has the highest percentage nationally of people living in poverty (eThekweni Municipality 2013b), and high levels of inequality, with a Gini coefficient of 0.63 in 2012 (eThekweni Municipality 2015). The eThekweni metropolitan area is characterised by large portions of rural and peri-urban land uses (eThekweni Municipality 2013a). Large areas of tribal land, governed by traditional leaders who employ traditional governance systems, have been incorporated into the city's boundaries, resulting in dual governance systems of tribal land in areas adjacent to wards with democratically elected councillors subject to formal town planning schemes. Durban is located in the Maputaland-Pondoland-Albany Region, one of 35 global biodiversity hotspots (Mittermeier *et al.* 2005), with more than 7000 species of vascular plants, 25% of which are endemic to the region (van Wyk & Smith 2001). Owing to its varied climate, physiography, lithology, soils and biogeographical position, a wide range of terrestrial and aquatic ecosystems that support a rich biodiversity occur in the eThekweni Municipality.

After several years of interaction between the Environmental Planning and Climate Protection Department (EPCPD) of eThekweni Municipality (EM) and the University of KwaZulu-Natal (UKZN), a research programme was initiated in 2011 as a joint initiative to address environmental challenges pertaining to global change within Durban (Cockburn *et al.* 2016). The research programme focused on a poorly understood but threatened ecosystem – the KwaZulu-Natal Sandstone Sourveld (KZNSS) – to address biodiversity and climate change issues, to build capacity and to improve the planning and management of biodiversity in Durban.

The perceived success of the KZNSS research programme by both institutions led to the establishment of the Durban Research Action Partnership (D'RAP). The partnership was developed to advance knowledge in biodiversity conservation and management within the context of global environmental change. Through the partnership, collaborative research is conducted within Durban in a range of disciplines including environmental, biological and

**How to cite this article:** Rouget, M., O'Donoghue, S., Taylor, C., Roberts, D. & Slotow, R., 2016, 'Improving the management of threatened ecosystems in an urban biodiversity hotspot through the Durban Research Action Partnership', *Bothalia* 46(2), a2199. <http://dx.doi.org/10.4102/abc.v46i2.2199>

**Copyright:** © 2016. The Authors. Licensee: AOSIS. This work is licensed under the Creative Commons Attribution License.

social science, governance and economics. D'RAP aims to generate much-needed knowledge to assist managers in EM to make biodiversity and conservation decisions, and to build capacity by employing interns and supporting student research activities at UKZN. Such novel institutional partnerships are important for generating knowledge and learning outcomes, so as to address the gap between scientific research, policy development and management within a local government setting. Similar initiatives focused on the science-policy-practice interface are emerging in several African cities, for example the Future Resilience for African Cities and Lands (FRACTAL) project, which aims to improve the implementation of climate science at a local government level, working in Southern African cities such as Windhoek, Lusaka, Maputo, Cape Town and Durban (<http://www.fractal.org.za/> and <http://www.futureclimateafrica.org/>).

The engagement between the EM and UKZN has resulted in the completion of three municipally funded internships aimed at increasing critically scarce skills and capacity in this field; two of these internships resulted in permanent appointments within the EPCPD. Since its inception in 2011, the D'RAP partnership has developed a transdisciplinary approach with co-creation of research from design to completion of research products and uptake into policy, planning and management. Both parties (UKZN and EM) are involved in developing research questions, conducting research and integrating the research into practice. Most research has been conducted through postgraduate students registered at UKZN. In this special issue of *Bothalia, African Biodiversity & Conservation*, we present some of the findings of the research emerging from the first programme of D'RAP – the KZNSS research programme. Papers presented represent some of the outputs of this research partnership. Whilst little was known of the KZNSS in 2011, a series of publications, reports, management tools and data sets have been produced a few years later to address this hiatus. Much of the research output by the KZNSS programme, however, remained unusable for officials in the EPCPD. This hiatus highlights the difference in culture, organisation and working environment between the two organisations and is one of the challenges of transdisciplinary research programmes (Taylor *et al.* 2016). In response, D'RAP funded the 'translation' of the research outputs into working and popular documents that were more accessible to EPCPD staff and the general public. This step is considered to have been important in the transdisciplinary research process and will facilitate better management of this ecosystem by EPCPD staff.

The papers cover a range of topics from managing threatened ecosystems (Boon *et al.* 2016), improving our understanding of plant diversity (Drury *et al.* 2016; Ground *et al.* 2016), quantifying pressures and threats (Buhmann *et al.* 2016; Buthelezi *et al.* 2016; Naicker *et al.* 2016; Odindi *et al.* 2016), understanding community benefits, governance and value (Davids *et al.* 2016; Nkambule *et al.* 2016; Sutherland *et al.* 2016), to evaluating the outcomes of this transdisciplinary research programme (Taylor *et al.* 2016).

Much of the biodiversity of the KZNSS ecosystem, and how to manage it, is poorly understood. The first three papers contribute to improving our knowledge in this regard. Boon *et al.* (2016) provide an overview of the KZNSS ecosystem in Durban and describe some of the work that EM is undertaking in Durban to secure and manage this threatened ecosystem and other biodiversity values. They also highlight some challenges that will have to be overcome to improve levels of protection and management. Drury *et al.* (2016) examine the variation in plant diversity (alpha and beta diversity) across patches of KZNSS in order to differentiate it from adjacent similar vegetation types. Ground *et al.* (2016) further assess the variation in forb species richness to improve land-use decision-making, especially the use of systematic conservation planning to select and manage key grassland sites.

The biodiversity of the KZNSS ecosystem is threatened by several processes, including habitat loss and fragmentation, biological invasions and woody encroachment, inappropriate fire regimes and climate change. Naicker *et al.* (2016) have quantified the overall level of habitat fragmentation and connectivity using graph theory. They developed an approach to select key patches within the municipal area, contributing significantly to the overall connectivity of this threatened ecosystem. Odindi *et al.* (2016) highlight the potential of new generation satellite imagery, such as RapidEye, to detect and quantify woody encroachment, one of the key landscape processes affecting the biodiversity of the KZNSS. Using a 10-year time series of fire extent, Buthelezi *et al.* (2016) quantified changes in fire regimes over the years and compared the fire regimes of the KZNSS vegetation type with surrounding vegetation types. Lastly, Buhmann *et al.* (2016) provide one of the first on-site assessments of elevated temperatures on South African grasslands using open-top chambers to simulate and predict the effects of climate change on plant productivity and ecosystem functioning.

Successful biodiversity conservation requires an understanding of the benefits, values and perceptions of biodiversity in relation to the community. This aspect has been addressed in various ways in the KZNSS research programme. Davids *et al.* (2016) provide an assessment of ecosystem services in Durban, maps of ecosystem services hotspots and identify opportunities for securing a sustainable supply of ecosystem services. Sutherland *et al.* (2016) focus on the intertwined issues of rapid urban growth, dual governance systems, biodiversity loss and cultural change in Mzinyathi and eSkebhini in the north-west of Durban. They explore the numerous social constructions of environmental services and the implications for resilience in the area. Nkambule *et al.* (2016) examine the uses, perceptions and attitudes displayed by the iNanda community towards the KZNSS grassland, in order to inform the potential use of community-based conservation strategies.

Finally, Taylor *et al.* (2016) present a continuous reflective evaluation of the successes and challenges of the partnership in terms of research outputs and outcomes, opportunity for

translation of the research into practice, and perceptions of the partnership by the participants.

The papers in this special issue contribute to a greater understanding of the KZNSS ecosystem and its drivers of change. They pave the way for improved management of this threatened ecosystem in Durban and beyond, and highlight the crucial role that research-action partnerships can play to address contemporary environmental challenges. Such a case study provides insights that may be useful to local governments, in particular those in developing countries, which are located in bio-diverse areas or with threatened ecosystems in their jurisdictions. Whilst the papers bring together a substantial body of work on a relatively unknown, important, and threatened habitat type, and provide biological and sociological foundational understanding, translation of the work into practical application within the policy and procedures of the municipality has been challenging. The D'RAP emerged as a mechanism to facilitate such translation (Cockburn *et al.* 2016), and is itself a product of this body of work. We emphasise the importance of putting in place such mechanisms to ensure translation of the research outcomes into practice, so that the true value of the knowledge and understanding generated is fully achieved.

## Acknowledgements

This research is supported by eThekweni Municipality through the Durban Research Action Partnership: KwaZulu-Natal Sandstone Sourveld Programme, together with the South African Research Chairs Initiative of the Department of Science and Technology and the National Research Foundation of South Africa (grant no. 84157).

## Competing interests

The authors declare that they have no financial or personal relationships which may have inappropriately influenced them in writing this article.

## Author's contribution

M.R. wrote the first draft. All other authors contributed to the subsequent drafts.

## References

- Boon, R., Cockburn, J., Douwes, E., Govender, N., Ground, L., Mclean, C. *et al.*, 2016, 'Managing a threatened savanna ecosystem (KwaZulu-Natal Sandstone Sourveld) in an urban biodiversity hotspot: Durban, South Africa', *Bothalia: African Biodiversity & Conservation* 46(2). <http://dx.doi.org/10.4102/abc.v46i2.2112>
- Buhrmann, R., Ramdhani, S., Pammenter, N. & Serksen, N., 2016, 'Grasslands feeling the heat: The effects of elevated temperatures on a sub-tropical grassland', *Bothalia: African Biodiversity & Conservation* 46(2). <http://dx.doi.org/10.4102/abc.v46i2.2122>
- Buthelezi, N., Mutanga, O., Sinanda, M. & Rouget, M., 2016, 'A Spatial and temporal assessment of fire regimes on different vegetation types using MODIS burnt area products', *Bothalia: African Biodiversity & Conservation* 46(2). <http://dx.doi.org/10.4102/abc.v46i2.2148>
- Cockburn, J., Rouget, M., Slotow, R., Roberts, D., Boon, R., Douwes, E. *et al.*, 2016, 'How to build science-action partnerships for local land use planning and management: Lessons from Durban, South Africa', *Ecology and Society* 21(1), 28. <http://dx.doi.org/10.5751/ES-08109-210128>
- Daids, R., Rouget, M., Boon, R. & Roberts, D., 2016, 'Identifying ecosystem service hotspots for environmental management in Durban, South Africa', *Bothalia: African Biodiversity & Conservation* 46(2). <http://dx.doi.org/10.4102/abc.v46i2.2118>
- de Oliveira, J.P., Balaban, O., Doll, C.N., Moreno-Peñaranda, R., Gasparatos, A., Iossifova, D. *et al.*, 2011, 'Cities and biodiversity: Perspectives and governance challenges for implementing the convention on biological diversity (CBD) at the city level', *Biological Conservation* 144(5), 1302–1313. <http://dx.doi.org/10.1016/j.biocon.2010.12.007>
- Drury, C., Ramdhani, S., Serksen, N., Carbutt, C., Boodhraj, R. & Mbatha, P., 2016, 'Floristics of KwaZulu-Natal Sandstone Sourveld within the eThekweni Municipal Area', *Bothalia: African Biodiversity & Conservation* 46(2).
- EThekweni Municipality, 2013a, *Integrated Development Plan (IDP) annual review 2013/2014*, EThekweni Municipality, Durban.
- EThekweni Municipality, 2013b, *Economic development and job creation strategy*, EThekweni Municipality, Durban.
- EThekweni Municipality, 2015, *EThekweni Municipality integrated development plan, 2015/2016*, EThekweni Municipality, Durban.
- Gilbert, R., Stevenson, D., Girardet, H. & Stren, R., 2013, *Making cities work: Role of local authorities in the urban environment*, Earthscan, London.
- Grimm, N.B., Faeth, S.H., Golubiewski, N.E., Redman, C.L., Wu, J., Bai, X. *et al.*, 2008, 'Global change and the ecology of cities', *Science* 319(5864), 756–760. <http://dx.doi.org/10.1126/science.1150195>
- Ground, L., Slotow, R. & Mukherjee, J., 2016, 'Threatened grassland diversity persists in a municipality within a global hotspot', *Bothalia: African Biodiversity & Conservation* 46(2). <http://dx.doi.org/10.4102/abc.v46i2.2106>
- Mittermeier, R.A., Gil, P.R., Hoffman, M., Pilgrim, J. & Brooks, T., 2005, *Hotspots revisited: Earth's biologically richest and most endangered terrestrial ecosystems*, Conservation International, Arlington, VA.
- Naicker, R., Rouget, M. & Mutanga, O., 2016, 'Assessing habitat fragmentation of the KwaZulu-Natal Sandstone Sourveld, a threatened ecosystem', *Bothalia: African Biodiversity & Conservation* 46(2). <http://dx.doi.org/10.4102/abc.v46i2.2104>
- Nkambule, S., Buthelezi, H. & Munien, S., 2016, 'Opportunities and constraints for community-based conservation: The case of the KwaZulu-Natal Sandstone Sourveld grassland, South Africa', *Bothalia: African Biodiversity & Conservation* 46(2). <http://dx.doi.org/10.4102/abc.v46i2.2120>
- Ondindi, J., Mutanga, O., Rouget, M. & Hlangwa, N., 2016, 'Mapping alien and indigenous vegetation in the KwaZulu-Natal Sandstone Sourveld using remotely sensed data', *Bothalia: African Biodiversity & Conservation* 46(2). <http://dx.doi.org/10.4102/abc.v46i2.2103>
- Pieterse, E. & Parnell, S., 2014, 'Africa's urban revolution in context', in S. Parnell & E. Pieterse (eds.), *Africa's urban revolution*, Zed Books, London, 1–17.
- Roberts, D., Boon, R., Diederichs, N., Douwes, E., Govender, N., McInnes, A. *et al.*, 2012, 'Exploring ecosystem-based adaptation in Durban, South Africa: "Learning-by-doing" at the local government coal face', *Environment and Urbanization* 24(1), 167–195. <http://dx.doi.org/10.1177/0956247811431412>
- Sala, O.E., Chapin, F.S., Armesto, J.J., Berlow, E., Bloomfield, J., Dirzo, R. *et al.*, 2000, 'Global biodiversity scenarios for the year 2100', *Science* 287(5459), 1770–1774. <http://dx.doi.org/10.1126/science.287.5459.1770>
- Seto, K., Güneralp, B. & Hutyra, L., 2012, 'Global forecasts of urban expansion to 2030 and direct impacts on biodiversity and carbon pools', *PNAS* 109(40), 16083–16088. <http://dx.doi.org/10.1073/pnas.1211658109>
- Sutherland, C., Sim, V., Buthelezi, S. & Khumalo, D., 2016, 'Social constructions of environmental services in a rapidly densifying area of eThekweni Municipality', *Bothalia: African Biodiversity & Conservation* 46(2). <http://dx.doi.org/10.4102/abc.v46i2.2128>
- Taylor, C., Cockburn, J., Rouget, M., Ray-Mukherjee, J., Mukherjee, S., Slotow, R. *et al.*, 2016, 'Continuous, reflective evaluation lays the foundation of transdisciplinary research-action partnerships', *Bothalia: African Biodiversity & Conservation* 46(2). <http://dx.doi.org/10.4102/abc.v46i2.2154>
- UN-HABITAT, 2010, *State of the World's cities 2010/2011 – Cities for All: Bridging the Urban Divide*, United Nations Human Settlements Programme (UNHabitat), Nairobi.
- van Wyk, A.E. & Smith, G.F., 2001, *Regions of floristic endemism in southern Africa*, Umdaus Press, Pretoria.