

# Online Appendix 1

---

## **Terrestrial mammals reported from Mozambique**

---

Queirós Neves, I., Mathias, M.L., Bastos-Silveira, C.

## Contents

1. Species checklist.....	5
Afrosoricida .....	5
Chrysochloridae .....	5
Artiodactyla.....	5
Bovidae .....	5
Giraffidae.....	15
Hippopotamidae.....	15
Suidae .....	16
Carnivora.....	17
Canidae.....	17
Felidae.....	18
Herpestidae.....	21
Hyaenidae .....	24
Mustelidae .....	25
Nandiniidae .....	26
Viverridae .....	27
Chiroptera.....	29
Emballonuridae .....	29
Hipposideridae .....	30
Molossidae.....	32
Nycteridae.....	36
Pteropodidae .....	37
Rhinolophidae.....	40
Vespertilionidae .....	44
Eulipotyphla.....	52
Soricidae.....	52
Hyracoidea .....	55
Procaviidae.....	55
Lagomorpha.....	57
Leporidae .....	57
Macroscelidea .....	58
Macroscelididae.....	58

Perissodactyla.....	60
Equidae.....	60
Rhinocerotidae .....	61
Pholidota.....	61
Manidae .....	61
Primates .....	62
Cercopithecidae.....	62
Galagidae.....	64
Proboscidea.....	66
Elephantidae.....	66
Rodentia .....	66
Anomaluridae.....	66
Bathyergidae.....	66
Gliridae.....	67
Hystricidae .....	68
Muridae.....	69
Nesomyidae.....	79
Pedetidae.....	81
Sciuridae.....	82
Thryonomyidae.....	84
Tubulidentata.....	84
Orycteropodidae .....	84
2. Questionable occurrence species list.....	86
Artiodactyla.....	86
Bovidae .....	86
Chiroptera.....	87
Emballonuridae.....	87
Molossidae.....	87
Nycteridae.....	87
Pteropodidae .....	88
Vespertilionidae .....	88
Eulipotyphla.....	89
Soricidae.....	89
Macroscelidea .....	90
Macroscelididae.....	90

Pholidota .....	90
Manidae .....	90
Rodentia .....	91
Muridae.....	91
Nesomyidae.....	92
List of Acronyms .....	93
Literature cited.....	94

---

---

# 1. Species checklist

## Afrosoricida

### Chrysochloridae

---

#### *Calcochloris obtusirostris* (Peters, 1851)

Yellow golden mole

**Other recorded names:** *Calcochloris obtusirostris chrysillus*; *Calcochloris obtusirostris limpopoensis*; *Calcochloris obtusirostris obtusirostris*;

**Museum records:** AMNH: M-54362; RMNH: RMNH-MAM-39015.a, RMNH-MAM-39015.b; NHMUK: 1884.8.30.1, 1906.11.8.25, 1906.11.8.26, 1906.11.8.27, 1906.11.8.28; ZMB: 712, 720, 12945, 31020, 85341, 137660, 137661, 137662, 137663, 137713; USNM: 351955, 351956, 351957, 351958;

**Bibliographic records:** Smithers and Tello (1976); Downs and Wirminghaus (1997);

**Reported distribution in Mozambique:** Gaza; Inhambane; Maputo; Maputo City; Sofala;

**Known distribution (Wilson & Reeder 2005):** Maputaland (KwaZulu-Natal) and Kruger Nat. Park (Limpopo Prov., South Africa); S. Zimbabwe and S. Mozambique.

---

#### *Carpitalpa arendsi* Lundholm, 1955

Arend's golden mole

**Other recorded names:** *Chlorotalpa arendsi*;

**Museum records:** USNM: 365001;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Manica;

**Known distribution (Wilson & Reeder 2005):** E. Zimbabwe and adjacent Mozambique.

---

## Artiodactyla

### Bovidae

---

#### *Aepyceros melampus* (Lichtenstein, 1812)

Impala

**Other recorded names:** *Aepyceros melampus johnstoni*; *Aepyceros melampus melampus*;

**Museum records:** AMNH: M-216391, M-216392, M-216393, M-216394; MUP: 27421, 38104; ZMB: 8731, 58743; TTU: 40501; IICT: CZ000000359, CZ000000361, CZ000000405, CZ000000407, CZ000000408, CZ000000412, CZ000001202, CZ000001221, CZ000001222; USNM: 352946; MACN: 15744;

**Bibliographic records:** Smithers and Tello (1976); Dunham (2004); Whyte and Swanepoel (2006); Stalmans (2007); AGRECO (2008); Stalmans and Peel (2009); Dunham (2010); Dunham et al. (2010); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Niassa; Sofala; Tete;

**Known distribution (Wilson & Reeder 2005):** S. Angola, N. and E. Botswana, Burundi (extinct?), Dem. Rep. Congo, Kenya, Malawi, Mozambique, N. Namibia, Rwanda, South Africa, Swaziland, Tanzania, Uganda, Zambia, Zimbabwe.

### ***Alcelaphus lichtensteini* (Peters, 1849)**

Lichtenstein's hartebeest

**Other recorded names:** *Alcelaphus buselaphus*; *Alcelaphus buselaphus lichtersteini*; *Alcelaphus lichtensteini*; *Alcelaphus sp.*; *Sigmoceros lichtensteini*;

**Museum records:** AMNH: M-216382, M-216383; ZMB: 8671; MSU: MR.11622, MR.11623; IICT: CZ000000410, CZ000000413, CZ000001123, CZ000001130, CZ000001143, CZ000001175, CZ000001177, CZ000001184, CZ000001203, CZ000001410; NHMUK: 1919.7.15.89, 1919.7.15.91, 1941.40, 1944.87, 1944.88, 1944.89, 1944.90, 1944.91, 1944.92, 1944.93, 1944.94, 1944.95, 1991.0575; MCZ: BOM-8291; USNM: 20868;

**Bibliographic records:** Smithers and Tello (1976); Dunham (2004); AGRECO (2008);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** E. Angola, S.E. Dem. Rep. Congo, Malawi, Mozambique, South Africa, Swaziland (extinct), Tanzania, Zambia, S.E. Zimbabwe.

### ***Cephalophus natalensis* A. Smith, 1834**

Red duiker

**Other recorded names:** *Cephalophus natalensis natalensis*; *Cephalophus natalensis robertsi*;

**Museum records:** AMNH: M-216375; HSUWM: 2661, 2719; NHMUK: 1939.4716, 1991.0573; IICT: CZ000000732, CZ000000733, CZ000000734, CZ000001086, CZ000001103;

**Bibliographic records:** Smithers and Tello (1976); Downs and Wirminghaus (1997); Matthews and Nemane (2006); Mesochina, Langa and Chardonnet (2008); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Sofala; Zambezia;

**Known distribution (Wilson & Reeder 2005):** E. Kenya, Malawi, Mozambique, S. Somalia, South Africa, Swaziland, E. and S. Tanzania, and E. Zambia; sight records from E. Ethiopia.

***Connochaetes taurinus* (Burchell, 1823)**

Blue wildebeest

**Other recorded names:** *Connochaetes taurinus johnstoni*; *Connochaetes taurinus taurinus*;

**Museum records:** AMNH: M-216384, M-216385, M-216386; MUP: 27419; UWBM: UWBM:41058; MSU: MR.11626; IICT: CZ000000414, CZ000000420, CZ000001019, CZ000001172, CZ000001174, CZ000001196; RMNH: RMNH-MAM-45639; NHMUK: 1899.6.9.1, 1924.7.22.29, 1927.2.11.27, 1927.2.11.28, 1941.17; MCZ: 47108; ISM: 693122;

**Bibliographic records:** Smithers and Tello (1976); Whyte and Swanepoel (2006); AGRECO (2008); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Niassa; Sofala; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Angola, Botswana, S. Kenya, Malawi (extinct), Mozambique, Namibia, N.E. South Africa, Tanzania, Zambia, Zimbabwe.

***Hippotragus equinus* (E. Geoffroy Saint-Hilaire, 1803)**

Roan antelope

**Other recorded names:** *Hippotragus equinus equinus*; *Hippotragus vittatus*;

**Museum records:** FMNH: 7228, 7229, 7230, Taxidermy Catalogue:7228, Taxidermy Catalogue:7229, Taxidermy Catalogue:7230;

**Bibliographic records:** Smithers and Tello (1976); AGRECO (2008); Dunham (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Savanna woodland in Angola, Benin, Botswana, Burkina Faso, Burundi (extinct), N. Cameroon, Central African Republic, S. Chad, Côte d'Ivoire, N. and S. Dem. Rep. Congo, N. Eritrea (extinct?), W. Ethiopia, Gambia (extinct), Ghana, Guinea, Guinea-Bissau, Kenya, Malawi, S. Mali, S. Mauritania, Mozambique, Namibia, S. Niger, Nigeria, Rwanda, Senegal, E. South Africa, Swaziland (extinct, reintroduced), Sudan, Tanzania, Togo, Uganda, Zambia and Zimbabwe.

***Hippotragus niger* (Harris, 1838)**

Sable antelope

**Other recorded names:** *Hippotragus niger niger; Hippotragus vittatus;*

**Museum records:** AMNH: M-216381; MUP: 27403; ZMB: 8853; MVZ: 137056; IICT: CZ000000347, CZ000000416, CZ000000418, CZ000000422, CZ000001140, CZ000001141, CZ000001142, CZ000001171, CZ000001178, CZ000001179, CZ000001182, CZ000001191, CZ000001579; NHMUK: 1941.38; USNM: 61736, 61737, 61738, 61739, 61740, 61741; SMF: 42435;

**Bibliographic records:** Smithers and Tello (1976); Dunham (2004); Whyte and Swanepoel (2006); AGRECO (2008); Mesochina, Langa and Chardonnet (2008); Dunham (2010); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Savanna woodland in Africa; giant sable (variani) in C. Angola; other subspecies in E. Angola, N. Botswana, S. Dem. Rep. Congo, S.E. Kenya, Malawi, Mozambique, N.E. Namibia, N.E. South Africa, Tanzania, Zambia and Zimbabwe.

### ***Kobus ellipsiprymnus* (Ogilby, 1833)**

Waterbuck

**Other recorded names:** *Kobus ellipsiprymmus ellipisiprymmus; Kobus ellipsiprymnus defassa; Kobus ellipsiprymnus ellipsiprymnus; Kobus ellipsiprymunus; Kobus leche;*

**Museum records:** AMNH: M-206987, M-216377, M-216378; MUP: 27405; ZMB: 8817; UNSM: 5147; IICT: CZ000001124, CZ000001126, CZ000001128, CZ000001176, CZ000001192, CZ000001214; NHMUK: 1924.7.22.34, 1941.31, 1963.1477, 1963.1478, 1982.2529, 1983.2533; MCZ: 57387; USNM: 20851, 20852, 20853, 20854, 61731, 367427, 589199; SMF: 42442; FMNH: 7225, Taxidermy Catalogue:7225;

**Bibliographic records:** Smithers and Tello (1976); Dunham (2004); Matthews and Nemane (2006); Whyte and Swanepoel (2006); AGRECO (2008); Mesochina, Langa and Chardonnet (2008); Dunham (2010); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Mesic non-forested habitats in Angola, Benin, N. and EC Botswana, Burkina Faso, Burundi, N. Cameroon, Central African Republic, S. Chad, Côte d'Ivoire, N. and S. Dem. Rep. Congo, N. Eritrea, Ethiopia, S. Gabon, Gambia (extinct), Ghana, Guinea, Guinea-Bissau, Kenya, Malawi, S. Mali, S. Mauritania, Mozambique, N.E. Namibia, S. Niger, Nigeria, S. Republic of Congo, Rwanda, Senegal, E. South Africa, Swaziland, Sudan, Tanzania, Togo, Uganda, Zambia and Zimbabwe.

### ***Neotragus moschatus* (Von Dueben, 1846)**

Suni

**Other recorded names:** *Neotragus moschatus livingstonianus; Neotragus moschatus zuluensis; Nesotragus moschatus levingstonianus; Nesotragus moschatus livingstonianus;*

**Museum records:** AMNH: M-216390; RBINS: 3788, 359890; ZMB: 2138, 57142, 57152; HSUWM: 2658, 2659, 2721; SNOMNH: 19833; IICT: CZ000000686, CZ000000690, CZ000000692, CZ000000988, CZ000000990, CZ000001013; RMNH: RMNH-MAM-51539.A, RMNH-MAM-51539.B; USNM: 352941, 367447, 367448, 367449;

**Bibliographic records:** Smithers and Tello (1976); Downs and Wirminghaus (1997); Schneider (2004); Matthews and Nemane (2006); Mesochina, Langa and Chardonnet (2008); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** S.E. Kenya, Malawi, Mozambique, South Africa, E. Tanzania, N.E. Zimbabwe.

### *Oreotragus oreotragus (Zimmerman, 1783)*

Klipspringer

**Other recorded names:** *Oreotragus oreotragus aceratos*; *Oreotragus oreotragus centralis*;

**Museum records:** ZMB: 2241, 56918; USNM: 61727, 61728, 61729, 61730; IICT: CZ000000702;

**Bibliographic records:** Smithers and Tello (1976); Mesochina, Langa and Chardonnet (2008); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Manica; Maputo; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** S.W. Angola, E. Botswana, Burundi (extinct?), Djibouti, Eritrea, Ethiopia, C. Nigeria, Central African Republic, Dem. Rep. Congo, Kenya, Malawi, Mozambique, Namibia, Rwanda, N. Somalia, South Africa, Swaziland, N.E. and S.E. Sudan, Tanzania, N.E. and S.W. Uganda, Zambia, Zimbabwe.

### *Ourebia ourebi (Zimmerman 1783)*

Oribi

**Other recorded names:** *Ourebia ourebi hastata*; *Ourebia ourebi ourebi*;

**Museum records:** AMNH: M-216387, M-216388; ZMB: 88794, 000 ?; HSUWM: 2720; MSU: MR.11629; LACM: 70102; IICT: CZ000000687, CZ000000688, CZ000000689, CZ000000691, CZ000000695, CZ000000701, CZ000000967, CZ000000978, CZ000000986, CZ000001069, CZ000001088; MCZ: BOM-8117; USNM: 367430, 367431,;

**Bibliographic records:** Smithers and Tello (1976); Dunham (2004); Stalmans (2007); Stalmans and Peel (2009); Dunham et al. (2010); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Angola, Benin, N. Botswana, Burkina Faso, Burundi (extinct?), Cameroon, Central African Republic, S. Chad, N. Côte d'Ivoire, N. and S.E. Dem. Rep. Congo, N. Eritrea, W. Ethiopia, Gambia, Ghana, Guinea, Guinea Bissau, Kenya, Lesotho, Malawi, S. Mali, Mozambique, S.W. Niger, Nigeria, Rwanda, S. Senegal, N. Sierra Leone, S. Somalia, E. South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, Zimbabwe.

### ***Philantomba monticola* (Thunberg, 1789)**

Blue duiker

**Other recorded names:** *Cephalophus monticola*; *Cephalophus monticola u. maxwelli*; *Cephalophus niger?*; *Philantomba monticola hecki*;

**Museum records:** ZMB: 16125, 57448, 57732; FMNH: 177241, 177242, 177243, 177244, 177245;

**Bibliographic records:** Smithers and Tello (1976); Dowsett-Lemaire and Dowsett (2009); Timberlake et al. (2009); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Manica; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Forested habitats in N. Angola, Cameroon, Central African Republic, Dem. Rep. Congo, Equatorial Guinea, Gabon, W. and E. Kenya, Malawi, Mozambique, Nigeria east of Cross River, Republic of Congo, South Africa, S. Sudan, Tanzania including Pemba and Zanzibar Islands, Uganda, Zambia, E. Zimbabwe.

### ***Raphicerus campestris* (Thunberg, 1811)**

Steenbok

**Other recorded names:** *Raphicerus campestris*; *Raphicerus campestris capricornis*; *Raphicerus sharpei*;

**Museum records:** AMNH: M-206997, M-215159, M-216389; UNSM: 5141; USNM: 61726, 352943, 352944, 352945, 399398; MCZ: 34110; IICT: CZ000000693, CZ000000694, CZ000000696, CZ000000697, CZ000000992, CZ000001073, CZ000001077, CZ000001099, CZ000001101;

**Bibliographic records:** Smithers and Tello (1976); Matthews and Nemane (2006); Stalmans (2007); Stalmans and Peel (2009); Dunham et al. (2010); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Maputo City; Sofala;

**Known distribution (Wilson & Reeder 2005):** E. Africa in S. Kenya and N. and C. Tanzania; S. Africa in S. Angola, Botswana, S. Mozambique, Namibia, South Africa, Swaziland, W. Zambia and Zimbabwe.

### ***Raphicerus sharpei* Thomas, 1897**

Sharpe's grysbok

**Other recorded names:** *Raphicerus sharpei colonicus*; *Raphicerus sharpei sharpei*;

**Museum records:** NHMUK: 1905.11.14.1; USNM: 367432, 367433, 367434, 367435, 367436, 367437, 367438, 367439, 367440, 367441, 367442, 367443, 367444, 367445, 367446; MCZ: 43888; IICT: CZ000000698, CZ000000700, CZ000001038, CZ000001095;

**Bibliographic records:** Smithers and Tello (1976); Stalmans (2007); Dunham (2010); Dunham et al. (2010);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Sofala; Tete;

**Known distribution (Wilson & Reeder 2005):** N. Botswana, S.E. Dem. Rep. Congo, Malawi, Mozambique, South Africa, Swaziland, Tanzania, Zambia and Zimbabwe.

### ***Redunca arundinum* (Boddaert, 1785)**

Southern reedbuck

**Other recorded names:** *Redunca arundinum arundinum*; *Redunca fulvorufula*;

**Museum records:** AMNH: M-206988, M-206994, M-216379, M-216380; MUP: 27406; ZMB: 8826; HSUWM: 2722; IICT: CZ000000677, CZ000000678, CZ000000679, CZ000000681, CZ000000682, CZ000000683, CZ000000684, CZ000000685, CZ000001085, CZ000001115, CZ000001116, CZ000001117, CZ000001118, CZ000001213, CZ000001220, CZ000001225, CZ000001398; NHMUK: 1944.97, 1944109; MCZ: 34120, 34121, 34122, 34123, 34260, BOM-8264; ISM: 693123; USNM: 61732, 61733, 61734, 352942, 367428, 367429, 367452; SMF: 42431; FMNH: 7233, Taxidermy Catalogue:7233;

**Bibliographic records:** Smithers and Tello (1976); Dunham (2004); Matthews and Nemane (2006); Stalmans (2007); AGRECO (2008); Mesochina, Langa and Chardonnet (2008); Stalmans and Peel (2009);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Angola, N. and E. Botswana, S. Gabon, S. Dem. Rep. Congo, Lesotho (vagrant), Malawi, Mozambique, N. Namibia, S. Republic of Congo, E. South Africa, Swaziland, Tanzania, Zambia and Zimbabwe.

### ***Redunca fulvorufula* (Afzelius, 1815)**

Mountain reedbuck

**Other recorded names:** *Redunca fulvorufula fulvorufula*;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Maputo;

**Known distribution (Wilson & Reeder 2005):** W. Africa in E. Nigeria and W. Cameroon; E. Africa in C. Ethiopia, Kenya, S.E. Sudan, N. Tanzania, and N.E. Uganda; S. Africa in S.E. Botswana, Lesotho, S. Mozambique, E. South Africa and Swaziland.

***Sylvicapra grimmia* (Linnaeus, 1758)**

Common duiker

**Other recorded names:** *Capra* sp.; *Sylvicapra*; *Sylvicapra grimmia albifrons*; *Sylvicapra grimmia caffra*; *Sylvicapra grimmia orbicularis*;

**Museum records:** AMNH: M-216376; ZMB: 57235, 57247, 57279; HSUWM: 2660; MSU: MR.11630; LACM: 70101; IICT: CZ000000703, CZ000000704, CZ000000705, CZ000000706, CZ000000707, CZ000000708, CZ000000709, CZ000000710, CZ000000711, CZ000000712, CZ000000713, CZ000000714, CZ000000715, CZ000000716, CZ000000717, CZ000000718, CZ000000719, CZ000000720, CZ000000721, CZ000000722, CZ000000723, CZ000000724, CZ000000725, CZ000000726, CZ000000727, CZ000000728, CZ000000731, CZ000000965, CZ000000966, CZ000000968, CZ000000969, CZ000000970, CZ000000972, CZ000000975, CZ000000976, CZ000000977, CZ000000980, CZ000000982, CZ000000991, CZ000000993, CZ000000994, CZ000000997, CZ000000999, CZ000001003, CZ000001006, CZ000001007, CZ000001009, CZ000001034, CZ000001037, CZ000001041, CZ000001072, CZ000001076, CZ000001084, CZ000001107, CZ000001110, CZ000001112; RMNH: RMNH-MAM-39290.a, RMNH-MAM-39290.b, RMNH-MAM-50793.A, RMNH-MAM-50793.B; NHMUK: 1919.7.15.133, 1939.4729, 1874.4.28.7; MCZ: 43885, 43886, 43887; USNM: 61721, 61722, 61723, 61724, 61725, 352934, 352935, 352936, 352937, 352938, 352939, 352940, 367408, 367409, 367410, 367411, 367412, 367413, 367414, 367415, 367416, 367417, 367418, 367419, 367420, 367421, 367422, 367423, 367424, 367425, 367426;

**Bibliographic records:** Smithers and Tello (1976); Dunham (2004); Matthews and Nemane (2006); Whyte and Swanepoel (2006); Stalmans (2007); AGRECO (2008); Mesochina, Langa and Chardonnet (2008); Stalmans and Peel (2009); Dunham (2010); Dunham et al. (2010); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Non-forested habitats in Angola, Benin, Botswana, Burkina Faso, Burundi, N. Cameroon, Central African Republic, S. Chad, Côte d'Ivoire, S, E, and N. Dem. Rep. Congo, Eritrea, Ethiopia, S. Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, Malawi, S. Mali, Mozambique, Namibia, S. Niger, Nigeria, Rwanda, Republic of Congo, Senegal, N. Sierra Leone, S. Somalia, South Africa, Swaziland, Sudan, Tanzania, Togo, Uganda, Zambia and Zimbabwe.

***Syncerus caffer* (Sparrman 1779)**

African buffalo

**Other recorded names:** *Synceros caffer*; *Syncerus caffer caffer*;

**Museum records:** AMNH: M-216373, M-216374; MUP: 27417; ZMB: 103474; UNSM: 5145; MSU: MR.11627; SNOMNH: 19839; IICT: CZ000000350, CZ000001139, CZ000001187, CZ000001188, CZ000001585; NHMUK: 1941.19, 1941.22, 1944.82; ISM: 688552, 688553, 688554, 688555; USNM: 20864, 20865, 20866, 579268; SMF: 42448;

**Bibliographic records:** Smithers and Tello (1976); Dunham (2004); Whyte and Swanepoel (2006); AGRECO (2008); Mesochina, Langa and Chardonnet (2008); Stalmans and Peel (2009); Dunham (2010); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Rain forest and savanna of Angola, Benin, N. and E. Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, S. Chad, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea, N. Eritrea, Ethiopia, Gabon, Gambia (extinct), Ghana, Guinea, Guinea-Bissau, Kenya, Liberia, Malawi, S. Mali, Mozambique, N.E. Namibia, S.W. Niger, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, S. Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia and Zimbabwe.

### ***Taurotragus oryx* (Pallas, 1766)**

Common eland

**Other recorded names:** *Taurotragus*; *Tragelaphus oryx*;

**Museum records:** AMNH: M-216372; MUP: 27407; ZMB: 41731, 78890, 78892, 78894, 78895, 78897, 78898, 78899, 78900, 78923, 78925, 78926, 78948, 78949, 78950, 78953, 78958, 78960, 78961, 78962, 78964; UNSM: 5144; SNOMNH: 19848; NHMUK: 1941.51, 1944101; USNM: 61742;

**Bibliographic records:** Smithers and Tello (1976); AGRECO (2008); Mesochina, Langa and Chardonnet (2008); Dunham et al. (2010); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Angola, Botswana, Burundi (extinct), S. Dem. Rep. Congo, Ethiopia, Kenya, Lesotho (seasonal), Malawi, Mozambique, Namibia, Rwanda, South Africa, S.E. Sudan, Swaziland (extinct, reintroduced), Tanzania, Uganda, S. Zaire, Malawi, Zambia and Zimbabwe.

### ***Tragelaphus angasii* Gray 1849**

Nyala

**Other recorded names:** *Tragelaphus angasi*; *Tragelaphus angasii angasii*; *Tragelaphus strepsiceros*;

**Museum records:** AMNH: M-54001, M-54078, M-54079, M-54080, M-54081, M-54357, M-146628, M-146629, M-185466, M-206986; HSUWM: 2718; SAMA: M5853; LACM: 52492, 52493; IICT: CZ000000367, CZ000000951, CZ000001138, CZ000001204, CZ000001219, CZ000001223, CZ000001224; NHMUK: 1991.0574; MCZ: 34112, 34113, 34114, 34115, 34125, 34126, 34127, 34128, 34129, 34130, 34131, 34258, 34259, 37529, 37530, 37531, 37532, 37533, 37560, 37561, 37562, 37563, 37564, 37572, 37573, 37574, 37575, 37577, 37601, 37602; UNSM: 15186; SMF: 42434; FMNH: 30238;

**Bibliographic records:** Smithers and Tello (1976); Dunham (2004); Matthews and Nemane (2006); Whyte and Swanepoel (2006); Stalmans (2007); AGRECO (2008); Stalmans and Peel (2009); Dunham et al. (2010);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Maputo City; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** S. Malawi, Mozambique, South Africa, Swaziland (extinct, reintroduced), and N. and S. Zimbabwe. Reintroduced or newly introduced to private land in South Africa and Namibia.

### ***Tragelaphus scriptus* (Pallas, 1766)**

Bushbuck

**Other recorded names:** *Tragelaphus scriptus ornatus*; *Tragelaphus scriptus silvaticus*; *Tragelaphus strepsiceros*;

**Museum records:** AMNH: M-185467, M-216370, M-216371, M-216398; MUP: 27411; UNSM: 5146, 15189; MSU: MR.11632; IICT: CZ000000356, CZ000000357, CZ000000358, CZ000000360, CZ000000362, CZ000000404, CZ000000995, CZ000001005, CZ000001087, CZ000001097, CZ000001111, CZ000001226; NHMUK: 1927.2.11.101, 1941.99; USNM: 367402, 367403, 367404, 367405, 367406, 367407;

**Bibliographic records:** Smithers and Tello (1976); Downs and Wirminghaus (1997); Dunham (2004); Matthews and Nemane (2006); Stalmans (2007); Mesochina, Langa and Chardonnet (2008); Dunham (2010); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Savanna and secondary forest in Angola, Benin, N. and E. Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, S. Chad, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea, N. Eritrea, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, Liberia, Malawi, S. Mali, S. Mauritania, Mozambique, N.E. Namibia, S.W. Niger, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, S. Somalia, E. and S. South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia and Zimbabwe.

### ***Tragelaphus strepsiceros* (Pallas, 1766)**

Greater kudu

**Other recorded names:** *Tragelaphus strepsiceros strepsiceros*;

**Museum records:** MUP: 27412, 38102; ZMB: 78971, 78973; HSUWM: 2717; IICT: CZ000000415, CZ000000419; USNM: 61735, 367400, 367401; MACN: 15743; SMF: 42444;

**Bibliographic records:** Smithers and Tello (1976); Dunham (2004); Matthews and Nemane (2006); Whyte and Swanepoel (2006); Stalmans (2007); AGRECO (2008); Mesochina, Langa and Chardonnet (2008); Stalmans and Peel (2009); Dunham (2010); Dunham et al. (2010); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Angola, Botswana, N. Central African Republic, S. Chad, S.E. Dem. Rep. Congo, Djibouti, N. Eritrea, Ethiopia, Kenya, Malawi, Mozambique, Namibia, Somalia (extinct?), South Africa, W. and E. Sudan, N.E. Uganda, Zambia and Zimbabwe.

## Giraffidae

---

### *Giraffa camelopardalis* (Linnaeus, 1758)

Giraffe

**Other recorded names:** *Giraffa camelopardalis camelopardalis*;

**Bibliographic records:** Smithers and Tello (1976); Whyte and Swanepoel (2006); AGRECO (2008); Dunham et al. (2010);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo;

**Known distribution (Wilson & Reeder 2005):** Disjunct; W. and C. Africa in Burkina Faso (vagrant), N. Cameroon, Central African Republic, S. Chad, N.E. Dem. Rep. Congo, Eritrea (extinct), W. and S. Ethiopia, Gambia (extinct), Kenya, Mali (extinct), S.E. Mauritania (extinct), Niger, Nigeria (extinct, now a vagrant), Senegal (extinct), S. Somalia, Sudan, Tanzania and Uganda; may have occurred in Benin; introduced into Rwanda; S. Africa in S. Angola (extinct?), Botswana, Mozambique (extinct), Namibia, South Africa, Swaziland (extinct, reintroduced), Zambia, and Zimbabwe. Introduced beyond its former range in South Africa, including KwaZulu-Natal.

## Hippopotamidae

---

### *Hippopotamus amphibius* Linnaeus, 1758

Common hippopotamus

**Museum records:** NMR: 999000003071; MUP: 23351; MHNG: MAM-843.076, MAM-843.077; NHMW: 643; RMNH: RMNH-MAM-45292, RMNH-MAM-52666; NHMUK: 1907.10.25.2, 1912.12.8.1, 1912.12.8.2, 1916.8.8.1, 1939.4460; FMNH: 105018; ISM: 688551;

**Bibliographic records:** Smithers and Tello (1976); Dunham (2004); Matthews and Nemane (2006); Stalmans (2007); AGRECO (2008); Dunham (2010); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Rivers of savanna zone of Africa, and main rivers of forest zone in C. Africa, in Angola, Benin, N. Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, S. Chad, Côte d'Ivoire, Dem. Rep. Congo, N. Eritrea, Ethiopia, Equatorial Guinea, Gabon, Gambia, Ghana, Guinea, Guinea Bissau, Kenya, Liberia, Rwanda, Senegal, Sierra Leone, Somalia, Sudan, Swaziland, Malawi, Mozambique, Namibia, Niger, Nigeria, Republic of Congo, Sierra Leone, South Africa, Tanzania, Togo, Uganda, Zambia and Zimbabwe.

## Suidae

---

### ***Phacochoerus africanus* (Gmelin, 1788)**

Common warthog

**Other recorded names:** *Phacochoerus aethiopicus*; *Phacochoerus aethiopicus sundervalli*; *Phacochoerus aethiopicus sundevalli*;

**Museum records:** AMNH: M-206985, M-216360, M-216361, M-216363, M-216364, M-216365, M-216366; ZMB: 30189, 64607, 64642, 70065, 70075; HSUWM: 2723; MSU: MR.11628; SNOMNH: 19830; USNM: 61720, 367451;

**Bibliographic records:** Smithers and Tello (1976); Dunham (2004); Stalmans (2007); AGRECO (2008); Mesochina, Langa and Chardonnet (2008); Stalmans and Peel (2009); Dunham (2010); Dunham et al. (2010); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Outside rainforest zone of Africa in Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Dem. Rep. Congo, Eritrea, Ethiopia, Gambia, Ghana, Guinea, Guinea Bissau, Kenya, Malawi, Mali, Mauritania, Mozambique, Namibia, Niger, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, N. Somalia, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia and Zimbabwe.

### ***Potamochoerus larvatus* (F.Cuvier, 1822)**

Bushpig

**Other recorded names:** *Potamochoerus porcus*; *Potamochoerus porcus maschona*; *Potamochoerus porcus myasae*; *Potamochoerus porcus nyasae*;

**Museum records:** AMNH: M-214765, M-216359, M-216362; UNSM: 15172; IICT: CZ000000349, CZ000000729, CZ000000730, CZ000001135, CZ000001459, CZ000001460; NHMUK: 1939.4421; MCZ: 37584, 43889, 43890, 45427; USNM: 589184;

**Bibliographic records:** Smithers and Tello (1976); Dunham (2004); Matthews and Nemane (2006); Stalmans (2007); Mesochina, Langa and Chardonnet (2008); Dowsett-Lemaire and Dowsett (2009); Stalmans and Peel (2009); Dunham (2010); Dunham et al. (2010); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Angola, N. Botswana, Burundi, N. Eritrea, Ethiopia, E. and S. Dem. Rep. Congo, Kenya, Malawi, Mozambique, Rwanda, S. Somalia, N.E. and S. South Africa, S. Sudan, Swaziland, Tanzania, Uganda, Zambia and Zimbabwe; Madagascar and Comoro Islands (introduced?).

---

**Carnivora****Canidae**

---

***Canis adustus* Sundevall, 1847**

Side-striped jackal

**Other recorded names:** *Canis adustus adustus*;

**Museum records:** AMNH: M-216344; USNM: 61759; NMZB: NMZB-MAM-0067979 ?; IICT: CZ000000741;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Sofala; Tete; Zambezia.

**Known distribution (Wilson & Reeder 2005):** Angola, Botswana, Cameroon, Central African Republic, Dem. Rep. Congo, Ethiopia, Gabon, Kenya, Malawi, Mozambique, Namibia, Niger, Nigeria, Republic of Congo, Senegal, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe.

***Canis mesomelas* Schreber, 1775**

Black-backed jackal

**Other recorded names:** *Canis mesomelas mesomelas*;

**Museum records:** MNCN: 4182; NMZB: NMZB-MAM-0068032; USNM: 589192;

**Bibliographic records:** Smithers and Tello (1976); Dunham (2004); Matthews and Nemane (2006); Mesochina, Langa and Chardonnet (2008); Stalmans and Peel (2009); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Manica; Maputo; Maputo City; Sofala; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Allopatric south and east African populations: Angola, Botswana, Ethiopia, Kenya, Mozambique, Namibia, South Africa, Somalia, Sudan, Tanzania, Uganda, Zimbabwe.

***Lycaon pictus* (Temminck, 1820)**

African wild dog

**Other recorded names:** *Lycaon pictus pictus*;

**Museum records:** IICT: CZ000000738, CZ000000740, CZ000001218;

**Bibliographic records:** Smithers and Tello (1976); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Angola, Botswana, Cameroun, Central African Republic, Chad, Côte d'Ivoire (?), Ethiopia, Gambia (?), Guinea, Kenya, Malawi, Mali, Mozambique, Namibia, Senegal, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe.

### ***Otocyon megalotis* (Desmarest, 1822)**

Bat-eared fox

**Other recorded names:** *Otocyon megalotis megalotis*;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Gaza; Inhambane;

**Known distribution (Wilson & Reeder 2005):** Allopatric south and east African populations: Angola, Botswana, Ethiopia, Mozambique, Namibia, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe.

---

## **Felidae**

### ***Acinonyx jubatus* (Schreber, 1775)**

Cheetah

**Other recorded names:** *Acinonyx jubatus jubatus*;

**Museum records:** AMNH: M-119654, M-119655, M-119656, M-119657;

**Bibliographic records:** Smithers and Tello (1976); GRNB (2010); Andresen et al. (2012);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Algeria, Angola, Benin, Botswana, Burkina Faso, Cameroon, Central African Republic, Chad, Dem. Rep. Congo, Egypt, Eritrea, Ethiopia, Malawi, Mali, Mauritania, Mozambique, Namibia, Niger, Nigeria, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Zambia, Zimbabwe. Recently extinct: Afghanistan, Burundi, India, Iran, Iraq, Israel, Jordan, Kazakhstan, Kenya, Kuwait, Lebanon, Libya, Morocco, Pakistan, Saudi Arabia, Senegal, Syrian Arab Republic, Tunisia, Turkmenistan, Uganda, Uzbekistan, Western Sahara, Yemen.

### ***Caracal caracal* (Schreber, 1776)**

Caracal

**Other recorded names:** *Felis caracal limpopoensis*;

**Museum records:** ZMB: 57825; NMZB: NMZB-MAM-0067921, NMZB-MAM-0067922; IICT: CZ000000672;

**Bibliographic records:** Smithers and Tello (1976); Stalmans and Peel (2009);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Afghanistan, Algeria, Angola, Benin, Botswana, Burkina Faso (?), Cameroon, Central African Republic, Chad, Côte d'Ivoire, Dem. Rep. Congo, Djibouti, Egypt, Eritrea, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, India, Iran, Iraq, Israel, Jordan, Kazakhstan, Kenya, Kuwait, Lebanon, Lesotho, Libya, Malawi, Mali (?), Mauritania, Morocco, Mozambique, Namibia, Niger, Nigeria, Oman, Pakistan, Saudi Arabia, Senegal, Somalia, South Africa, Sudan, Syrian Arab Republic, Tajikistan, Tanzania, Togo, Tunisia, Turkey, Turkmenistan, Uganda, United Arab Emirates, Uzbekistan, Yemen, Zambia, Zimbabwe.

### ***Felis silvestris* Schreber, 1775**

African wildcat

**Other recorded names:** *Felis sylvestris cafra*, *Felis libyca*; *Felis lybica*; *Felis lybica cafra*; *Felis silvestris lybica*;

**Museum records:** NMZB: NMZB-MAM-0004416, NMZB-MAM-0004417, NMZB-MAM-0008360, NMZB-MAM-0065273; MNHN: 1911-2300; USNM: 367386, 367387, 367388, 367389, 367390, 367391, 367392, 367393; ISM: 693102; IICT: CZ000000294, CZ000000302, CZ000000664, CZ000000674, CZ000000676;

**Bibliographic records:** Smithers and Tello (1976); Mesochina, Langa and Chardonnet (2008); Stalmans and Peel (2009); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Nampula; Sofala; Tete; Zambezia.

### ***Leptailurus serval* (Schreber, 1776)**

Serval

**Other recorded names:** *Felis capensis beirae*; *Felis serval*; *Felis serval beirae*; *Felis serval serval*; *Leptailurus serval beirae*; *Leptailurus serval serval*;

**Museum records:** NHMUK: 1907.6.2.29; NMZB: NMZB-MAM-0055021, NMZB-MAM-0067948, NMZB-MAM-0067949; USNM: 61754, 61755, 367394; MCZ: 34106, 44284; IICT: CZ000000295, CZ000000296, CZ000000300, CZ000000303, CZ000000651, CZ000000660, CZ000000661, CZ000000669, CZ000000670;

**Bibliographic records:** Smithers and Tello (1976); Mesochina, Langa and Chardonnet (2008);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Dem. Rep. Congo, Djibouti, Eritrea, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, Lesotho (?), Liberia, Malawi, Mali, Mozambique, Namibia, Niger, Nigeria, Rwanda, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, Zimbabwe.

### ***Panthera leo* (Linnaeus, 1758)**

Lion

**Other recorded names:** *Panthera leo krugeri*;

**Museum records:** WAM: M49269; ZMB: 55355; IICT: CZ000000343, CZ000000961, CZ000000962, CZ000001198, CZ000001199, CZ000001200, CZ000001201; MCZ: 56777; ISM: 693105; USNM: 61753, 367397; FMNH: 7226;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Eritrea, Ethiopia, Gabon, Ghana, Guinea, Guinea-Bissau (?), India, Lesotho, Malawi, Mali, Mozambique, Namibia, Niger, Nigeria, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Uganda, Zambia, Zimbabwe. Recently extinct: Afghanistan, Algeria, Egypt, Gambia, Iraq, Israel, Jordan, Kenya, Lebanon, Libya, Kuwait, Mauritania, Morocco, Pakistan, Republic of Congo, Rwanda, Saudi Arabia, Syrian Arab Republic, Turkey, Tunisia, Western Sahara.

### ***Panthera pardus* (Linnaeus, 1758)**

Leopard

**Other recorded names:** *Panthera pardus pardus*;

**Museum records:** AMNH: M-186944; UWBM: 82206; CAS: 31788; HSUWM: 2657; IICT: CZ000001020, CZ000001211, CZ000001215; USNM::;

**Bibliographic records:** Smithers and Tello (1976); Dunham (2004); Mesochina, Langa and Chardonnet (2008); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Afghanistan, Algeria, Angola, Arabia, Armenia, Botswana, Burma, Cameroon, Central African Republic, Chad, China, Dem. Rep. Congo, Egypt, Ethiopia, Gabon, Guinea-Bissau, India, Indonesia (Java), Iran, Iraq, Kenya, Liberia, Laos, Malawi, Malaysia, Mauritania, Morocco, Mozambique, Namibia, Nepal, Niger, Nigeria, North and South Korea, Pakistan,

Republic of Congo, Russia, Saudi Arabia, Senegal, Sierra Leone, Somalia, South Africa, Sri Lanka, Sudan, Tanzania, Thailand, Tunisia, Turkey, Turkmenistan, Uganda, Vietnam, Zambia, Zimbabwe.

## **Herpestidae**

---

### ***Atilax paludinosus* (G.[Baron] Cuvier, 1829)**

Marsh mongoose

**Other recorded names:** *Atilax paludinosus rubellus*;

**Museum records:** USNM: 367380, 367381; NMZB: NMZB-MAM-0068316; IICT: CZ000000629;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Nampula; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Algeria, Angola, Botswana, Cameroon, Central African Republic, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea, Ethiopia, Gabon, Liberia, Malawi, Mozambique, Niger, Rwanda, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Tanzania, Uganda and Zambia.

### ***Bdeogale crassicauda* Peters, 1852**

Bushy-tailed mongoose

**Museum records:** IICT: CZ000000265, CZ000000607;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Cabo Delgado; Manica; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Kenya, Malawi, C. Mozambique, Tanzania, S. and E. Zambia, N.E. Zimbabwe.

### ***Galerella sanguinea* Ruppell, 1836**

Slender mongoose

**Other recorded names:** *Galerella sanguinea ignitus*; *Galerella sanguineus*; *Herpestes sanguinea*; *Herpestes sanguineos ignitoides*; *Herpestes sanguineus*; *Herpestes sanguineus auratus*; *Herpestes sanguineus ignitoides*; *Herpestes sanguineus mossambicus*; *Herpestes sanguineus ornatus*; *Myonax canni ornatus*;

**Museum records:** NMZB: NMZB-MAM-0062396, NMZB-MAM-0062397, NMZB-MAM-0062398, NMZB-MAM-0062399, NMZB-MAM-0062400, NMZB-MAM-0062401, NMZB-MAM-0062402, NMZB-MAM-0062403, NMZB-MAM-0068252; FMNH: 177226, 177227, 177228; IICT: CZ000000605, CZ000001206, CZ000001400;

**Bibliographic records:** Smithers and Tello (1976); Timberlake et al. (2009);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Nampula; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Angola, Benin, Botswana, Burkina Faso, Cameroon, Cape Verde Islands, Central African Republic, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea, Ethiopia, Ghana, Kenya, Liberia, Malawi, Mauritania, Mozambique, Namibia, Niger, Republic of Congo, Rwanda, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia, Zimbabwe.

### ***Helogale parvula* (Sundevall, 1847)**

Common dwarf mongoose

**Other recorded names:** *Helogale ivori*; *Helogale parvula parvula*; *Helogale parvula undulata*;

**Museum records:** NHMUK: 1974888; USNM; FMNH: 35323, 35324; MCZ: 23005, 23006;

**Bibliographic records:** Smithers and Tello (1976); Mesochina, Langa and Chardonnet (2008);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Nampula; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Angola, Botswana, Dem. Rep. Congo, Ethiopia, Gambia, Kenya, Malawi, Mozambique, Namibia, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia.

### ***Herpestes ichneumon* (Linnaeus, 1758)**

Egyptian mongoose

**Other recorded names:** *Herpestes ichneumon mababiensis*;

**Museum records:** USNM: 61758, 352933; NMZB: NMZB-MAM-0068534; IICT: CZ000000241;

**Bibliographic records:** Smithers and Tello (1976); Stalmans and Peel (2009);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Sofala; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Algeria, Angola, Botswana, Cameroon, Chad, Côte d'Ivoire, Dem. Rep. Congo, Egypt, Ethiopia, Gambia, Ghana, Gibraltar, Guinea, Israel, Jordan, Kenya, Lebanon, Liberia, Libya, Malawi, Morocco, Mozambique, Niger, Portugal, Rwanda, Senegal, Sierra Leone, South Africa, Spain, Sudan, Syria, Tanzania, Togo, Tunisia, Turkey, Uganda, Zambia.

### ***Ichneumia albicauda* (G.Cuvier, 1829)**

White-tailed mongoose

**Other recorded names:** *Ichneumia albicauda grandis*;

**Museum records:** AMNH: M-216352, M-216353, M-216354; NMZB: NMZB-MAM-0068296, NMZB-MAM-0068297, NMZB-MAM-0068298, NMZB-MAM-0068300, NMZB-MAM-0068301;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Angola, Botswana, Burkina Faso, Central African Republic, Côte d'Ivoire, Dem. Rep. Congo, Ghana, Kenya, Mozambique, Namibia, Niger, Nigeria, Oman, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Yemen, Zambia, Zimbabwe.

### ***Mungos mungo* (Gmelin, 1788)**

Banded mongoose

**Other recorded names:** *Mungos mungo bororensis*; *Mungos mungos*; *Mungos mungos boroensis*; *Mungos mungo senescens*; *Mungos mungos rossi*;

**Museum records:** AMNH: M-216350, M-216351; USNM: 367382, 367396; FMNH: 177229, 177230; IICT: CZ000000235, CZ000000239, CZ000000262, CZ000000609, CZ000000613, CZ000000615, CZ000001716;

**Bibliographic records:** Smithers and Tello (1976); Mesochina, Langa and Chardonnet (2008); Timberlake et al. (2009);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Angola, Botswana, Burundi, Cameroon, Central African Republic, Chad, Dem. Rep. Congo, Ethiopia, Guinea-Bissau, Kenya, Malawi, Mozambique, Namibia, Niger, Nigeria, Rwanda, Senegal, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe.

### ***Paracynictis selousi* (de Winton, 1896)**

Selous' mongoose

**Other recorded names:** *Paracynictis selousi selousi*;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Manica;

**Known distribution (Wilson & Reeder 2005):** Angola, Botswana, Malawi, Mozambique, Namibia, South Africa, Zambia, Zimbabwe.

### ***Rhynchogale melleri* (Gray, 1865)**

Meller's mongoose

**Other recorded names:** *Rhynchogale melleri melleri*;

**Museum records:** USNM: 367378, 367379; NMZB: NMZB-MAM-0068382, NMZB-MAM-0068383, NMZB-MAM-0068384, NMZB-MAM-0068385; IICT: CZ000000259, CZ000000263, CZ000000610, CZ000000611, CZ000000612;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Manica; Maputo; Sofala; Tete;

**Known distribution (Wilson & Reeder 2005):** Dem. Rep. Congo, Malawi, Mozambique, South Africa, Tanzania, Zambia, Zimbabwe.

## Hyaenidae

---

### *Crocuta crocuta* (Erxleben, 1777)

Spotted hyaena

**Museum records:** AMNH: M-216355; USNM:;

**Bibliographic records:** Smithers and Tello (1976); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Angola, Botswana, Cameroon, Dem. Rep. Congo, Ethiopia, Gabon, Gambia, Guinea, Kenya, Malawi, Mauritania, Mozambique, Namibia, Nigeria, Senegal, Sierra Leone, Somalia, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia, Zimbabwe..

### *Hyaena brunnea* (Thunberg, 1820)

Brown hyena

**Other recorded names:** *Hyanea brunnea*;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Gaza; Maputo; Sofala;

**Known distribution (Wilson & Reeder 2005):** Botswana, Mozambique, Namibia, South Africa, Zimbabwe.

### *Proteles cristata* (Sparrman, 1783)

Aardwolf

**Other recorded names:** *Proteles cristatus*;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Gaza; Manica; Maputo; Maputo City;

**Known distribution (Wilson & Reeder 2005):** Angola, Botswana, Central African Republic, Egypt, Ethiopia, Kenya, Mozambique, Namibia, Somalia, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe.

## Mustelidae

---

### *Aonyx capensis* (Schinz, 1821)

African clawless otter

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Gaza; Manica; Maputo; Sofala; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Angola, Benin, Botswana, Burkina Faso, Burundi (?), Cameroon, Central African Republic, Chad, Côte d'Ivoire, Dem. Rep. Congo, Ethiopia, Gabon, Ghana, Guinea-Bissau, Kenya, Liberia, Malawi, Mozambique, Namibia, Niger, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia, Zimbabwe.

### *Ictonyx striatus* (Perry 1810)

Striped polecat

**Other recorded names:** *Ictonyx striatus oder; Ictonyx striatus striatus;*

**Museum records:** ZMB: 954; NMZB: NMZB-MAM-0068679; MCZ: 4045, 4047, 4048, 5958; FMNH: 177231, 177232, 177233; IICT: CZ000000266, CZ000000353;

**Bibliographic records:** Smithers and Tello (1976); Mesochina, Langa and Chardonnet (2008);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Nampula; Sofala; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Angola, Benin, Botswana, Burkina Faso, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Ethiopia, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, Malawi, Mali, Mauritania, Mozambique, Namibia, Niger, Nigeria, Republic of Congo, Senegal, Somalia, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia, Zimbabwe.

### *Hydrictis maculicollis* (Lichtenstein, 1835)

Speckle-throated otter

**Other recorded names:** *Lutra maculicollis;*

**Museum records:** NMZB: NMZB-MAM-0068614;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Maputo; Sofala;

**Known distribution (Wilson & Reeder 2005):** Angola, Benin, Botswana, Burkina Faso, Cameroon, Central African Republic, Chad, Côte d'Ivoire, Dem. Rep. Congo, Ethiopia, Gabon, Kenya, Liberia, Malawi, Mozambique, Namibia, Nigeria, Rwanda, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia.

### ***Mellivora capensis* (Schreber, 1776)**

Honey badger

**Other recorded names:** *Mellivora capensis capensis*;

**Museum records:** CAS: 14839; NMZB: NMZB-MAM-0068619;

**Bibliographic records:** Smithers and Tello (1976); Mesochina, Langa and Chardonnet (2008); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Nepal (Savanna and steppe), India, Turkmenistan, Lebanon, South Africa.

### ***Poecilogale albinucha* (Gray, 1864)**

African striped weasel

**Museum records:** NMZB: NMZB-MAM-0017667; FMNH: 177234, 177235, 177236, 214727;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Manica; Maputo; Sofala; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Angola, Botswana, Burundi, Dem. Rep. Congo, Kenya, Malawi, Mozambique, Namibia, Republic of Congo, Rwanda, South Africa, Tanzania, Uganda, Zambia, Zimbabwe.

---

## **Nandiniidae**

### ***Nandinia binotata* Gray, 1830**

African palm civet

**Museum records:** NMZB: NMZB-MAM-0004363, NMZB-MAM-0054897, NMZB-MAM-0054898, NMZB-MAM-0054899, NMZB-MAM-0054900, NMZB-MAM-0054901, NMZB-MAM-0064333, NMZB-MAM-0064334, NMZB-MAM-0068523, NMZB-MAM-0068563, NMZB-MAM-0068566, NMZB-MAM-0068579, NMZB-MAM-0068582, NMZB-MAM-0068602; FMNH: 177254;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Manica; Sofala; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Angola, Benin, Burundi, Cameroon, Central African Republic, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea, Gabon, Ghana, Guinea, Guinea-Bissau, Kenya, Liberia, Malawi, Mozambique, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, Sudan, Tanzania, Togo, Uganda, Zambia, Zimbabwe.

## Viverridae

---

### *Civettictis civetta* (Schreber, 1776)

African civet

**Other recorded names:** *Civettictis civetta australis*; *Civettictis civetta civetta*; *Civettictis civetta schwarzi*; *Viverra civetta*; *Viverra civetta civetta*;

**Museum records:** AMNH: M-216348; USNM: 61756, 367377, 367450, 589101; MCZ: 44287; IICT: CZ000000193, CZ000000195, CZ000000196, CZ000000199, CZ000000200, CZ000000201, CZ000000589, CZ000000590, CZ000000591, CZ000000592, CZ000000594, CZ000000595, CZ000000596, CZ000000597, CZ000000604;

**Bibliographic records:** Smithers and Tello (1976); Mesochina, Langa and Chardonnet (2008); Stalmans and Peel (2009); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Angola, Benin, Botswana, Cameroon, Central African Republic, Côte d'Ivoire, Dem. Rep. Congo, Equatorial Guinea, Ethiopia, Gabon, Gambia, Guinea, Kenya, Liberia, Malawi, Mozambique, Namibia, Niger, Nigeria, Republic of Congo, Rwanda, Senegal, Sierra Leone, South Africa, Sudan, Tanzania, Uganda, Zambia, Zimbabwe.

### *Genetta angolensis* Bocage, 1882

Angolan genet

**Other recorded names:** *Genetta mossambica*;

**Museum records:** ZMB: 19659; MCZ: 44282;

**Reported distribution in Mozambique:** Cabo Delgado; Tete;

**Known distribution (Wilson & Reeder 2005):** Angola, Dem. Rep. Congo, Malawi, Mozambique, Tanzania, Zambia, Zimbabwe.

### *Genetta genetta* (Linnaeus, 1758)

Common genet

**Other recorded names:** *Genetta genetta felina; Genetta genetta pulchra;*

**Museum records:** MCZ: 34136; USNM: 61757;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Gaza; Maputo; Sofala;

**Known distribution (Wilson & Reeder 2005):** Algeria, Angola, Arabia, Belgium, Benin, Botswana, Burkina Faso, Cameroon, Central African Republic, Chad, Egypt, Ethiopia, France, Ghana, Kenya, Liberia, Libya, Mali, Mauritania, Morocco, Mozambique, Namibia, Niger, Nigeria, Oman, Portugal, Senegal, Spain, Somalia, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Yemen, Zambia, Zimbabwe.

### ***Genetta maculata* Pucheran 1855**

Rusty-spotted genet

**Other recorded names:** *Genetta pardina; Genetta pardina rubiginosa; Genetta pardina zuluensis; Genetta rubiginosa;*

**Museum records:** AMNH: M-216345, M-216346, M-216347; USNM: 352932, 367360, 367361, 367362, 367363, 367364, 367365, 367366, 367367, 367368, 367369, 367370, 367371, 367372, 367373, 367374, 367375, 367376, 367395; IICT: CZ000000129, CZ000000154, CZ000000157, CZ000000160, CZ000000165, CZ000000166, CZ000000168, CZ000000174, CZ000000176, CZ000000177, CZ000000180, CZ000000566, CZ000000568, CZ000000569, CZ000000570, CZ000000571, CZ000000572, CZ000000573, CZ000000574, CZ000000575, CZ000000576, CZ000000577, CZ000000578, CZ000000579, CZ000000580, CZ000000581, CZ000000582, CZ000000584, CZ000000585, CZ000000586, CZ000000587;

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Sofala; Tete;

**Known distribution (Wilson & Reeder 2005):** Angola, Botswana, Cameroon, Central African Republic, Chad, Dem. Rep. Congo, Eritrea, Equatorial Guinea, Ethiopia, Gabon, Ghana, Kenya, Malawi, Mozambique, Namibia, Nigeria, Republic of Congo, Rwanda, Somalia, South Africa, Sudan, Tanzania, Togo, Uganda, Zambia, Zimbabwe.

### ***Genetta tigrina* (Von Schreber, 1776)**

Cape genet

**Other recorded names:** *Genetta tigrina rubiginosa;*

**Museum records:** NMZB: NMZB-MAM-0004378, NMZB-MAM-0004379, NMZB-MAM-0064326, NMZB-MAM-0068129, NMZB-MAM-0068130, NMZB-MAM-0068131, NMZB-MAM-0068132, NMZB-MAM-0068133, NMZB-MAM-0068134, NMZB-MAM-0068135, NMZB-MAM-0068136, NMZB-MAM-0068137, NMZB-MAM-0068138, NMZB-MAM-0068139, NMZB-MAM-0068140, NMZB-MAM-0068141, NMZB-MAM-0068142, NMZB-MAM-0068143, NMZB-MAM-0068144, NMZB-MAM-0068145, NMZB-MAM-0068146, NMZB-MAM-0068147, NMZB-MAM-0068148, NMZB-MAM-0068149, NMZB-MAM-0068150, NMZB-MAM-0068151, NMZB-MAM-0068153, NMZB-MAM-0068154, NMZB-MAM-0068244, NMZB-

MAM-0068245, NMZB-MAM-0068246, NMZB-MAM-0068247, NMZB-MAM-0068248, NMZB-MAM-0068249, NMZB-MAM-0068250, NMZB-MAM-0068251; FMNH: 177237, 177238, 177239;

**Bibliographic records:** Smithers and Tello (1976); Mesochina, Langa and Chardonnet (2008); Timberlake et al. (2009);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Nampula; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** South Africa.

---

## Chiroptera

### Emballonuridae

---

#### *Coleura afra* (Peters, 1852)

African sheath-tailed bat

**Other recorded names:** *Coleurus afra*;

**Museum records:** ZMB: 135818, 135819, 135823, 135826, 135827, 135830, 135831, 135837, 135839, 135840; RMNH: RMNH-MAM-27333; NHMUK: 1858.6.18.12, 1907.1.1.703;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Tete;

**Known distribution (Wilson & Reeder 2005):** Guinea-Bissau to Somalia and Djibouti, south to Angola, Dem. Rep. Congo, and Mozambique; Yemen.

#### *Taphozous mauritianus* E.Geoffroy, 1818

Mauritian tomb bat

**Museum records:** NMZB: NMZB-MAM-0063743; MCZ: 43769; USNM: 365457, 365458, 365459;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Gaza; Sofala; Tete;

**Known distribution (Wilson & Reeder 2005):** South Africa to Sudan and Somalia to Senegal; Mauritius and Reunion Islands (Mascarene Islands); São Tomé and Príncipe; Madagascar; Assumption Island and Aldabra Island.

## Hipposideridae

---

### *Cloeotis percivali* Thomas, 1901

Percival's short-eared trident bat

**Other recorded names:** *Cleotis percivali australis*;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Manica; Tete;

**Known distribution (Wilson & Reeder 2005):** Kenya, Tanzania, S. Dem. Rep. Congo, Mozambique, Zambia, Zimbabwe, S.E. Botswana, Swaziland, N.E. South Africa.

### *Hipposideros caffer* (Sundevall, 1846)

Sundevall's leaf-nosed bat

**Other recorded names:** *Hipposideros caffer caffer*;

**Museum records:** AMNH: M-216214, M-216215, M-216216, M-216217, M-216218, M-216219, M-216220, M-216221, M-216237, M-216238, M-245160, M-245161, M-245162, M-245163, M-245164, M-245165; ZMB: 135746; LACM: 19674, 19675, 19676, 19677; TTU: 8307; IICT: CZ000000046; NHMUK: 1968.1003; FMNH: 177114, 177115, 177116, 177117, 177118, 177119, 177120, 177121, 177122, 177123, 177124, 177125, 177126, 177127, 177128, 177129, 177215; USNM: 352042, 352043, 352044, 352045, 352046, 352047, 365228, 365229, 365230, 365231, 365232, 365233, 365234, 365235, 365236, 365237, 365238, 365239, 365240, 365242, 365243, 365248, 365249, 365251, 365252, 365253, 365265, 365266, 365270, 365271, 365272, 365274, 367535, 479262, 479263, 479264, 479265, 479266, 479267; SMF: 87654, 89149; BRTC: TCWC:20886; MCZ: 43774;

**Bibliographic records:** Smithers and Tello (1976); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Maputo City; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** S.W. Arabian Peninsula including Yemen; most of sub-saharan Africa except the central forested region; Morocco; Zanzibar and Pemba.

### *Hipposideros ruber* (Noack, 1893)

Noack's leaf-nosed bat

**Other recorded names:** *Hipposideros ruber centralis*;

**Museum records:** FMNH: 177130, 177131, 177132, 177133, 177134, 177135, 177136, 177137, 177138; USNM: 365244, 365245, 365246, 365247, 365250, 365254, 365255, 365256, 365257, 365258, 365259, 365260, 365261, 365262, 365263, 365264, 365267, 365268, 365269, 365273, 367496, 367497, 367498, 367499, 367500, 367501, 367502, 367503, 367504, 367505, 367506, 367507, 367508, 367509, 367510, 367511, 367512, 367513, 367514, 367515, 367516, 367517, 367518, 367519, 367520, 367521, 367522, 367523, 367524, 367525, 367526, 367527, 367528, 367529, 367530, 367531, 367532, 367533, 367534;

**Bibliographic records:** Timberlake et al. (2009); Monadjem et al. (2010); Bayliss et al. (2014);

**Reported distribution in Mozambique:** Niassa; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Senegal and Gambia to Ethiopia, south to Angola, Zambia, Malawi, and Mozambique; Bioko; São Tomé and Príncipe.

### ***Hipposideros vittatus* Peters, 1852**

Striped leaf-nosed bat

**Other recorded names:** *Hipposideros commersonii*; *Hipposideros commersoni marungensis*; *Hipposideros commersoni vittatus*; *Hipposideros marungensis*; *Hipposideros vittata*;

**Museum records:** AMNH: M-216213, M-216235; SMF: 87655, 87656, 87657, 87658, 87659, 87660, 89148; NMZB: NMZB-MAM-0064270, NMZB-MAM-0064271, NMZB-MAM-0064272; TTU: 8308; ZMB: 135762, 135763;

**Bibliographic records:** Smithers and Tello (1976); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Sofala; Tete;

**Known distribution (Wilson & Reeder 2005):** Ethiopia, Somalia, Kenya, Tanzania (incl. Pemba, Chumbwe and Zanzibar Isl), Malawi, Mozambique (incl. Ibo Isl), Zambia, Zimbabwe, Botswana, Dem. Rep. Congo, Angola, Namibia, South Africa, Guinea-Bissau.

### ***Triaenops persicus* Dobson, 1871**

Persian trident bat

**Other recorded names:** *Triaenops afer*; *Triaenops persicus afer*; *Trianops persicus afer*;

**Museum records:** AMNH: M-216236, M-245393, M-245394, M-245395, M-245396, M-245397, M-245398, M-245399, M-245400, M-245401, M-245402, M-245403; SMF: 89145, 89146, 89147; ROM: 67542, 67543, 67544, 67545, 67546, 67547, 67548, 67549; TTU: 8305; USNM: 365188, 365276, 365277, 365278, 365279, 365280, 365281, 365282, 365283, 365284, 365285, 365286, 365287, 365288, 365289, 365290, 365291, 365292, 365293, 365294, 365295, 365296, 365297, 365298, 365299, 365300, 365301, 365302, 365303, 365304, 365305, 365306, 365307, 365308, 365309, 365310, 365311, 365312, 365313, 365314, 365315, 365316, 365317, 365318, 365319, 365320, 367536, 367537, 367538, 367539, 367540, 367541, 367542, 367543, 367544, 367545;

**Bibliographic records:** Smithers and Tello (1976); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Inhambane; Niassa; Sofala; Tete;

**Known distribution (Wilson & Reeder 2005):** Somalia, Djibouti, Ethiopia, Kenya, Tanzania, Uganda, Angola, Zanzibar, Malawi, Mozambique, Zimbabwe, Yemen, Oman, Republic of Congo, Iran, Pakistan.

## Molossidae

---

### *Chaerephon ansorgei* (Thomas, 1913)

Ansorge's free-tailed bat

**Other recorded names:** *Tadarida ansorgei*;

**Museum records:** USNM: 365471;

**Bibliographic records:** Smithers and Tello (1976); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Gaza; Nampula; Tete;

**Known distribution (Wilson & Reeder 2005):** Nigeria and Cameroon to Ethiopia, south to Angola and KwaZulu-Natal (South Africa).

### *Chaerephon bivittatus* (Heuglin, 1861)

Spotted free-tailed bat

**Other recorded names:** *Tadarida bivitatta*; *Tadarida bivittata*;

**Museum records:** IICT: CZ000000039, CZ000000051;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Manica; Maputo;

**Known distribution (Wilson & Reeder 2005):** Sudan, Ethiopia, Eritrea, Uganda, Kenya, Tanzania, Zambia, Zimbabwe, Mozambique.

### *Chaerephon nigeriae* Thomas, 1913

Hoary wattled bat

**Museum records:** NMZB: NMZB-MAM-0063862, NMZB-MAM-0063863, NMZB-MAM-0063864, NMZB-MAM-0063865, NMZB-MAM-0063866, NMZB-MAM-0063867, NMZB-MAM-0063868, NMZB-MAM-0063869, NMZB-MAM-0063870, NMZB-MAM-0063871;

**Known distribution (Wilson & Reeder 2005):** Guinea, Sierra Leone, Mali, Ghana, Togo, and Nigeria to Saudi Arabia and Yemen, Ethiopia south to Namibia, Botswana, Uganda, Malawi and Zimbabwe.

### *Chaerephon pumilus* (Cretzschmar, 1826)

Little free-tailed bat

**Other recorded names:** *Chaerephon limbatus*; *Chaerephon pumila*; *Chaerephon pumila limbatus*; *limbatus*; *Tadarida limbatus*; *Tadarida pumila*; *Tadarida pumila elphicki*; *Tadarida pumila limbata*;

**Museum records:** AMNH: M-216231, M-216232, M-216234, M-232700, M-245174, M-245175, M-245176, M-245177, M-245178, M-245179, M-245180, M-245181, M-245182, M-245183, M-245184, M-245185, M-245186, M-245187; ROM: 67530, 67531, 67532, 67533; ZMB: 539, 135811, 135812, 135815, 537/ 85520, 538/ 85519; MHNG: MAM-816.092, MAM-816.093, MAM-816.094; NMZB: NMZB-MAM-0063961, NMZB-MAM-0063962; IICT: CZ000000041, CZ000000095, CZ000000096, CZ000000119, CZ000000122; NHMUK: 7.1.1.704, 58.6.18.14, 1907.1.1.704; MCZ: 43770, 43771, 43772, 43773, 57215; USNM: 352117, 352118, 352119, 352120, 352121, 352122, 352123, 352124, 352125, 352126, 352127, 352128, 352129, 352130, 352131, 352132, 352133, 352199, 352200, 352201, 352202, 352203, 352204, 352205, 352206, 352207, 352208, 352209, 352210, 352211, 352212, 352213, 352214, 352215, 352216, 352217, 352218, 352219, 352220, 352221, 352222, 352223, 352224, 352225, 352226, 352227, 352228, 352229, 352230, 352231, 352232, 352233, 352234, 352235, 352236, 352237, 352238, 352239, 352240, 352241, 352242, 352243, 352244, 352245, 352246, 352247, 352248, 352249, 352250, 352251, 352252, 365460, 365461, 365462, 365463, 365464, 365465, 365466, 365479, 367605; FMNH: 65847, 65848, 65849, 65850, 65851, 65852, 65853, 65854, 65855, 65856, 65857, 65858, 65859, 65860, 65861, 65862, 65863, 65864, 65865, 105701;

**Bibliographic records:** Smithers and Tello (1976); Downs and Wirminghaus (1997); Schneider (2004); GRNB (2010); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Niassa; Sofala; Tete;

**Known distribution (Wilson & Reeder 2005):** Senegal to Yemen, south to South Africa; Bioko; São Tomé; Pemba and Zanzibar; Comoro Islands; Seychelles; Madagascar.

### *Mops condylurus* (A.Smith, 1833)

Congo free-tailed bat

**Other recorded names:** *Tadarida condylura*; *Tadarida condylura condylura*;

**Museum records:** AMNH: M-216233, M-244311, M-244312, M-244313, M-244314, M-244315, M-244316, M-244317, M-244318, M-244319, M-244320; ROM: 51090, 67534, 67535, 67536, 67537, 67538, 67539, 67540, 67541; USNM: 352134, 352135, 352136, 352137, 352138, 352139, 352140, 352141, 352142, 352143, 352144, 352145, 352146, 352147, 352148, 352149, 352150, 352151, 352152, 352153, 352154, 352155, 352156, 352157, 352158, 352159, 352160, 352161, 352162, 352163, 352164, 352165, 352166, 352167, 352168, 352169, 352170, 352171, 352172, 352173, 352174, 352175, 352176, 352177, 352178, 352179, 352180, 352181, 352182, 352183, 352184, 352185, 352186, 352187, 352188, 352189, 352190, 352191, 352192, 352193, 352194, 352195, 352196, 352197, 352198, 365467, 365470, 365492, 365493, 365494, 365495, 365496, 365497, 365498, 365499, 365500, 365501, 365502, 365504, 365505, 365506, 365507, 365508, 365509, 365510, 365511, 365512, 365513, 365514, 365515, 365516, 365517, 365518, 365519, 365520, 365521, 365522, 365523, 365524, 365525, 365526, 365527, 365528, 365529, 365530, 365531, 365532, 365533, 365534, 365535, 365536, 365537, 365538, 365539, 365540, 365541, 365542, 365543, 365544, 365545, 365546, 365547, 365548, 365549, 365550, 365551, 365552, 365553, 365554, 365555, 365556, 365557, 365558, 365559, 365560, 365561, 365562, 365563, 365564, 365565, 365566, 365567, 365568, 365569, 365570, 365571, 365572, 365573, 365574, 365575, 365576, 365577, 365578, 365579, 365580, 365581, 365582, 365583, 365584, 365585, 365586, 365587, 365588, 365589, 365590, 365591, 365592, 365593, 365594, 365595, 365596, 365597, 365598, 365599, 365600, 365601, 365602, 365603, 365604, 365605, 365606, 365607, 365608, 365609, 365610, 365611, 365612, 365613, 365614, 365615, 365616, 365617, 365618, 365619, 365620, 365621, 365622, 365623, 365624, 365625, 365626, 365627, 365628, 365629, 365630,

365631, 365632, 365633, 365634, 365635, 365636, 365637, 365638, 365639, 365640, 365641, 365642, 365643, 365644, 365645, 365646, 365647, 365648, 365649, 365650, 365651, 365652, 365653, 365654, 365655, 365656, 365657, 365658, 365682, 365683, 365684, 365685, 365686, 365687, 365688, 365689, 365690, 365691, 365692, 365693, 365694, 365695, 365696, 365697, 365698, 365699, 365700, 365701, 365702, 365703, 367572, 367573, 367574, 367575, 367576, 367577, 367578, 367579, 367580, 367581, 367582, 367583, 367584, 367585, 367586, 367587, 367588, 367589, 367590, 367591, 367592, 367593, 367594, 367595, 367596, 367597, 367598, 367599, 367600, 367601, 367602, 367603, 367604, 367606, 367607, 367608, 367609, 367610, 367611, 367612, 367613, 367614, 367615, 367616, 367617, 367618, 367619, 367620, 367621, 367622, 367623, 367624, 367625, 367626, 367627, 367628, 367629, 367630, 367631, 367632, 367633, 367634, 367635, 367636, 367637, 367638, 367639, 367640, 367641, 367642, 367643, 367644, 367645; FMNH: 177175, 177176, 177177, 177178, 177179, 177180, 177181, 177182, 177183, 177184, 177185, 177186, 177187, 177188, 177189, 177190, 177191; IICT: CZ000000045, CZ000000117;

**Bibliographic records:** Smithers and Tello (1976); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Sofala; Tete;

**Known distribution (Wilson & Reeder 2005):** Cameroon, Dem. Rep. Congo, Uganda.

### ***Mops niveiventer* Cabrera & Ruxton, 1926**

White-bellied free-tailed bat

**Other recorded names:** *Tadarida niveiventer*;

**Museum records:** USNM: 365468, 365469;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Tete;

**Known distribution (Wilson & Reeder 2005):** Dem. Rep. Congo, Rwanda, Burundi, Tanzania, Angola, Zambia, Mozambique.

### ***Sauromys petrophilus* (Roberts, 1917)**

Roberts's flat-headed bat

**Other recorded names:** *Sauromys petrophilus petrophilus*;

**Museum records:** USNM: 365659, 365660, 365661, 365662, 365663, 365664, 365665, 365666, 365667, 365668, 365669, 365670, 365671, 365672;

**Bibliographic records:** Smithers and Tello (1976); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Niassa; Tete;

**Known distribution (Wilson & Reeder 2005):** South Africa, Namibia, Botswana, Zimbabwe, Mozambique, perhaps Ghana.

***Tadarida aegyptiaca* (E, Geoffroy, 1818)**

Egyptian free-tailed bat

**Other recorded names:** *Tadarida aegyptiaca aegyptiaca*; *Tadarida aegyptiaca bocagei*;

**Museum records:** NMZB: NMZB-MAM-0019874, NMZB-MAM-0063966, NMZB-MAM-0063967, NMZB-MAM-0063968, NMZB-MAM-0063969, NMZB-MAM-0063970, NMZB-MAM-0063971, NMZB-MAM-0063972, NMZB-MAM-0063973, NMZB-MAM-0063974, NMZB-MAM-0063975, NMZB-MAM-0063976, NMZB-MAM-0063977, NMZB-MAM-0063978, NMZB-MAM-0063979, NMZB-MAM-0063980, NMZB-MAM-0063981, NMZB-MAM-0063982, NMZB-MAM-0063983, NMZB-MAM-0063984, NMZB-MAM-0063985, NMZB-MAM-0063986, NMZB-MAM-0063987, NMZB-MAM-0063988, NMZB-MAM-0063989; USNM: 365480, 365481, 365482, 365483, 365484, 365485, 365486, 365487, 365488, 365489, 365490, 365491, 365503, 479953;

**Bibliographic records:** Smithers and Tello (1976); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Manica; Nampula; Tete;

**Known distribution (Wilson & Reeder 2005):** South Africa to Nigeria, Algeria, and Egypt to Saudi Arabia, Yemen and Oman, east to India and Sri Lanka, N. to Afganistan.

***Tadarida fulminans* (Thomas, 1903)**

Malagasy free-tailed bat

**Other recorded names:** *Tadarida fulminans mastersoni*;

**Museum records:** USNM: 365472, 365473, 365474, 365475, 365476, 365477, 365478;

**Bibliographic records:** Monadjem et al. (2010);

**Reported distribution in Mozambique:** Manica; Nampula; Tete;

**Known distribution (Wilson & Reeder 2005):** E. Dem. Rep. Congo, Rwanda, Kenya, Tanzania, Zambia, Malawi, Zimbabwe, N.E. South Africa, Madagascar.

***Tadarida ventralis* (Heuglin, 1861)**

Giant free-tailed bat

**Other recorded names:** *Tadarida africana*;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Manica; Tete;

**Known distribution (Wilson & Reeder 2005):** Eritrea to South Africa.

## Nycteridae

---

### *Nycteris grandis* Peters, 1865

Large slit-faced bat

**Bibliographic records:** Smithers and Tello (1976); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Manica;

**Known distribution (Wilson & Reeder 2005):** Senegal to Dem. Rep. Congo, Kenya, Zimbabwe, Malawi, and Mozambique; Zanzibar and Pemba.

### *Nycteris hispida* (Schreber, 1775)

Hairy slit-faced bat

**Other recorded names:** *Nycteris hispida villosa*;

**Museum records:** MNHN: MO-1881-303, MO-1881-304;

**Bibliographic records:** Smithers and Tello (1976); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Inhambane; Manica; Niassa; Tete;

**Known distribution (Wilson & Reeder 2005):** Senegal, Gambia, and extreme S. Mauritania to Somalia and south to Angola, C. Mozambique, Botswana, and Malawi; Zanzibar; Bioko.

### *Nycteris macrotis* Dobson, 1876

Big free-tailed bat

**Museum records:** IICT: CZ000000062;

**Bibliographic records:** Monadjem et al. (2010);

**Reported distribution in Mozambique:** Gaza; Maputo; Niassa; Sofala;

**Known distribution (Wilson & Reeder 2005):** Senegal and Gambia to Ethiopia, south to Zimbabwe, Malawi and Mozambique; Zanzibar.

### *Nycteris thebaica* E.Geoffroy, 1818

Egyptian slit-faced bat

**Other recorded names:** *Nycteris thebaica capensis*;

**Museum records:** AMNH: M-245150, M-245151, M-245152, M-245153, M-245154, M-245155; ROM: 51069, 51070, 51071; MHNG: MAM-816.091; NMZB: NMZB-MAM-0064244, NMZB-MAM-0064245, NMZB-MAM-0064246, NMZB-MAM-0064247; LACM: 19678, 19679, 19680, 19681, 19682, 19683; TTU: 8299; IICT: CZ000000056; RMNH: RMNH-MAM-35901.a, RMNH-MAM-35901.b; NHMUK: 1858.6.18.15,

1907.1.1.337; FMNH: 177098, 177099, 177100, 177101, 177102, 177213, 214721; USNM: 352011, 352012, 352013, 352014, 352015, 352016, 352017, 352018, 352019, 352020, 352021, 352022, 352023, 352024, 352025, 352026, 352027, 352028, 352029, 352030, 352031, 352032, 352033, 365136, 365137, 365138, 365139, 365140, 365141, 365142, 365143, 365144, 365145, 365146, 365147, 365148, 365149, 365150, 365151, 365152, 365153, 365154, 365155, 365156, 365157, 365158, 365159, 365160, 365161, 365162, 365163, 365164, 365165, 365166, 365167, 365168, 365169, 365170, 365171, 365172, 365173, 365174, 365175, 365177, 367456, 367457, 367458, 367459, 367460, 367461, 367462, 367463, 367464, 367465, 367466, 367467, 367468, 367469, 367470, 367471, 367472, 367473, 367474, 367475, 367476, 367477, 367478, 367479, 367480, 367481, 367482, 367483, 367484, 367485, 367486, 367487, 367488, 367489, 367490, 367491, 367492, 367493, 367494, 367495,;

**Bibliographic records:** Smithers and Tello (1976); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Central Arabia, Israel, Sinai, Egypt, Morocco, Senegal, Guinea, Mali, Burkina Faso, Ghana, Benin, Niger, Nigeria, Somalia, Djibouti, and Kenya, south to South Africa in open country; Zanzibar and Pemba.

### ***Nycteris vinsoni* Dalquest, 1965**

Vinson's slit-faced bat

**Other recorded names:** *Nycteris aethiopica luteola*; *Nycteris macrotis vinsoni*;

**Museum records:** KU: 105221;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Inhambane;

**Known distribution (Wilson & Reeder 2005):** Mozambique; known only from the type locality.

---

## **Pteropodidae**

### ***Eidolon helvum* (Kerr, 1792)**

African straw-colored fruit bat

**Other recorded names:** *Eidolon helvum helvum*;

**Museum records:** NMZB: NMZB-MAM-0063733, NMZB-MAM-0063734;

**Bibliographic records:** Smithers and Tello (1976); Timberlake et al. (2009);

**Reported distribution in Mozambique:** Manica; Maputo; Maputo City; Sofala; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Mauritania, Senegal, and Gambia to Ethiopia to South Africa; S.W. Arabia and Oman; islands in the Gulf of Guinea and off E. Africa.

***Epomophorus crypturus* Peters, 1852**

Peters's epauletted fruit bat

**Other recorded names:** *Epomophorus cf. crypturus*;

**Museum records:** AMNH: M-216400; RMNH: RMNH-MAM-2545, RMNH-MAM-2545.A, RMNH-MAM-2545.B; ZMB: 135663; USNM: 365123, 365124, 365125, 365126, 365127, 365128, 365129, 365130, 365131, 365132, 365133, 365134;

**Bibliographic records:** Smithers and Tello (1976); Timberlake et al. (2009); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Zambia, Tanzania, S.E. Dem. Rep. Congo, Mozambique, Malawi, Zimbabwe, Botswana, Namibia, South Africa.

***Epomophorus labiatus* (Temminck, 1837)**

Little epauletted fruit bat

**Bibliographic records:** Monadjem et al. (2010);

**Reported distribution in Mozambique:** Niassa;

**Known distribution (Wilson & Reeder 2005):** Saudi Arabia; Nigeria to Ethiopia and Djibouti, south to Republic of Congo and Malawi.

***Epomophorus wahlbergi* (Sundevall, 1846)**

Wahlberg's epauletted fruit bat

**Other recorded names:** *Epomophorus wahlbergi wahlbergi*;

**Museum records:** AMNH: M-245137, M-245138, M-245139; ROM: 41709, 51072, 51076, 51077, 51081, 51082, 51083, 51084, 51085, 51086, 51096, 51097, 51098, 51099, 51101, 51102; MHNG: MAM-816.089, MAM-816.090; NMZB: NMZB-MAM-0063691; NHMUK: 1864.1.9.4; FMNH: 177089, 177209, 177210, 214692, 214693, 214694; USNM: 351977, 351978, 351979, 351980, 351981, 351982, 351983, 351984, 351985, 351986, 351987, 351988, 351989, 351990, 351991, 351992, 351993, 351994, 351995, 351996, 351997, 351998, 351999, 352000, 352001, 352002, 352003, 352004, 352005, 352006, 352007, 352008, 352009, 352010, 365135, 367453, 367454, 367455; MVZ: 117088, 117089, 117090, 117091, 117092, 117093, 117094, 117973, 117974; MCZ: 22774;

**Bibliographic records:** Smithers and Tello (1976); Timberlake et al. (2009); Bayliss et al. (2010); Monadjem et al. (2010); Bayliss et al. (2014);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Cameroon to Sudan and Somalia, south to Malawi, Angola, and South Africa; Pemba and Zanzibar Islands.

***Lissonycteris angolensis* Bocage, 1898**

Angolan soft-furred fruit bat

**Other recorded names:** *Lissonycteris goliath*; *Lyssonycteris goliath*; *Rousettus angolensis angolensis*;

**Bibliographic records:** Smithers and Tello (1976); Timberlake et al. (2009); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Manica; Nampula; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Gambia, Senegal, Guinea Bissau, Guinea, Sierra Leone, Liberia, Côte d'Ivoire, Burkina Faso, Ghana, Togo, Nigeria, Cameroon, Central African Republic, Sudan, Ethiopia, Equatorial Guinea (Bioko only), Republic of Congo, Dem. Rep. Congo, Uganda, Rwanda, Kenya, Tanzania, Angola, Zambia, Zimbabwe, Mozambique.

***Myonycteris relicta* Bergmans, 1980**

Bergmans's collared fruit bat

**Bibliographic records:** Monadjem et al. (2010);

**Reported distribution in Mozambique:** Sofala;

**Known distribution (Wilson & Reeder 2005):** Kenya, Tanzania, Zimbabwe along border with Mozambique.

***Rousettus aegyptiacus* (E.Geoffroy, 1810)**

Egyptian rousette

**Other recorded names:** *Rousettus aegyptiacus leachi*; *Rousettus aegyptiacus leachii*; *Rousettus aegyptiacus leachi*; *Rousettus leachi*;

**Museum records:** SMF: 89144; NMZB: NMZB-MAM-0019818, NMZB-MAM-0019850, NMZB-MAM-0019851, NMZB-MAM-0019852, NMZB-MAM-0019853, NMZB-MAM-0019854, NMZB-MAM-0019855, NMZB-MAM-0019856, NMZB-MAM-0019857, NMZB-MAM-0019858, NMZB-MAM-0019859, NMZB-MAM-0019860, NMZB-MAM-0019861, NMZB-MAM-0019862, NMZB-MAM-0019863, NMZB-MAM-0019864, NMZB-MAM-0019865, NMZB-MAM-0019866, NMZB-MAM-0019867, NMZB-MAM-0019868, NMZB-MAM-0019869, NMZB-MAM-0019870, NMZB-MAM-0019871, NMZB-MAM-0019872, NMZB-MAM-0019873, NMZB-MAM-0019875, NMZB-MAM-0019876, NMZB-MAM-0019877, NMZB-MAM-0027455, NMZB-MAM-0027457, NMZB-MAM-0027459, NMZB-MAM-0027462, NMZB-MAM-0027463, NMZB-MAM-0027469, NMZB-MAM-0027472; FMNH: 177090, 177091, 177092, 177093, 177094, 177095, 177096, 177097, 177211, 177212; MCZ: 33168, 33169, 33170, 33171, 33172, 33173, 33174, 33175;

**Bibliographic records:** Smithers and Tello (1976); Timberlake et al. (2009); Monadjem et al. (2010); Bayliss et al. (2014);

**Reported distribution in Mozambique:** Cabo Delgado; Inhambane; Manica; Nampula; Sofala; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Senegal and Egypt south to South Africa; Cyprus, Turkey, Jordan, Lebanon, Israel, S. Syria, Yemen, Saudi Arabia, S. Iraq, S. Iran, Pakistan, NW India; islands in the Gulf of Guinea (São Tomé and Príncipe); adjacent small islands.

## Rhinolophidae

---

### *Rhinolophus blasii* Peters, 1866

Blasius's horseshoe bat

**Other recorded names:** *Rhinolophus blasii empusa*; *Rhinolophus cf blasii*;

**Museum records:** MHNG: MAM-1971.049;

**Bibliographic records:** Smithers and Tello (1976); Timberlake et al. (2009); Monadjem et al. (2010); Bayliss et al. (2014);

**Reported distribution in Mozambique:** Manica; Zambezia;

**Known distribution (Wilson & Reeder 2005):** N.E. South Africa to S. Dem. Rep. Congo; Ethiopia; Somalia; Morocco; Algeria; Tunisia; Turkey; Yemen; Israel; Jordan; Syria; Iran; Serbia and Montenegro; Albania; Bulgaria; Romania; Transcaucasia and Turkmenistan; Afghanistan; Pakistan; Italy; Greece; Cyprus.

### *Rhinolophus capensis* Lichtenstein, 1823

Cape horseshoe bat

**Museum records:** FMNH: 177108, 177109, 177214;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Sofala; Zambezia;

**Known distribution (Wilson & Reeder 2005):** South Africa, Zimbabwe, Mozambique; occurrence outside South Africa is doubtful.

### *Rhinolophus clivosus* Cretzschmar, 1828

Geoffroy's horseshoe bat

**Other recorded names:** *Rhinolophus clivosus keniensis*; *Rhinolophus clivosus zuluensis*;

**Museum records:** MHNG: MAM-1971.054, MAM-1971.055, MAM-1971.059; NMZB: NMZB-MAM-0064263; FMNH: 177110, 177111, 177112, 177113;

**Bibliographic records:** Smithers and Tello (1976); Timberlake et al. (2009); Monadjem et al. (2010); Bayliss et al. (2014);

**Reported distribution in Mozambique:** Manica; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Israel, Jordan, Saudi Arabia, Oman, Yemen, Egypt, Libya, Algeria, Sudan, Ethiopia, Eritrea, Djibouti, Somalia, Kenya, Uganda, Dem. Rep. Congo, Rwanda, Burundi, Tanzania, Malawi, Angola, Zambia, Mozambique, Zimbabwe, South Africa, Swaziland, Namibia.

***Rhinolophus darlingi* K.Andersen, 1905**

Darling's horseshoe bat

**Museum records:** NMZB: NMZB-MAM-0064264, NMZB-MAM-0064265; USNM: 365203;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Manica; Sofala; Tete;

**Known distribution (Wilson & Reeder 2005):** N.E. South Africa, Namibia, S. Angola, N. and W. Botswana, Zimbabwe, Malawi, Mozambique, Tanzania, Nigeria.

***Rhinolophus deckenii* Peters, 1837**

Decken's horseshoe bat

**Bibliographic records:** Monadjem et al. (2010);

**Reported distribution in Mozambique:** Sofala;

**Known distribution (Wilson & Reeder 2005):** Uganda, Kenya, Tanzania, Zanzibar and Pemba.

***Rhinolophus denti* Thomas, 1904**

Dent's horseshoe bat

**Other recorded names:** *Rhinolophus denti denti*;

**Museum records:** USNM: 365179, 365196;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Manica; Tete;

**Known distribution (Wilson & Reeder 2005):** Northern Cape Prov. (South Africa), Namibia, Angola, Botswana, Zimbabwe, Mozambique, Guinea-Bissau, Guinea, Ghana.

***Rhinolophus fumigatus* Ruppell, 1842**

Ruppell's horseshoe bat

**Museum records:** USNM: 365204, 365205, 365206,;

**Bibliographic records:** Smithers and Tello (1976); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Manica; Niassa; Sofala; Tete;

**Known distribution (Wilson & Reeder 2005):** Somalia, Ethiopia, Eritrea, Sudan, Kenya, Uganda, Tanzania, Rwanda, Burundi, Dem. Rep. Congo, Nigeria, Niger, Sierra Leone, Côte d'Ivoire, Togo, Benin, Senegal, Gambia, Guinea, Mali, Burkina Faso, Ghana, Cameroon, Gabon, Republic of Congo, Central African Republic, Zambia, Malawi, Zimbabwe, Mozambique, Angola, Namibia, South Africa.

***Rhinolophus gorongosae* Taylor et al., 2018**

Gorongosa horseshoe bat

**Bibliographic records:** Taylor et al. (2018);

**Reported distribution in Mozambique:** Sofala.

***Rhinolophus hildebrandti* Peters, 1878**

Upland horseshoe bat

**Other recorded names:** *Rhinolophus hildebrandtii*;

**Museum records:** AMNH: M-216206, M-216207, M-216208, M-216209, M-216210, M-216211, M-216212, M-245156, M-245157, M-245158, M-245159; MHNG: MAM-1971.061; NMZB: NMZB-MAM-0063469, NMZB-MAM-0063470; NHMUK: 1908.4.3.15; FMNH: 177103, 177104, 177105, 177106, 177107, 214706, 214707, 214708, 214709, 214710, 214711, 214712, 214713, 214714, 214715, 214716, 214717, 214718, 214719; USNM: 365207, 365208, 365209, 365210, 365211, 365212, 365213, 365214, 365215, 365216, 365217, 365218, 365219, 365220, 365221, 365222, 365223, 365224, 365225, 365226, 365227; SMF: 11639;

**Bibliographic records:** Smithers and Tello (1976); Bayliss et al. (2010); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** NE South Africa and Mozambique to Ethiopia, S Sudan, and NE Dem. Rep. Congo; Nigeria.

***Rhinolophus lobatus* Peters, 1852**

Lander's horseshoe bat

**Other recorded names:** *Rhinolophus landeri*; *Rhinolophus landeri lobatus*;

**Museum records:** ROM: 51066, 51067, 51068; ZMB: 135862, 135863, 135865, 135866; MHNG: MAM-1971.062; NMZB: NMZB-MAM-0062052, NMZB-MAM-0062097, NMZB-MAM-0062098, NMZB-MAM-0062104; TTU: 8306; IICT: CZ000000060; NHMUK: 1908.4.3.9, 1908.4.3.11, 1908.4.3.12, 1908.4.3.14; USNM: 352034, 352035, 352036, 352037, 352038, 352039, 352040, 352041, 365178, 365180, 365181, 365182, 365183, 365184, 365185, 365186, 365187, 365189, 365190, 365191, 365192, 365194, 365195, 365197, 365241; SMF: 11640;

**Bibliographic records:** Smithers and Tello (1976); Monadjem et al. (2010); Bayliss et al. (2014); Taylor et al. (2018);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Senegal and Gambia to Ethiopia and Somalia, south to South Africa and Namibia; Bioko; Zanzibar.

#### ***Rhinolophus mabuensis* Taylor et al., 2012**

Mount Mabu horseshoe bat

**Bibliographic records:** Taylor et al. (2012); Bayliss et al. (2014);

**Reported distribution in Mozambique:** Nampula; Zambezia.

#### ***Rhinolophus maendeleo* Kock, Csorba, Howell, 1999**

Maendeleo horseshoe bat

**Other recorded names:** *Rhinolophus cf. maendeleo*;

**Bibliographic records:** Monadjem et al. (2010);

**Reported distribution in Mozambique:** Zambezia;

**Known distribution (Wilson & Reeder 2005):** N.E. Tanzania.

#### ***Rhinolophus mossambicus* Taylor et al., 2012**

Rift valley horseshoe bat

**Bibliographic records:** Taylor et al. (2012);

**Reported distribution in Mozambique:** Cabo Delgado; Inhambane; Niassa; Sofala.

**Known distribution (IUCN 2018):** Mozambique; Zimbabwe.

#### ***Rhinolophus rhodesiae* Roberts, 1946**

Roberts' horseshoe bat

**Bibliographic records:** Taylor et al. (2018).

#### ***Rhinolophus simulator* K.Andersen, 1904**

Bushveld horseshoe bat

**Museum records:** NMZB: NMZB-MAM-0064257, NMZB-MAM-0064258; USNM: 365193, 365198, 365199, 365200, 365201;

**Bibliographic records:** Smithers and Tello (1976); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Manica; Niassa; Sofala; Tete;

**Known distribution (Wilson & Reeder 2005):** South Africa to S. Sudan and Ethiopia; Cameroon; Liberia; Nigeria; Guinea.

#### ***Rhinolophus swinnyi* Gough, 1908**

Swinny's horseshoe bat

**Other recorded names:** *Rhinolophus cf. swinnyi*;

**Museum records:** NMZB: NMZB-MAM-0020079, NMZB-MAM-0020102, NMZB-MAM-0020105, NMZB-MAM-0020108, NMZB-MAM-0020109, NMZB-MAM-0020181, NMZB-MAM-0020182; USNM: 365202;

**Bibliographic records:** Smithers and Tello (1976); Bayliss et al. (2010); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Inhambane; Manica; Nampula; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** South Africa, Zimbabwe, Mozambique, Malawi, Zambia, S. Dem. Rep. Congo, Tanzania, Zanzibar.

---

#### **Vespertilionidae**

##### ***Neoromicia capensis* A.Smith, 1829**

Cape serotine

**Other recorded names:** *Eptesicus capensis*;

**Museum records:** USNM: 365410;

**Bibliographic records:** Smithers and Tello (1976); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Gaza; Manica; Maputo; Sofala;

**Known distribution (Wilson & Reeder 2005):** Guinea-Bissau to Ethiopia, south to South Africa.

***Eptesicus hottentotus* (A.Smith, 1833)**

Long-tailed serotine

**Other recorded names:** *Eptesicus hottentotus bensoni*;

**Museum records:** USNM: 365430, 365431, 365432, 365433, 365434;

**Bibliographic records:** Smithers and Tello (1976); Timberlake et al. (2009); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** South Africa to Angola and Kenya.

***Neoromicia melckorum* Roberts, 1919**

Melck's house bat

**Other recorded names:** *Eptesicus melckorum*;

**Museum records:** USNM: 365408, 365409;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Manica;

**Known distribution (Wilson & Reeder 2005):** SW South Africa, Zimbabwe, Zambia, Mozambique, Kenya, Tanzania.

***Neoromicia rendalli* Thomas, 1889**

Rendall's serotine

**Other recorded names:** *Eptesicus rendalli*;

**Bibliographic records:** Smithers and Tello (1976); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Maputo; Nampula; Tete; **Known distribution (Wilson & Reeder 2005):** Senegal, Mali, and Gambia to Somalia, south to Botswana, Malawi, Mozambique South Africa,

***Neoromicia zuluensis* Roberts, 1924**

Zulu serotine

**Bibliographic records:** Monadjem et al. (2010);

**Reported distribution in Mozambique:** Niassa; Sofala;

**Known distribution (Wilson & Reeder 2005):** Namibia, Botswana, Zambia, Natal, Malawi, N South Africa; also known from Kenya, Ethiopia, and Sudan.

***Glauconycteris variegata* (Tomes, 1861)**

Variegated butterfly bat

**Other recorded names:** *Glauconycteris variegata variegata*;

**Museum records:** USNM;

**Bibliographic records:** Smithers and Tello (1976); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Gaza; Inhambane; Maputo; Sofala;

**Known distribution (Wilson & Reeder 2005):** Senegal to Somalia, south to South Africa.

***Kerivoula argentata* Tomes, 1861**

Damara woolly bat

**Other recorded names:** *Kerivoula argentata nidicula*;

**Bibliographic records:** Smithers and Tello (1976); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Inhambane; Manica; Maputo; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Uganda and S. Kenya to Malawi, Angola, Namibia and KwaZulu-Natal (South Africa).

***Kerivoula lanosa* (A.Smith, 1847)**

Lesser woolly bat

**Other recorded names:** *Kerivoula harrisoni lucia*;

**Bibliographic records:** Smithers and Tello (1976); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Inhambane; Manica;

**Known distribution (Wilson & Reeder 2005):** Guinea and Liberia to Ethiopia, south to South Africa.

***Kerivoula phalaena* Thomas, 1912**

Spurrell's woolly bat

**Other recorded names:** *Kerivoula cf. phalaena*; *Kerivoula Phalaena*;

**Bibliographic records:** Monadjem et al. (2010); Bayliss et al. (2014);

**Reported distribution in Mozambique:** Zambezia;

**Known distribution (Wilson & Reeder 2005):** Liberia, Ghana, Cameroon, Republic of Congo, Dem. Rep. Congo.

***Laephotis botswanae Setzer, 1971***

Botswanan long-eared bat

**Museum records:** MHNG: MAM-1971.009;

**Bibliographic records:** Monadjem et al. (2010); Bayliss et al. (2014);

**Reported distribution in Mozambique:** Zambezia;

**Known distribution (Wilson & Reeder 2005):** Dem. Rep. Congo, Zambia, Malawi, Botswana, Zimbabwe, N.E. South Africa.

***Miniopterus fraterculus Thomas & Schwann, 1906***

Lesser long-fingered bat

**Other recorded names:** *Miniopterus cf. fraterculus*; *Miniopterus Fraterculus*;

**Museum records:** AMNH: M-216222, M-216223, M-216224, M-216225, M-216226, M-216227, M-216228, M-216229, M-216230; MHNG: MAM-1971.014, MAM-1971.015, MAM-1971.018; TTU: 8296, 8297; USNM: 365456;

**Bibliographic records:** Smithers and Tello (1976); Timberlake et al. (2009); Monadjem et al. (2010); Bayliss et al. (2014);

**Reported distribution in Mozambique:** Inhambane; Sofala; Zambezia;

**Known distribution (Wilson & Reeder 2005):** South Africa, Malawi, Zambia, Angola, Mozambique, Madagascar.

***Miniopterus inflatus Thomas, 1903***

Greater long-fingered bat

**Other recorded names:** *Miniopterus africanus*; *Miniopterus inflatus rufus*;

**Museum records:** MHNG: MAM-1971.019, MAM-1971.020, MAM-1971.021; FMNH: 177152, 177153, 177154, 177155, 177156, 177157, 177158, 177159, 177160, 177161, 177162, 177163, 177164, 177165, 177166, 177167, 177168, 177169, 177170, 177171, 177172, 177173, 177174, 177219;

**Bibliographic records:** Smithers and Tello (1976); Timberlake et al. (2007); Timberlake et al. (2009); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Manica; Sofala; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Kenya, Uganda, Burundi, E. and S. Dem. Rep. Congo, Cameroon, Gabon, Mozambique, Liberia, perhaps Nigeria.

***Miniopterus mossambicus* Monadjem, Goodman, Stanley & Appleton, 2013**

Mozambique long-fingered bat

**Other recorded names:** *Miniopterus mossambicus*;

**Bibliographic records:** Monadjem et al. (2013);

**Reported distribution in Mozambique:** Nampula; Zambezia.

***Miniopterus natalensis* (A.Smith, 1833)**

Natal long-fingered bat

**Other recorded names:** *Miniopterus inflatus/natalensis*; *Miniopterus natalensis natalensis*; *Miniopterus schreibersi*; *Miniopterus schreibersii*; *Miniopterus schreibersi natalensis*;

**Museum records:** MHNG: MAM-1971.024; NHMUK: 1968.1014, 1968.1015, 1968.1016, 1968.1017, 1968.1018, 1968.1019, 1968.1020, 1968.1021, 1968.1022, 1968.1023, 1968.1033, 1968.1034, 1968.1035, 1968.1036, 1968.1037, 1968.1038, 1968.1039, 1968.1040, 1968.1041; USNM: 352116, 365439, 365440, 365441, 365442, 365443, 365444, 365445, 365446, 365447, 365448, 365449, 365450, 365451, 365452, 365453, 365454, 365455, 365673, 365674, 365675, 365676, 365677, 365678, 365679, 365680, 365681, 367555, 367556, 367557, 367558, 367559, 367560, 367561, 367562, 367563, 367564, 367565, 367566, 367567, 367568, 367569, 367570, 367571;

**Bibliographic records:** Smithers and Tello (1976); Monadjem et al. (2010); Bayliss et al. (2014);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Sudan and S.W. Arabia to South Africa.

***Myotis bocagii* (Peters, 1870)**

Rufous myotis

**Other recorded names:** *Myotis bocagei bocagei*;

**Museum records:** MHNG: MAM-1971.027, MAM-1971.028; USNM:;

**Bibliographic records:** Smithers and Tello (1976); Timberlake et al. (2009); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Manica; Niassa; Sofala; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Senegal and Liberia to S. Yemen, south to Angola, Zambia, Malawi, and N.E. South Africa.

***Myotis tricolor* (Temminck, 1832)**

Temminck's myotis

**Other recorded names:** *Myotis ricolor*;

**Museum records:** MHNG: MAM-1971.030;

**Bibliographic records:** Smithers and Tello (1976); Timberlake et al. (2007); Timberlake et al. (2009); Monadjem et al. (2010); Bayliss et al. (2014);

**Reported distribution in Mozambique:** Manica; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Liberia, Ethiopia and Dem. Rep. Congo, south to South Africa.

***Myotis welwitschii* (Gray, 1866)**

Welwitsch's myotis

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Gaza; Manica;

**Known distribution (Wilson & Reeder 2005):** South Africa, Mozambique, Zimbabwe, Angola, Zambia, Dem. Rep. Congo, Tanzania, Kenya, Uganda, Ethiopia.

***Nycticeinops schlieffenii* (Peters, 1859)**

Schlieffen's twilight bat

**Other recorded names:** *Nycticeinops schlieffeni*; *Nycticeius schlieffeni australis*;

**Museum records:** USNM: 365402, 365403, 365404, 365405, 365406, 365407,;

**Bibliographic records:** Smithers and Tello (1976); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Maputo City; Niassa; Sofala; Tete;

**Known distribution (Wilson & Reeder 2005):** Saudi Arabia, Yemen, and Egypt to Djibouti, Somalia, Mozambique, Mali, Botswana, South Africa, and Namibia; Mauritania and Ghana to Sudan and Tanzania.

***Pipistrellus hesperidus* Temmink, 1840**

Dusky pipistrelle

**Other recorded names:** *Pipistrellus kuhli subtilis*;

**Museum records:** MHNG: MAM-1971.048;

**Bibliographic records:** Smithers and Tello (1976); Timberlake et al. (2009); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Gaza; Manica; Maputo; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Cape Verde islands, Canary islands, Liberia, Chad, Bioko (Equatorial Guinea), Nigeria, Cameroon, Dem. Rep. Congo, Ethiopia, Eritrea, Kenya, Uganda, Rwanda, Burundi, Tanzania, Malawi, Zambia, Mozambique, Zimbabwe, Botswana, South Africa, Madagascar.

### ***Neoromicia nana* (Peters, 1852)**

Tiny pipistrelle

**Other recorded names:** *Neoromicia africanus*; *Neoromicia nanus*; *Pipistrellus africanus*; *Pipistrellus nanus*;

**Museum records:** ROM: 51073, 51074, 51075, 51078, 51079, 51080, 51100, 68785, 68786, 68787, 68788, 68789; MHNG: MAM-1971.038; NMZB: NMZB-MAM-0064000, NMZB-MAM-0064004, NMZB-MAM-0064005, NMZB-MAM-0064006, NMZB-MAM-0064007, NMZB-MAM-0064008, NMZB-MAM-0064009, NMZB-MAM-0064010, NMZB-MAM-0064011, NMZB-MAM-0064012, NMZB-MAM-0064013, NMZB-MAM-0064014, NMZB-MAM-0064015, NMZB-MAM-0064016, NMZB-MAM-0064017, NMZB-MAM-0064018, NMZB-MAM-0064019; NHMW: 19644; IICT: CZ000000042, CZ000000048, CZ000000053, CZ000000068, CZ000000069, CZ000000070, CZ000000081, CZ000000086, CZ000000118; NHMUK: 1907.1.1.421, 1907.1.1.422, 1928.1.24.1, 1929.1.24.2, 1973493; MNHN: 1911-2293, 1911-2293 A, 1911-2293 B, 1911-2293 C; FMNH: 177139, 177140, 177141, 177142, 177143, 177144, 177145, 177146, 177147, 177148, 177149, 177150, 177151, 177216, 177217, 177218, 214723, 214724, 214725, 214877; USNM: 352049, 352050, 352051, 352052, 352053, 352054, 352055, 352056, 352057, 352058, 352059, 352060, 352061, 352062, 352063, 352064, 352065, 352066, 352067, 352068, 352069, 352070, 352071, 352072, 352073, 352074, 352075, 352076, 352077, 352078, 352079, 352080, 352081, 352082, 352083, 352084, 352085, 352086, 352087, 352088, 352089, 352090, 352091, 352092, 352093, 352094, 352095, 352096, 352097, 352098, 352099, 352100, 352101, 352102, 352103, 352104, 352105, 352106, 352107, 352108, 352109, 352110, 352111, 352112, 352113, 352114, 352115, 365321, 365322, 365323, 365324, 365325, 365326, 365327, 365328, 365329, 365330, 365331, 365332, 365333, 365334, 365335, 365336, 365337, 365338, 365339, 365340, 365341, 365342, 365343, 365344, 365345, 365346, 365347, 365348, 365349, 365350, 365351, 365352, 365353, 365354, 365355, 365356, 365357, 365358, 365359, 365360, 365361, 365362, 365363, 365364, 365365, 365366, 365367, 365368, 365369, 365370, 365371, 365372, 365373, 365374, 365375, 365376, 365377, 365378, 365379, 365380, 365381, 365382, 365383, 365384, 365385, 365386, 365387, 365388, 365389, 365390, 365391, 365392, 365393, 365394, 365395, 365396, 365397, 365398, 365399, 365400, 365401;

**Bibliographic records:** Smithers and Tello (1976); Timberlake et al. (2009); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Sierra Leone and Côte d'Ivoire to Kenya; Bioko (Equatorial Guinea).

***Pipistrellus rusticus* (Tomes, 1861)**

Rusty pipistrelle

**Bibliographic records:** Timberlake et al. (2009);

**Reported distribution in Mozambique:** Zambezia;

**Known distribution (Wilson & Reeder 2005):** Senegal, Gambia, Burkina Faso, Ghana, Nigeria, Central African Republic, and Ethiopia, south to Kenya, Tanzania, Malawi, Zambia, South Africa.

***Scotoecus albogula* Thomas, 1909**

Light-winged lesser house bat

**Other recorded names:** *Scotoecus hindei/albigula*;

**Bibliographic records:** Monadjem et al. (2010);

**Reported distribution in Mozambique:** Manica; Maputo; Nampula; Sofala;

**Known distribution (Wilson & Reeder 2005):** Senegal and Gambia to Kenya, Tanzania, Mozambique, Malawi, KwaZulu-Natal, South Africa.

***Scotophilus dinganii* (A.Smith, 1833)**

Yellow-bellied house bat

**Other recorded names:** *Scotophilus dingleyae*; *Scotophilus nigrita dingani*;

**Museum records:** NHMUK: 1906.11.8.14, 1906.11.8.16, 1906.11.8.17, 1907.6.2.15, 1908.1.1.28, 1908.1.1.29, 1908.1.1.30, 1908.1.1.31, 1908.1.1.32, 1908.4.3.25, 1908.1.1.27; NMZB: NMZB-MAM-0006959, NMZB-MAM-0064171; USNM: 352048, 365435;

**Bibliographic records:** Smithers and Tello (1976); Timberlake et al. (2009); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Senegal, Guinea-Bissau, and Sierra Leone east to Somalia, Djibouti, and S. Yemen, and south to South Africa and Namibia.

***Scotophilus leucogaster* Cretzschmar, 1830**

White-bellied house bat

**Bibliographic records:** Monadjem et al. (2010);

**Reported distribution in Mozambique:** Gaza;

**Known distribution (Wilson & Reeder 2005):** Mauritania, Senegal, and Gambia to N. Kenya and Ethiopia.

### ***Scotophilus nigrita* (Schreber, 1774)**

Giant house bat

**Other recorded names:** *Scotophilus gigas*; *Scotophilus nigrita alvenslebeni*;

**Museum records:** NHMUK: 1907.6.2.16, 1907.6.2.17; KU: 105222;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Manica;

**Known distribution (Wilson & Reeder 2005):** Senegal to Sudan, E. Dem. Rep. Congo, Kenya, Zimbabwe, Malawi and Mozambique.

### ***Scotophilus viridis* (Peters, 1852)**

Green house bat

**Other recorded names:** *Scotophilus borbonicus*; *Scotophilus cf. viridis*;

**Museum records:** ROM: 51087, 51089; ZMB: 135887; MHNG: MAM-816.095; NMZB: NMZB-MAM-0063217; NHMUK: 1849.8.16.26, 1908.4.3.26, 1908.4.3.27, 1908.4.3.28, 1908.4.3.29; USNM: 365411, 365412, 365413, 365414, 365415, 365416, 365417, 365418, 365419, 365420, 365421, 365422, 365423, 365424, 365425, 365426, 365427, 365428, 365429, 365436, 365437, 365438;

**Bibliographic records:** Smithers and Tello (1976); Monadjem et al. (2010);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Niassa; Sofala; Tete;

**Known distribution (Wilson & Reeder 2005):** Senegal to Ethiopia south to Namibia and South Africa.

## **Eulipotyphla**

### **Soricidae**

#### ***Crocidura cyanea* (Duvernoy, 1838)**

Reddish-gray musk shrew

**Other recorded names:** *Crocidura cyanea infumata*;

**Museum records:** USNM: 365110;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Gaza; Manica; Maputo; Sofala; Tete;

**Known distribution (Wilson & Reeder 2005):** South Africa, Namibia, Angola, Botswana, Mozambique, Zimbabwe.

### ***Crocidura fuscomurina* (Heuglin, 1865)**

Bicolored musk shrew

**Other recorded names:** *Crocidura bicolor bicolor*;

**Museum records:** USNM: 365074, 367268;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Gaza; Inhambane; Maputo; Sofala; Tete;

**Known distribution (Wilson & Reeder 2005):** Sudan and Guinea savanna from Senegal to Ethiopia, and south to South Africa.

### ***Crocidura hirta* Peters, 1852**

Lesser red musk shrew

**Other recorded names:** *Crocidura hirta hirta*; *Crocidura sericea*;

**Museum records:** AMNH: M-252533, M-252534, M-252535, M-252536, M-252537, M-252538, M-252539, M-252540, M-252541, M-252542; NRM: 581803; ZMB: 669, 670, 671, 672, 673, 674, 137654, 137655, 137656, 137657, 137658, 137664, 137665; NMZB: NMZB-MAM-0003598, NMZB-MAM-0003599, NMZB-MAM-0003601, NMZB-MAM-0003602, NMZB-MAM-0003603, NMZB-MAM-0018362, NMZB-MAM-0028287, NMZB-MAM-0028288, NMZB-MAM-0028289, NMZB-MAM-0028290, NMZB-MAM-0028291, NMZB-MAM-0028292, NMZB-MAM-0082824, NMZB-MAM-0082825, NMZB-MAM-0082826, NMZB-MAM-0082827, NMZB-MAM-0082828, NMZB-MAM-0082829, NMZB-MAM-0082830, NMZB-MAM-0082831, NMZB-MAM-0082832, NMZB-MAM-0082835; NHMUK: 1906.11.8.40, 1906.11.8.41, 1907.1.11.13, 1907.1.11.14, 1907.1.11.15, 1907.6.2.25, 1907.6.2.26, 1907.6.2.27, 1908.1.1.45, 1922.7.17.111; MNHN: MO-1983-86; MCZ: 44088; USNM: 351963, 351964, 351965, 351966, 351967, 351968, 351969, 351970, 351971, 351972, 351973, 352948, 365076, 365079, 365081, 365082, 365083, 365084, 365085, 365086, 365087, 365088, 365089, 365090, 365091, 365092, 365093, 365094, 365095, 365096, 365097, 365098, 365099, 365100, 365101, 365102; BRTC: TCWC:20880;

**Bibliographic records:** Smithers and Tello (1976); Gliwicz (1985); Schneider (2004); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Angola, Dem. Rep. Congo, Uganda, Kenya, Somalia, Tanzania, Malawi, Zimbabwe, Zambia, Mozambique, Botswana, Namibia, South Africa.

***Crocidura luna* Dollman, 1910**

Moonshine shrew

**Museum records:** FMNH: 177083, 177084, 177085, 177086, 177087, 177197, 177198, 177199, 177200, 177201, 177202, 177203, 177204, 177205, 214579, 214580, 214581, 214582, 214583, 214584, 214585, 214586, 214587, 214588, 214589, 214590, 214591, 214592, 214593, 214594, 214595, 214596, 214597, 214598, 214599, 214600, 214601, 214831, 214832, 214833; USNM: 365103, 365104, 365105, 365106, 365107, 365108, 365109, 365111, 365112, 365114, 365115, 365116, 365117, 365118, 365119, 365120;

**Bibliographic records:** Smithers and Tello (1976); Timberlake et al. (2009); Bayliss et al. (2014);

**Reported distribution in Mozambique:** Manica; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Mozambique, Zambia, Zimbabwe, E. Angola, Dem. Rep. Congo, Malawi, Tanzania, Kenya, Uganda, Rwanda.

***Crocidura mariquensis* (A.Smith, 1844)**

Swamp musk shrew

**Other recorded names:** *Crocidura mariquensis mariquensis*;

**Museum records:** NHMUK: 1906.11.8.42; USNM: 351976,;

**Bibliographic records:** Smithers and Tello (1976); Timberlake et al. (2009);

**Reported distribution in Mozambique:** Inhambane; Maputo; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Swamps and forest from South Africa to Mozambique, W. Zimbabwe and Zambia; N.W. Botswana and N.E. Namibia to S.C. Angola; perhaps S.E. Dem. Rep. Congo.

***Crocidura olivieri* (Lesson, 1827)**

African giant shrew

**Other recorded names:** *Crocidura flavesiensis*;

**Museum records:** FMNH: 177206, 177207, 214602, 214603, 214604, 214605, 214606, 214607, 214608, 214609, 214610, 214834, 214835; USNM: 365071, 365072, 365073;

**Bibliographic records:** Smithers and Tello (1976); Bayliss et al. (2014);

**Reported distribution in Mozambique:** Manica; Sofala; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Egypt; Mauritania to Ethiopia, and southwards to N. South Africa.

***Crocidura silacea* Thomas, 1895**

Lesser gray-brown musk shrew

**Other recorded names:** *Crocidura sp. cf. silacea*;

**Museum records:** MHNG: MAM-816.096; FMNH: 214611, 214612, 214613, 214614, 214615, 214616, 214617, 214618, 214619, 214620, 214621, 214622, 214836, 214837, 214838, 214839; USNM: 351974, 351975, 365075, 365078, 365080;

**Bibliographic records:** Downs and Wirminghaus (1997); Timberlake et al. (2009); Bayliss et al. (2014);

**Reported distribution in Mozambique:** Gaza; Inhambane; Maputo; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Occurs in most of South Africa, and parts of Botswana, Angola; Mozambique, Zambia and S. Malawi.

***Myosorex meesteri* Taylor et al. 2013**

Meester's forest shrew

**Other recorded names:** *Myosorex cafer*;

**Bibliographic records:** Smithers and Tello (1976); Taylor et al. (2013);

**Reported distribution in Mozambique:** Manica; Sofala; Tete.

***Suncus megalura* Jentink, 1888**

Climbing shrew

**Other recorded names:** *Suncus megalura sorella*;

**Museum records:** FMNH: 214691;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Manica; Sofala; Tete;

**Known distribution (Wilson & Reeder 2005):** Tropical forest and Guinea savanna zone of Africa from Upper Guinea to Ethiopia and south to Mozambique and Zimbabwe.

---

**Hyracoidea**

---

**Procaviidae**

***Dendrohyrax arboreus* (A. Smith, 1827)**

Southern tree hyrax.

**Other recorded names:** *Dendrohyrax arboreus arboreus*;

**Museum records:** ZMB: 1984; NMZB: NMZB-MAM-0068820; MNHN: 1897-654;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Inhambane; Manica; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Western Cape Prov., Eastern Cape Prov., and KwaZulu-Natal (South Africa); Mozambique; Zambia; Malawi; Dem. Rep. Congo; Tanzania to Kenya and Sudan.

### ***Heterohyrax brucei* (Gray, 1868)**

Yellow-spotted rock hyrax.

**Other recorded names:** *Heterohyrax brucei mossabicus*; *Heterohyrax brucei ruddi*; *Hyrax mossambicus*;

**Museum records:** ZMB: 3613; MNHN: 1897-655, 1902-534, 1902-535, 1902-757, 1902-758, 1902-760 bis, MO-1902-760; FMNH: 177240; USNM: 367398;

**Bibliographic records:** Smithers and Tello (1976); Timberlake et al. (2009); Bayliss et al. (2010); Bayliss et al. (2014);

**Reported distribution in Mozambique:** Gaza; Manica; Nampula; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Egypt to Somalia to southern Africa to WC Angola, with pockets' in C. Sahara.

### ***Procavia capensis* (Pallas, 1766)**

Rock hyrax

**Other recorded names:** *Procavia capensis johnstoni*; *Procavia rupestris*;

**Museum records:** NMZB: NMZB-MAM-0068684, NMZB-MAM-0068701, NMZB-MAM-0068702, NMZB-MAM-0068703, NMZB-MAM-0068704, NMZB-MAM-0068705, NMZB-MAM-0068736; ROM: 8608040006; USNM: 61745, 61746, 61747, 61748, 61750, 367399;

**Bibliographic records:** Smithers and Tello (1976); Spassov and Roche (1988); Schneider (2004); Mesochina, Langa and Chardonnet (2008); Dowsett-Lemaire and Dowsett (2009); GRNB (2010); Bayliss et al. (2014);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Manica; Maputo City; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Sub-Saharan and N.E. Africa (a line from Senegal through S. Algeria and Libya, Egypt to southern most tip of Africa), portion of the Levant (Syria, Lebanon, Turkey, Israel), and the Arabian Peninsula (Saudi Arabia, Yemen); isolated mountains in Algeria and Libya.

---

## Lagomorpha

---

### Leporidae

---

#### *Lepus capensis* Linnaeus, 1758

Cape hare

**Other recorded names:** *Lepus capensis aquilo*;

**Museum records:** NHMUK: 1906.11.8.132; IICT: CZ000000863, CZ000000864, CZ000000865, CZ000000877, CZ000000885, CZ000000886, CZ000000887, CZ000000889, CZ000000891, CZ000000893, CZ000000895, CZ000000901, CZ000000903, CZ000000905, CZ000000908, CZ000000918, CZ000000924, CZ000000925, CZ000001342, CZ000001344, CZ000001354, CZ000001355, CZ000001362, CZ000001388, CZ000001389, CZ000001390, CZ000001399, CZ000001409, CZ000001413;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Maputo City; Niassa; Sofala; Zambezia;

**Known distribution (Wilson & Reeder 2005):** As construed in the past, a single species (*capensis* sensu lato) inhabits Africa and the Near East in two separate, non-forested areas: South Africa, Namibia, Botswana, Zimbabwe, S. Angola, S. Zambia (?), Mozambique; and to the north, Tanzania, Kenya, Somalia, Ethiopia, countries of the Sahel and Sahara, and N. Africa; thence eastward through the Sinai to the Arabian Peninsula, Jordan, S. Syria, S. Israel and W. and S. Iraq, west of the Euphrates River.

#### *Lepus victoriae* Thomas, 1893

Savanna hare

**Other recorded names:** *Lepus microtis*; *Lepus saxatilis*; *Lepus ?whytei*; *Lepus whytei*;

**Museum records:** ZMB: 81541, 81542, 81543, 81559; USNM: 352272, 352273, 352274, 352275, 352276, 352277, 352278, 352279, 352280, 352281, 352282, 352283, 352284, 365745, 365746, 365747, 365748, 365749, 365750, 365751, 365752, 365753, 365754, 365755, 365756, 365757, 365758, 365759, 365760, 365761, 365762, 365763, 365764, 365765, 365766, 365767, 365768, 365769, 365770, 365771, 365772, 365773, 365774, 365775, 365776, 365777, 365778, 365779, 365780, 365781, 365782, 365783, 365784, 365785, 365786, 365787, 365788; NMZB: NMZB-MAM-0067468, NMZB-MAM-0067469, NMZB-MAM-0067470, NMZB-MAM-0067471, NMZB-MAM-0067473, NMZB-MAM-0067474, NMZB-MAM-0067475, NMZB-MAM-0067476, NMZB-MAM-0067477, NMZB-MAM-0067479, NMZB-MAM-0067480, NMZB-MAM-0067481, NMZB-MAM-0067482, NMZB-MAM-0067483, NMZB-MAM-0067484; MCZ: 22978, 22979, 22980, 44123, 44124, 44125, 44126; IICT: CZ000001236;

**Bibliographic records:** Smithers and Tello (1976); Mesochina, Langa and Chardonnet (2008); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** From Atlantic coast of NW Africa (Senegal, south to Guinea and Sierra Leone) eastward across Sahel to Sudan and extreme W. Ethiopia; southward through E. Africa (E. Republic of Congo, W. Kenya) to NE. Namibia, Botswana, and KwaZulu-Natal (South Africa). Small isolated population in W. Algeria.

#### ***Pronolagus crassicaudatus* (I.Geoffroy, 1832)**

Natal red rock hare

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Manica; Maputo; Zambezia;

**Known distribution (Wilson & Reeder 2005):** S.E. South Africa; extreme S. Mozambique.

---

#### ***Pronolagus rupestris* (A.Smith, 1834)**

Smith's red rock hare

**Other recorded names:** *Pronolagus rupestris nyikae*;

**Museum records:** FMNH: 177246;

**Bibliographic records:** Timberlake et al. (2009); Bayliss et al. (2010); Bayliss et al. (2014);

**Reported distribution in Mozambique:** Nampula; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Two disjunct areas: S. and C. South Africa, S. Namibia; and E. Africa, from N. Malawi and E. Zambia north through C. Tanzania to S.W. Kenya.

---

## **Macroscelidea**

---

### **Macroscelididae**

---

#### ***Elephantulus brachyrhynchus* (A.Smith, 1836)**

Short-snouted elephant shrew

**Other recorded names:** *Elephantulus brachyrhynchus langi*;

**Museum records:** ZMB: 642, 643, 2791, 80085, 80086, 84903, 84913; NHMUK: 1973.1795, 1975628; USNM: 351959, 351960, 351961, 365002, 365003, 365004, 365005, 365006, 365007, 365008, 365009, 365010, 365011, 365012, 365013, 365014, 365015, 365016, 365017, 365018, 365019, 365020, 365021, 365022, 365023, 365024, 365025, 365026, 365027; IICT: CZ000001707, CZ000001708, CZ000001709;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Maputo City; Sofala; Tete;

**Known distribution (Wilson & Reeder 2005):** N. South Africa; N.E. Namibia; E. and N. Botswana; Angola; Zimbabwe; Malawi; Zambia; S. Dem. Rep. Congo; Mozambique; Tanzania; Kenya and Uganda.

***Elephantulus fuscus* (Peters, 1852)**

Dusky elephant shrew

**Other recorded names:** *Macroscelides fusius*;

**Museum records:** ZMB: 644; MCZ: 43753, 43754, 43755, 43756, 43757, 43758, 43759, 43760, 44086, 44254;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Mozambique; S. Malawi; S.E. Zambia.

***Elephantulus myurus* Thomas & Schwann, 1906**

Eastern rock elephant shrew

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Gaza; Manica; Maputo; Tete;

**Known distribution (Wilson & Reeder 2005):** Zimbabwe; E. Botswana; N., C. and E. South Africa; Lesotho; W. Mozambique.

***Petrodromus tetradactylus* Peters, 1846**

Four-toed elephant shrew

**Other recorded names:** *Petrodomus tetradactylus*; *Petrodromus rovumae*; *Petrodromus schwanni*; *Petrodromus tetradactylus beirae*; *Petrodromus tetradactylus tetradactylus*; *Petrodromus tetradactylus*;

**Museum records:** AMNH: M-208663, M-245104, M-245105, M-245106, M-245107; ROM: 8608240004; ZMB: 647, 648, 32044, 86193, 86194, 86195, 000 ?, 30358/ 646; CAS: 29341, 29342, 29343, 29346, 29347, 29350, 29354; RMNH: RMNH-MAM-39312.a, RMNH-MAM-39312.b; NHMUK: 1906.11.8.32, 1990.0594; FMNH: 177247, 177248, 177249, 177250; USNM: 351962, 365028, 365029, 365030, 365031, 365032, 365033, 365034, 365035, 365036, 365037, 365038, 365039, 365040, 365041, 365042, 365043, 365044, 365045, 365046, 365047, 365048, 365049, 365050, 365051, 365052, 365053, 365054, 365055, 365056, 365057, 365058, 365059, 365060, 365061, 365062, 365063, 365064, 365065, 365066, 365067, 365068, 365069, 365070; SMF: 11647; MCZ: 46267;

**Bibliographic records:** Smithers and Tello (1976); Downs and Wirminghaus (1997); Mesochina, Langa and Chardonnet (2008); Dowsett-Lemaire and Dowsett (2009); Timberlake et al. (2009); Bayliss et al. (2014);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Mozambique; Tanzania; S.E. Kenya; S. Uganda; Zambia; Malawi; S.E. Zimbabwe; Dem. Rep. Congo; E. Republic of Congo; N.E. Angola; E. South Africa.

### ***Rhynchocyon cirnei* Peters, 1847**

Checkered elephant shrew

**Other recorded names:** *Rhynchocyon cirnae*; *Rhynchocyon cirnei cirnei*; *Rhynchocyon cirnei macrurus*; *Rhynchocyon cornei*;

**Museum records:** CAS: 29355; RMNH: RMNH-MAM-39313; NHMUK: 1863.10.12.1, 1934.1.11.6; FMNH: 177193, 177194, 177251, 177252, 177253; ZMB: 637, 86191, 000 ?;

**Bibliographic records:** Smithers and Tello (1976); Mesochina, Langa and Chardonnet (2008); Dowsett-Lemaire and Dowsett (2009); Timberlake et al. (2009); Coals and Rathbun (2012); Bayliss et al. (2014);

**Reported distribution in Mozambique:** Cabo Delgado; Nampula; Niassa; Zambezia;

**Known distribution (Wilson & Reeder 2005):** N. Mozambique; Malawi, S. and S.W. Tanzania, N.E. Zambia, N. and E. Dem. Rep. Congo, Uganda.

## **Perissodactyla**

### **Equidae**

#### ***Equus quagga burchellii* (Gray, 1824)**

Burchell's zebra

**Other recorded names:** *Equus burchelli*; *Equus burchellii*; *Equus burchellii crawshayi*; *Equus burchellii crawshayi*; *Equus quagga crawshayi*;

**Museum records:** AMNH: M-216357, M-216358; MSU: MR.11621; IICT: CZ000000348, CZ000000355, CZ000000372, CZ000001064; NHMW: ST 783; FMNH: 7227; USNM: 61743, 61744;

**Bibliographic records:** Smithers and Tello (1976); Whyte and Swanepoel (2006); AGRECO (2008); Dunham (2010); Dunham et al. (2010); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** S. and E. Angola, N. and E. Botswana, S.E. Dem. Rep. Congo, Kenya, N. Namibia, S.E. Sudan, S.W. Ethiopia, Malawi, Mozambique, S. Somalia, South Africa, Swaziland, Tanzania, Uganda, Zambia and Zimbabwe.

**Rhinocerotidae**

---

***Ceratotherium simum* (Burchell, 1817)**

White rhinoceros

**Bibliographic records:** Smithers and Tello (1976); AGRECO (2008);

**Reported distribution in Mozambique:** Gaza; Maputo; Maputo City; Sofala;

**Known distribution (Wilson & Reeder 2005):** Formerly north of Equator in S. Chad, Central African Republic, S. Sudan, N.E. Dem. Rep. Congo, and Uganda. Southern Africa in S.E. Angola, Botswana, N.E. Namibia, S. Mozambique, South Africa, Swaziland, Zimbabwe, and possibly also S.W. Zambia. Now much restricted in distribution; in south of range, E. KwaZulu-Natal (South Africa), and reintroduced into other parts of South Africa (KwaZulu-Natal, Limpopo Prov., Mpumalanga, Free State), Namibia, Swaziland, Mozambique, Zimbabwe, and Botswana; introduced into Zambia and Kenya. In north of range, now confined to N.E. Dem. Rep. Congo.

***Diceros bicornis* (Linnaeus, 1758)**

Black rhinoceros

**Museum records:** ZMB: 83229, 102766, 102771; MUP: 23356;

**Bibliographic records:** Smithers and Tello (1976); Whyte and Swanepoel (2006); AGRECO (2008);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Manica; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Formerly in S. Angola, Botswana, Burundi, N. Cameroon, Central African Republic, S. Dem. Rep. Congo, S. Chad, N. Eritrea, Ethiopia, Kenya, Malawi, Mozambique, Namibia, S.E. Niger, Nigeria, Rwanda, Somalia, South Africa, Sudan, Swaziland, Tanzania, Uganda, Zambia, and Zimbabwe; possibly more widespread in Niger, extending to Benin and Côte d'Ivoire, within historic times. Very much reduced in numbers, particularly in recent decades of 20th century, and probably now extinct in many countries which it formerly occupied. Survives in reserves in Kenya, Tanzania, Namibia, Zambia, Zimbabwe and KwaZulu-Natal (South Africa), and possibly still in Cameroon, Chad, Central African Republic, Sudan, Rwanda, Malawi, Mozambique, Angola and Botswana; widely reintroduced into parts of South Africa.

---

**Pholidota****Manidae**

---

***Manis temminckii* Smuts, 1832**

Ground pangolin

**Other recorded names:** *Manis temmincki*;

**Museum records:** AMNH: M-42349; IICT: CZ000001554;

**Bibliographic records:** Smithers and Tello (1976); Spassov (1990); Mesochina, Langa and Chardonnet (2008);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Maputo City; Sofala; Zambezia;

**Known distribution (Wilson & Reeder 2005):** N. South Africa; N. and E. Namibia; Zimbabwe; Mozambique; Botswana; S. Angola; S. Zambia; S.E. Dem. Rep. Congo; S. Rwanda; Malawi; Tanzania; E. Uganda; W. Kenya; S. Sudan; S. Chad.

## Primates

### Cercopithecidae

#### *Cercopithecus mitis* Wolf, 1822

Sykes' monkey

**Other recorded names:** *Cercopithecus albogularis*; *Cercopithecus albogularis erythrarchus*; *Cercopithecus albogularis nyasae*; *Cercopithecus mitis albogularis*; *Cercopithecus mitis boutourlinii*; *Cercopithecus mitis erythrarchus*; *Cercopithecus mitis erythrarchus*; *Cercopithecus mitis nyasae*; *Cercopithecus nictitans mitis*; *Cercopithecus simum*; *Cercopithecus stans*; *Cercopithecus mossambicus*;

**Museum records:** AMNH: M-185468; NMZB: NMZB-MAM-0067979 ?, NMZB-MAM-0067713, NMZB-MAM-0067714, NMZB-MAM-0067880, NMZB-MAM-0067881, NMZB-MAM-0067882; RMNH: RMNH-MAM-39121.a, RMNH-MAM-39121.b; NHMUK: 1893.11.16.1, 1907.6.2.110, 1908.1.1.3, 1908.1.1.4, 1908.1.1.5, 1908.5.7.2, 1934.1.11.3, 1975.1804, 1939352, 1939582, 1939583, 1907.6.2.109 ?; MNHN: MO-1911-2289; FMNH: 177221, 177222, 177223, 177224, 177225; USNM: 365744;

**Bibliographic records:** Smithers and Tello (1976); Downs and Wirminghaus (1997); Dowsett-Lemaire and Dowsett (2009); Timberlake et al. (2009); Bayliss et al. (2010); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Nampula; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Ethiopia to South Africa, S. and E. Dem. Rep. Congo, NW Angola.

#### *Chlorocebus pygerythrus* Cuvier, 1821

Vervet monkey

**Other recorded names:** *Cercopithecus aethiops*; *Cercopithecus aethiops pygerythrus*; *Cercopithecus aethiops rufoviridis*; *Cercopithecus pygerythrus*; *Cercopithecus pygerythrus pygerythrus*; *Cercopithecus*

*pygerythrus rufoviridis; Cercopithecus pygerythrus whytei; Chlorocebus aethiops; Chlorocebus pygerythrus rufoviridis;*

**Museum records:** AMNH: M-216252, M-216253, M-216254, M-216255, M-216256, M-216258; ZMB: 60, 87561; NMZB: NMZB-MAM-0004401, NMZB-MAM-0004402, NMZB-MAM-0004405, NMZB-MAM-0004406, NMZB-MAM-0004407, NMZB-MAM-0028819, NMZB-MAM-0067861; IICT: CZ000000310, CZ000000314, CZ000000316, CZ000000321, CZ000000474, CZ000000475, CZ000000476, CZ000000477, CZ000000479; NHMUK: 1884.2.6.1, 1906.11.8.3, 1906.11.8.4, 1907.6.2.2, 1907.6.2.3, 1907.6.2.4, 1907.6.2.5, 1907.6.2.6, 1908.1.1.7, 1908.1.1.8, 1908.1.1.9, 1908.1.1.11, 1908.4.3.1, 1927.2.11.6, 1927.2.11.7, 1934.1.11.4, 1906.11.8.2, 1906.11.8.10 ?, 1907.6.2.109 ?, 1908.1.1.10 ?; USNM: 352265, 352266, 352267, 352268, 352269, 352270, 352271, 365738, 365739, 365740, 365741, 365742, 365743;

**Bibliographic records:** Smithers and Tello (1976); Schneider (2004); Stalmans (2007); Mesochina, Langa and Chardonnet (2008); Stalmans and Peel (2009); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Ethiopia (east of Rift Valley), Somalia, to Zambia east of the Luangwa, and South Africa.

### *Papio cynocephalus* (Linnaeus, 1766)

Yellow baboon

**Other recorded names:** *Papio cyanocephalus; Papio cynocephalus cynocephalus; Papio ursinus;*

**Museum records:** ZMB: 157, 11607; HSUWM: 2656; EMBL: AB495292; MZNA: 107795;

**Bibliographic records:** Smithers and Tello (1976); Schneider (2004); AGRECO (2008); Mesochina, Langa and Chardonnet (2008); Dowsett-Lemaire and Dowsett (2009); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Somalia, coastal Kenya, Tanzania to Zambezi River.

### *Papio ursinus* (Kerr, 1792)

Chacma baboon

**Other recorded names:** *Papio ursinus griseipes;*

**Museum records:** AMNH: M-216246, M-216247, M-216248, M-216249, M-216250, M-216251; MNCN: 2119; ZMB: 11608, 11609; IICT: CZ000000340, CZ000000341, CZ000000496, CZ000000498, CZ000000499; NHMUK: 1927.2.11.1, 1927.2.11.3, 1927.2.11.4, 1973.1809, 1908.1.1.10 ?, 1908.1.1.20 ?; USNM: 365736, 365737;

**Bibliographic records:** Smithers and Tello (1976); Stalmans (2007); AGRECO (2008); Stalmans and Peel (2009); Dunham et al. (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** South of Zambezi River, to S. Angola, S.W. Zambia.

## Galagidae

---

### *Paragalago granti* (Thomas & Wroughton, 1907)

Mozambique dwarf galago

**Other recorded names:** *Galago granti*; *Galagooides granti*; *Galagooides zanzibaricus granti*; *Galago senegalensis granti*; *Galago zanzibaricus*;

**Museum records:** NHMUK: 1906.11.8.5, 1906.11.8.6, 1906.11.8.7, 1906.11.8.8, 1906.11.8.9, 1907.6.2.7, 1907.6.2.8, 1908.1.1.12, 1908.1.1.13, 1908.1.1.14, 1908.1.1.15, 1908.1.1.16, 1908.1.1.129, 1906.11.8.10?; NMZB: NMZB-MAM-0029529, NMZB-MAM-0055557, NMZB-MAM-0055558, NMZB-MAM-0067333, NMZB-MAM-0067340, NMZB-MAM-0067343, NMZB-MAM-0067344, NMZB-MAM-0067345, NMZB-MAM-0067346, NMZB-MAM-0067347, NMZB-MAM-0067348, NMZB-MAM-0067349, NMZB-MAM-0067350, NMZB-MAM-0067351, NMZB-MAM-0067352, NMZB-MAM-0067353, NMZB-MAM-0067354, NMZB-MAM-0067356, NMZB-MAM-0067357, NMZB-MAM-0067358, NMZB-MAM-0067359; USNM: 352253, 352254; FMNH: 177192, 177220; IICT: CZ000000133;

**Bibliographic records:** Smithers and Tello (1976); Dowsett-Lemaire and Dowsett (2009); Timberlake et al. (2009);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo City; Sofala; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Mozambique north to Ulugurus in S. Tanzania.

### *Galago moholi* A.Smith, 1836

Lesser galago

**Other recorded names:** *Galago sanguinea*; *Galago senegalensis*; *Galago senegalensis moholi*;

**Museum records:** MNCN: 2095; NMZB: NMZB-MAM-0003488, NMZB-MAM-0003490, NMZB-MAM-0003491, NMZB-MAM-0003492, NMZB-MAM-0003493, NMZB-MAM-0003494, NMZB-MAM-0003495, NMZB-MAM-0003496, NMZB-MAM-0003497, NMZB-MAM-0003498, NMZB-MAM-0003499, NMZB-MAM-0003500, NMZB-MAM-0003501, NMZB-MAM-0067360, NMZB-MAM-0067412, NMZB-MAM-0067428, NMZB-MAM-0084412; IICT: CZ000000144, CZ000000151, CZ000000504, CZ000000505, CZ000000506, CZ000000508; NHMUK: 1907.1.11.3, 1908.4.3.2, 1908.4.3.3, 1908.4.3.4, 1908.4.3.5, 1908.4.3.6, 1908.4.3.7; MCZ: 44131, 44132, 44133; USNM: 365704, 365705; SMF: 11646;

**Bibliographic records:** Smithers and Tello (1976); Downs and Wirminghaus (1997); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Maputo City; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** KwaZulu-Natal and N. Namibia north to Lake Victoria.

***Otolemur crassicaudatus* (E.Geoffroy, 1812)**

Brown greater galago

**Other recorded names:** *Galago crassicaudatus*; *Galago crassicaudatus crassicaudatus*; *Galago crassicaudatus lloennbergi*; *Galago crassicaudatus lonnbergi*; *Galago craussicaudatus craussicaudatus*; *Otolemur crassicaudatus crassicaudatus*; *Otolemur crassicaudatus kirkii*;

**Museum records:** AMNH: M-216239, M-216240, M-216241, M-216242, M-216243, M-216244, M-216245; ZMB: 320, 64229, 64230, 103582; NMZB: NMZB-MAM-0004386, NMZB-MAM-0004387, NMZB-MAM-0004388, NMZB-MAM-0004389, NMZB-MAM-0033567, NMZB-MAM-0055433, NMZB-MAM-0055434, NMZB-MAM-0055435, NMZB-MAM-0055436, NMZB-MAM-0055512, NMZB-MAM-0067410, NMZB-MAM-0067411, NMZB-MAM-0067422, NMZB-MAM-0067423, NMZB-MAM-0067426, NMZB-MAM-0067429, NMZB-MAM-0084410, NMZB-MAM-0084411; IICT: CZ000000130, CZ000000131, CZ000000132, CZ000000134, CZ000000135, CZ000000136, CZ000000137, CZ000000142, CZ000000143, CZ000000145, CZ000000146, CZ000000147, CZ000000148, CZ000000149, CZ000000150, CZ000000152, CZ000000500, CZ000000501, CZ000000507, CZ000000514, CZ000000515, CZ000000516, CZ000000517, CZ000000518, CZ000000519, CZ000000520, CZ000000521, CZ000000522, CZ000000523, CZ000000524, CZ000000525, CZ000000527; NHMUK: 1864.6.4.1, 1903.3.11.1, 1908.1.1.17, 1908.1.1.18, 1908.1.1.19, 1908.1.1.22, 1908.1.1.23, 1908.1.1.24, 1908.1.1.25, 1908.1.1.26, 1908.1.1.132, 1908.3.10.1, 1920.9.1.1, 1920.9.1.2, 1934.1.11.5, 1908.1.1.20 ?; USNM: 352256, 352257, 352258, 352259, 352260, 352261, 352262, 352263, 352264, 365706, 365707, 365708, 365709, 365710, 365711, 365712, 365713, 365714, 365715, 365716, 365717, 365718, 365719, 365720, 365721, 365722, 365723, 365724, 365725, 365726, 365727, 365728, 365729, 365730, 365731, 365732, 365733, 365734, 365735;

**Bibliographic records:** Smithers and Tello (1976); Schneider (2004); Dowsett-Lemaire and Dowsett (2009);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Kenya, Tanzania and Rwanda to KwaZulu-Natal (South Africa) and Angola.

***Otolemur garnettii* (Ogilby, 1836)**

Northern greater galago

**Other recorded names:** *Galago crassicaudatus garnettii*; *Otolemur garnettii garnettii*;

**Museum records:** ZMB: 64281, 64282, 64283; USNM: 352255; IICT: CZ000000502;

**Reported distribution in Mozambique:** Maputo; Maputo City;

**Known distribution (Wilson & Reeder 2005):** S. Somalia to S.E. Tanzania (including Zanzibar, Pemba and Mafia Islands) and perhaps N. Mozambique.

---

## Proboscidea

### Elephantidae

---

#### ***Loxodonta africana* (Blumenbach, 1797)**

African bush elephant

**Other recorded names:** *Loxodonta africana africana*; *Loxodonta cyclotis*;

**Museum records:** AMNH: M-90304, M-216356, M-216397; MUP: 23352, 23354; MHNG: MAM-1923.037; IICT: CZ000001538, CZ000001555, CZ000001557, CZ000001560; NHMUK: 1875.3.22.1, 1983108; USNM: 397726;

**Bibliographic records:** Smithers and Tello (1976); Dunham (2004); Schneider (2004); Matthews and Nemane (2006); Whyte and Swanepoel (2006); AGRECO (2008); Mesochina, Langa and Chardonnet (2008); Stalmans and Peel (2009); Dunham (2010); Dunham et al. (2010); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Sub-Saharan, except C. and W. coast of Africa, including 30 countries from Senegal in the west to Somalia in the east.

---

## Rodentia

### Anomaluridae

---

#### ***Anomalurus derbianus* (Gray, 1842)**

Lord Derby's scaly-tailed squirrel

**Other recorded names:** *Anomalurus derbianus cinereus*;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Zambezia;

**Known distribution (Wilson & Reeder 2005):** Sierra Leone, Cte d'Iroire, Ghana, Togo, Nigeria, Cameroon, Equatorial Guinea, Gabon, Angola, Dem. Rep. Congo, Uganda, Kenya, Tanzania, Zambia, N. Malawi, Mozambique.

---

## Bathyergidae

---

#### ***Cryptomys darlingi* Thomas, 1895**

Darling's mole-rat

**Other recorded names:** *Cryptomys hottentotus*; *Cryptomys hottentotus darlingi*;

**Museum records:** NHMUK: 1907.6.2.98; MNHN: 1926-181, 1926-182; USNM: 367229, 367230, 367231, 367232, 367233, 367234, 367235, 367236, 367237, 367238, 367239, 367240, 367241, 367242, 367243, 367244, 367245, 367246, 367247, 367248, 367249, 367250, 367251, 367252, 367253, 367254, 367255, 367256, 367257, 367258, 367259, 367260, 367261, 367262, 367263;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Sofala;

**Known distribution (Wilson & Reeder 2005):** E. Zimbabwe and W. Mozambique.

### ***Cryptomys hottentotus* (Lesson, 1826)**

Southern African mole-rat

**Other recorded names:** *Cryptomys hottentotus natalensis*;

**Museum records:** SMF: 11641, 11642, 11643, 11644; FMNH: 214827, 214828, 214829, 214830, 214914, 214915, 214916;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Maputo; Sofala;

**Known distribution (Wilson & Reeder 2005):** South Africa to Tanzania, S. Dem. Rep. Congo and Namibia.

### ***Heliosciurus argenteocinereus* Peters, 1846**

Silvery mole-rat

**Other recorded names:** *Heliosciurus argentocinereus argentocinereus*; *Heliosciurus argenteocinereus*;

**Museum records:** ZMB: 1859, 85454, 86308, 000 ?; RMNH: RMNH-MAM-26672.a, RMNH-MAM-26672.b; FMNH: 183861; USNM: 367264, 367265, 367266, 367267;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Nampula; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Zimbabwe, E. Zambia, and N. Mozambique to Dem. Rep. Congo, Kenya and N. Tanzania.

## **Gliridae**

---

### ***Graphiurus microtis* (Noack, 1887)**

Large small-eared dormouse

**Other recorded names:** *Graphiurus murinus littoralis*;

**Museum records:** ZMB: 14945, 71324; USNM: 352927, 352928, 352929, 352930; IICT: CZ000001706;

**Reported distribution in Mozambique:** Inhambane; Manica; Maputo City; Tete;

**Known distribution (Wilson & Reeder 2005):** Sub-Saharan Africa excluding West Africa: Chad, Sudan, Ethiopia, Uganda, Rwanda, Kenya, Tanzania, Mozambique, Malawi, S. Dem. Rep. Congo, Zambia, Botswana, Namibia, Zimbabwe and South Africa.

### ***Graphiurus murinus* (Desmarest, 1822)**

Woodland dormouse

**Museum records:** ZMB: 1553; MHNG: MAM-1700.080; FMNH: 183735, 183862, 214728, 214729, 214730, 214731, 214732;

**Bibliographic records:** Smithers and Tello (1976); Gliwicz (1985);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** C., E. and Southern Africa: E. Dem. Rep. Congo, Uganda, Rwanda, Burundi, Ethiopia, Kenya, Tanzania, Malawi, Mozambique, Zambia, Zimbabwe, South Africa.

### ***Graphiurus platyops* Thomas, 1897**

Flat-headed African dormouse

**Museum records:** ZMB: 71379;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Inhambane; Manica;

**Known distribution (Wilson & Reeder 2005):** Southern Africa: Malawi, E. Zambia, Zimbabwe, Botswana, Mozambique and South Africa.

---

## **Hystricidae**

### ***Hystrix africaeaustralis* Peters, 1852**

Cape porcupine

**Other recorded names:** *Hystrix*; *Hystrix africae*; *Hystrix africaeaustralis africaeaustralis*;

**Museum records:** AMNH: M-216336, M-216337; CAS: 14838; ZMB: 1284, 70878; FMNH: 89994; IICT: CZ000000421, CZ000001404;

**Bibliographic records:** Smithers and Tello (1976); Schneider (2004); Stalmans (2007); Mesochina, Langa and Chardonnet (2008); Stalmans and Peel (2009); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Mouth of the Congo River to Rwanda, Uganda, Kenya, W. and S. Tanzania, Mozambique and South Africa.

## Muridae

---

### *Acomys ngurui Verheyen, Hulselmans, Wendelen, Leirs, Corti, Backeljau & Verheyen, 2011*

Nguru spiny mouse

**Bibliographic records:** Petruzel et al. (2018);

**Reported distribution in Mozambique:** Zambezia.

### *Acomys selousi de Winton, 1896*

Selous spiny mouse

**Bibliographic records:** Petruzel et al. (2018);

**Reported distribution in Mozambique:** Gaza.

### *Acomys spinosissimus Peters, 1852*

Southern African spiny mouse

**Other recorded names:** *Acomys spinosissimus spinosissimus*;

**Museum records:** ZMB: 1711; RMCA: 67645 RMCA a6.016-M-1106, 67646 RMCA a6.016-M-1107; FMNH: 214744, 214745, 214746, 214747, 214884, 214885, 214886, 214887, 214888, 214889; USNM: 352811, 352812, 352813, 352814, 352815, 352816, 352817, 352818, 352819, 352820, 352821, 352822, 352823, 352824, 352825, 352826, 352827, 352828, 352829, 352830, 352831, 352832, 367023, 367024, 367025, 367026, 367027, 367028, 367029, 367030, 367031, 367032, 367033, 367034, 367035, 367036, 367037, 367038, 367039, 367040, 367041, 367042, 367043, 367044, 367045, 367046, 367047, 367048, 367049, 367050, 367051, 367052, 367053, 367054, 367055, 367056, 367057, 367058, 367059, 367060, 367061, 367062, 367063, 367064, 367065, 367066, 367067, 367068, 367069, 367070, 367071, 367072, 367073, 367074, 367075, 367076, 367077, 367078, 367079, 367080, 367081, 367082, 367083, 367084, 367085, 367086, 367087, 367088, 367089, 367090, 367091, 367092, 367093, 367094, 367095, 367096, 367097, 367098, 367099, 367100, 367101, 367102, 367103, 367104, 367105, 367106, 367107, 367108, 367109, 367110, 367111, 367112, 367113, 367114, 367115, 367116, 367117, 367118, 367119, 367120, 367121, 367122, 367123, 367124, 367125, 367126, 367127, 367128, 367129, 367130, 367131, 367132, 367133, 367134, 367135, 367136, 367137, 367138, 367139, 367140, 367141, 367142, 367143, 367144, 367145, 367146, 367147, 367148, 367149, 367150, 367151, 367152, 367153, 367154, 367155, 367156, 367157, 367158, 367159, 367160, 367345, 367346, 367347, 367348, 367349, 367350, 367351, 367352, 367353, 367354, 367355, 367356,;

**Bibliographic records:** Smithers and Tello (1976); Gliwicz (1985); Mesochina, Langa and Chardonnet (2008); Bayliss et al. (2010); Petruzelka et al. (2018);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Nampula; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** N.E. Tanzania and E.C. Tanzania, S.E. Dem. Rep. Congo, Zambia, Malawi, Zimbabwe, E. Botswana, C. Mozambique, and N. and N.W. South Africa.

### *Aethomys chrysophilus* (de Winton, 1897)

Red rock rat

**Other recorded names:** *Aethomys chrysophilus acticola*; *Aethomys chrysophilus alticola*; *Aethomys silindensis*;

**Museum records:** AMNH: M-252574, M-252575, M-252576, M-252577, M-252578, M-252579, M-252580, M-252581; NHMUK: 1907.6.2.59, 1908.4.3.73; MCZ: 46269; USNM: 352543, 352544, 352545, 352546, 352547, 352548, 352550, 352553, 352554, 352555, 352556, 352557, 352558, 352559, 352560, 352561, 352562, 352563, 352564, 352565, 352566, 352567, 352568, 352569, 352570, 352571, 352572, 352573, 352574, 352575, 352576, 352577, 352578, 352579, 352580, 352581, 366170, 366171, 366172, 366173, 366174, 366175, 366176, 366177, 366178, 366179, 366180, 366181, 366182, 366184, 366185, 366186, 366187, 366188, 366189, 366190, 366191, 366192, 366193, 366194, 366196, 366197, 366198, 366199, 366200, 366201, 366202, 366203, 366205, 366206, 366207, 366208, 366209, 366210, 366211, 366212, 366213, 366215, 366216, 366217, 366218, 366219, 366220, 366221, 366222, 366223, 366224, 366225, 366226, 366227, 366228, 366229, 366230, 366231, 366232, 366233, 366234, 366236, 366237, 366238, 366239, 366240, 366241, 366242, 366245, 366252, 366253, 366254, 366255, 366257, 366259, 366260, 366261, 366263, 366264, 366265, 366267, 366268, 366269, 366270, 366271, 366272, 366273, 366274, 366275, 366276, 366282, 366289, 366291, 366292, 366293, 366294, 366295, 366296, 366297, 366298, 366299, 366300, 366301, 366302, 366303, 366305, 366306, 367283, 367284, 367285, 428520, 428521, 428522, 428523, 428524, 428525, 428554, 428555, 428556, 428557, 480360;

**Bibliographic records:** Smithers and Tello (1976); Gliwicz (1985); Downs and Wirminghaus (1997); Schneider (2004); GRNB (2010); Mazoch et al. (2017);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Maputo City; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** From S.E. Kenya south through Tanzania, Malawi, Zambia, S. Angola, N. Namibia, N. and E. Botswana, Zambia, Mozambique, and N.E. South Africa in a narrow band bordering Zimbabwe, Botswana, and Mozambique, generally the course of the Limpopo River.

### *Aethomys ineptus* (Thomas & Wroughton, 1908)

Tete veld rock rat

**Bibliographic records:** Chimimba et al. (2001); Mazoch et al. (2017);

**Reported distribution in Mozambique:** Maputo; Tete;

**Known distribution (Wilson & Reeder 2005):** Documented from N.E. South Africa (Mpumalanga, Gauteng, North West, Limpopo, Northern Cape, and KwaZulu-Natal Provs.; from about 25E30' S. in the north southward to the Durban region) and S. Mozambique.

#### ***Micaelamys namaquensis* A.Smith, 1834**

Namaqua rock rat

**Other recorded names:** *Aethomys namaquensis*; *Aethomys namaquensis arborius*;

**Museum records:** AMNH: M-252589, M-252590, M-252591, M-252592, M-252593; ZMB: 85443, 85444; NHMUK: 1908.4.3.79; FMNH: 183757;

**Bibliographic records:** Smithers and Tello (1976); Gliwicz (1985); Timberlake et al. (2009);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Maputo City; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** E. Angola, South Africa, Botswana, Zimbabwe, S. and C. Mozambique, S. Malawi, and S.E. Zambia,

#### ***Dasymys incomitus* (Sundevall, 1847)**

Common dasymys

**Other recorded names:** *Dasymys incomitus incomitus*; *Dasymys* sp.;

**Museum records:** NHMUK: 1977.31, 1977.32; FMNH: 183758, 183759, 183760, 183761; USNM: 366062, 366063, 366064, 366065, 366066, 366067, 366068, 366069, 366070, 366071, 366072, 366073, 366074, 366075, 366076, 366077, 366078, 366079, 366080, 366081, 366082, 366083, 366084, 366085, 366086, 366087, 366088, 366089;

**Bibliographic records:** Smithers and Tello (1976); Timberlake et al. (2009);

**Reported distribution in Mozambique:** Manica; Maputo; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** South Africa, Malawi, Zambia, Zimbabwe, C. and S. Mozambique, Angola, Dem. Rep. Congo, Uganda, Kenya, Tanzania, Ethiopia, S. Sudan.

#### ***Gerbilliscus boehmi* (Noack, 1887)**

Boehm's gerbil

**Other recorded names:** *Tatera boehmi boehmi*;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Tete;

**Known distribution (Wilson & Reeder 2005):** E. Angola, S. Dem. Rep. Congo, N. Zambia, Malawi, Tanzania, Kenya and Uganda.

***Gerbilliscus inclusus* (Thomas & Wroughton, 1908)**

Gorongoza gerbil

**Other recorded names:** *Tatera inclusa*; *Tatera inclusa inclusa*;

**Museum records:** NHMUK: 1908.1.1.79, 1908.1.1.80, 1923.3.4.28, 1934.1.11.38, 1934.1.11.39; FMNH: 214890;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Cabo Delgado; Manica; Nampula; Sofala; Zambezia;

**Known distribution (Wilson & Reeder 2005):** E. Zimbabwe, C. Mozambique to N.E. Tanzania.

***Gerbilliscus leucogaster* (Peters, 1852)**

Bushveld gerbil

**Other recorded names:** *Meriones leucogaster*; *Tatera leucogaster*; *Tatera lobengulae panja*;

**Museum records:** AMNH: M-208687, M-208688, M-252657, M-252658, M-252659, M-252660, M-252661, M-252662, M-252663, M-252664, M-252665, M-252666; CAS: 29348, 29349; ZMB: 1743; NHMUK: 1858.6.18.20, 1899.8.3.9, 1906.11.8.67, 1906.11.8.68, 1906.11.8.69, 1906.11.8.70, 1906.11.8.71, 1906.11.8.72, 1906.11.8.73, 1906.11.8.74, 1906.11.8.156, 1907.6.2.73, 1907.6.2.74, 1907.6.2.75, 1907.6.2.76, 1907.6.2.77, 1907.6.2.78, 1908.4.3.54, 1908.4.3.55, 1908.4.3.56, 1908.4.3.57, 1908.4.3.58, 1908.4.3.59, 1908.4.3.60, 1908.4.3.61; RMCA: 100279, 100280, 100281; MCZ: 43907, 43908, 43909, 43910, 43911, 43912, 43914;

**Bibliographic records:** Smithers and Tello (1976); Downs and Wirminghaus (1997);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** N. and W. South Africa, Mozambique, Zimbabwe, Botswana, Namibia, Malawi, Zambia, Angola, S.W. Tanzania and S. Dem. Rep. Congo.

***Gerbillurus paeba* (A.Smith, 1836)**

Paeba hairy-footed gerbil

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Gaza; Inhambane; Sofala;

**Known distribution (Wilson & Reeder 2005):** South Africa, W. Mozambique, W. Zimbabwe, Botswana, Namibia, and S.W. Angola.

***Grammomys cometes* (Thomas & Wroughton, 1908)**

Mozambique thicket rat

**Other recorded names:** *Thallomys cometes*; *Thamnomys cometes*;

**Museum records:** NHMUK: 1906.11.8.115; FMNH: 214748, 214749, 214750, 214751, 214752, 214753, 214754, 214755, 214756, 214757, 214758, 214759, 214893, 214894, 214895, 214896;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Sofala;

**Known distribution (Wilson & Reeder 2005):** From Pirie Forest (NW of King William's Town) in S.E. Eastern Cape Province of South Africa north through KwaZulu-Natal and Limpopo provinces of that country into E. Zimbabwe (Melsetter and Umtali districts) and Mozambique south of the Zambezi River.

***Grammomys dolichurus* (Smuts, 1832)**

Woodland thicket rat

**Other recorded names:** *Grammomys ? dolichurus* ?; *Thamnomys dolichurus*;

**Museum records:** ZMB: 1648; FMNH: 183660, 183661, 183762, 183763, 214760, 214761, 214762, 214763, 214764, 214765, 214766, 214767, 214768, 214769, 214770, 214771, 214772, 214773, 214774, 214775, 214776, 214777, 214778, 214779, 214780, 214781, 214782, 214783, 214784, 214785, 214786, 214787, 214788, 214789, 214790, 214791, 214897, 214898, 214899, 214900, 214901, 214902, 214903, 214904, 214905, 214906, 214907; USNM: 366044, 366045, 366046, 366047, 366048, 366049, 366050, 366051, 366052, 366053;

**Bibliographic records:** Smithers and Tello (1976); Bayliss et al. (2014);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** From Nigeria east to S. Ethiopia; then south through N. Dem. Rep. Congo, Uganda, Kenya, Tanzania, and C. and S. Malawi to N. and E. South Africa; E. Zimbabwe, and Mozambique; and west through Zambia (except in northeast on Nyika Plateau) to Angola.

***Grammomys macmillani* (Wroughton, 1907)**

Macmillan's thicket rat

**Museum records:** USNM: 366054, 366055, 366056, 366057, 366058, 366059, 366060, 366061;

**Reported distribution in Mozambique:** Sofala;

**Known distribution (Wilson & Reeder 2005):** Sierra Leone, Liberia, Central African Republic, S. Sudan, S. Ethiopia, N. Dem. Rep. Congo, Kenya, Uganda (including Bugala Island in Lake Victoria), Tanzania, Malawi, Mozambique, and E. Zimbabwe; limits unresolved.

***Lemniscomys rosalia* (Thomas, 1904)**

Single-striped grass mouse

**Other recorded names:** *Lemniscomys griselda*; *Lemniscomys griselde caldior*; *Lemniscomys rosalia caldior*;

**Museum records:** AMNH: M-252553, M-252554, M-252555, M-252556; CAS: 29360; NHMUK: 1908.1.1.72; MNHN: 1961-898; FMNH: 214908; USNM: 352524, 352525, 352526, 352527, 352528, 352529, 352530, 352531, 352532, 352533, 352534, 352535, 352536, 352537, 352538, 352539, 352540, 352541, 352542, 366105, 366106, 366107, 366108, 366109, 366110, 366111, 366112, 366113, 366114, 366115, 366116, 366117, 366118, 366119, 366120, 366121, 366122, 366123, 366124, 366125, 366126, 366127, 366128, 366129, 366130, 366131, 366132, 366133, 366134, 366135, 366136, 366137, 366138, 366139, 366140, 366141, 366142, 366143, 366144, 366145, 366146, 366147, 366148, 366149, 366150, 366151, 366152, 366153, 366154, 366155, 366156, 366157, 366158, 366159, 366160, 366161, 366162, 366163, 366164, 366165, 366166, 366167, 366168, 366169, 367275, 367276, 367277, 367278, 367279, 367280, 367281, 367282; MCZ: 44128, 44129, 44130, 44182;

**Bibliographic records:** Smithers and Tello (1976); Gliwicz (1985);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Maputo City; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** N. Namibia, South Africa, E. Swaziland, Zimbabwe, C. and N. Botswana, Mozambique, Zambia, Malawi, Tanzania, and S. Kenya; range inadequately resolved.

***Lophuromys flavopunctatus* Thomas, 1888**

Yellow-spotted brush-furred rat

**Other recorded names:** *Lophuromys aquilus*;

**Museum records:** FMNH: 183662, 183663, 183664, 183665, 183666, 183667, 183668, 183669, 183670, 183671, 183672, 183673, 183674, 183675, 183676, 183764, 183765, 183766, 183767, 183768, 183769, 183770, 183771, 183772, 183773, 183774, 183775, 183776, 183777, 183778, 183779, 183780, 183781;

**Bibliographic records:** Smithers and Tello (1976); Bayliss et al. (2014);

**Reported distribution in Mozambique:** Zambezia;

**Known distribution (IUCN 2018):** Angola; Burundi; Dem. Rep. Congo; Ethiopia; Kenya, Malawi; Mozambique; Rwanda; Sudan; Tanzania, Zambia.

***Mastomys natalensis* (Smith, 1834)**

Natal mastomys

**Other recorded names:** *Mus microdon*; *Praomys natalensis*;

**Museum records:** AMNH: M-252607, M-252608, M-252609, M-252610, M-252611, M-252612, M-252613, M-252614, M-252615, M-252616; SMF: 11645; RMCA: 100292, 100293, 100294, 100295, 100296, 100297, 100298, 100299, 100300, 100307, 100313, 100314, 100317, 100323, 100324, 100326, 100327, 100328, 100329, 100330, 100331, 100332, 100333, 100334, 100335, 100336, 100337, 100339, 100341, 100342, 100343, 67419 RMCA a6.016-M-0880, 67421 RMCA a6.016-M-0882, 67422 RMCA a6.016-M-0883, 67423 RMCA a6.016-M-0884, 67424 RMCA a6.016-M-0885, 67425 RMCA a6.016-M-0886, 67426 RMCA a6.016-M-0887, 67427 RMCA a6.016-M-0888, 67428 RMCA a6.016-M-0889, 67429 RMCA a6.016-M-0890, 67430 RMCA a6.016-M-0891; FMNH: 183677, 183678, 183679, 183680, 183681, 183682, 183683, 183684, 183685, 183782, 183783, 183784, 183785, 183786, 183787, 183788, 183789, 183790, 183791, 183792, 214792, 214793, 214794, 214795, 214796, 214797, 214798, 214799, 214800, 214801, 214802, 214803, 214804, 214909, 214910; ZMB: 1527, 1646, 1647, 85445;

**Bibliographic records:** Smithers and Tello (1976); Gliwicz (1985); Downs and Wirminghaus (1997); Colangelo et al. (2013);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Widespread in subsaharan Africa except for S.W. portion of continent.

### ***Mus minutoides* Smith, 1834**

Southern African pygmy mouse

**Other recorded names:** *Leggada minutoides*; *Leggada minutoides marica*; *Mus minutoides minutoides*; *Mus musculoides*;

**Museum records:** ZMB: 1657, 1658, 2817, 85451, 85452; MHNG: MAM-1700.085; NHMUK: 1907.1.1.180, 1907.6.2.93; RMCA: 66894 RMCA a6.016-M-0016, 66895 RMCA a6.016-M-0017, 66896 RMCA a6.016-M-0018; FMNH: 214805, 214806, 214807; USNM: 352793, 352794, 352795, 352796, 352797, 352799, 352800, 352801, 352802, 352803, 352804, 352805, 352806, 352807, 352808, 352809, 352810, 366990, 366994, 366995, 366996, 366997, 366999, 367000, 367001, 367002, 367003, 367004, 367005, 367006, 367007, 367008, 367009, 367010, 367011, 367012, 367013, 367014, 367015, 367016, 367017, 367340, 367341, 367342, 367343;

**Bibliographic records:** Smithers and Tello (1976); Gliwicz (1985); Downs and Wirminghaus (1997); Timberlake et al. (2009);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Maputo City; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Southern African Subregion: Zimbabwe, Mozambique (south of the Zambezi River), southern and eastern regions of South Africa (S Northern Cape, Western Cape, and Eastern Cape provinces; KwaZulu-Natal, Lesotho, Free State, C. and E. Limpopo provinces) and Swaziland.

***Mus neavei* (Thomas, 1910)**

Neave's mouse

**Museum records:** USNM: 366991, 366992, 366993, 366998;

**Reported distribution in Mozambique:** Tete;

**Known distribution (Wilson & Reeder 2005):** E. Dem. Rep. Congo, S.E. Zambia, S. Zimbabwe, Limpopo Province of South Africa, W. Mozambique and S. Tanzania. Distributional limits undocumented.

***Mus triton* (Thomas, 1909)**

Gray-bellied mouse

**Museum records:** FMNH: 183686, 183687, 183688, 183689, 183690, 183691, 183692, 183693, 183694, 183695, 183696, 183697, 183698, 183699, 183700, 183701, 183702, 183793, 183794, 183795, 183796, 183797, 183798, 183799, 183800, 183801, 183802, 183803, 183804, 183805; USNM: 366936, 366937, 366938, 366939, 366940, 366941, 366942, 366943, 366944, 366945, 366946, 366947, 366948, 366949, 366950, 366951, 366952, 366953, 366954, 366955, 366956, 366957, 366958, 366959, 366960, 366961, 366962, 366963, 366964, 366965, 366966, 366967, 366968, 366969, 366970, 366971, 366972, 366973, 366974, 366975, 366976, 366977, 366978, 366979, 366980, 366981, 366982, 366983, 366984, 366985, 366986, 366987, 366988, 366989, 367335, 367337, 367338, 367339;

**Bibliographic records:** Smithers and Tello (1976); Dowsett-Lemaire and Dowsett (2009); Timberlake et al. (2009); Bayliss et al. (2014);

**Reported distribution in Mozambique:** Manica; Maputo; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** N. and E. Dem. Rep. Congo, Uganda, Kenya, S. Ethiopia, Tanzania, Malawi, Tete Dist. of Mozambique, Zambia, and C. and N.E. Angola.

***Otomys angoniensis* Wroughton, 1906**

Angoni vlei rat

**Other recorded names:** *Otomys angoniensis rowleyi*;

**Museum records:** NHMUK: 1906.11.8.77; FMNH: 183654, 183742, 183743, 183744, 183745, 183746, 183747; USNM: 366102, 366103, 366104;

**Bibliographic records:** Smithers and Tello (1976); Timberlake et al. (2009);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo City; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** S.E. savannah and grasslands, from S. Kenya to S.E. Botswana and N.E. South Africa.

***Otomys auratus Wroughton, 1906***

Southern African vlei rat

**Other recorded names:** *Otomys irroratus*;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Manica;

**Known distribution (Wilson & Reeder 2005):** Mesic savannah and grasslands of southern Africa Western Cape Province to Limpopo Province, South Africa; disjunct populations in W. South Africa and in E. Zimbabwe and contiguous Mozambique.

***Pelomys fallax (Peters, 1852)***

East African pelomys

**Museum records:** AMNH: M-252558, M-252559, M-252560; ZMB: 1675, 85465; FMNH: 183703, 183704, 183806, 183807, 183808, 183809, 183810; USNM: 352931, 366091, 366092, 366093, 366094, 366095, 366096, 366097, 366098, 366099, 366100, 366101;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Nampula; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Savanna habitats from S. Kenya and S.W. Uganda through Tanzania, E. and S. Dem. Rep. Congo, Angola, Zambia, Malawi, and Mozambique, to E. and NW Zimbabwe and N. Botswana.

***Praomys delectorum (Thomas, 1910)***

East African praomys

**Museum records:** FMNH: 183705, 183706, 183707, 183708, 183709, 183710, 183711, 183712, 183713, 183714, 183715, 183716, 183717, 183718, 183719, 183720, 183721, 183722, 183723, 183724, 183725, 183726, 183727, 183728, 183729, 183730, 183731, 183732, 183733, 183734, 183811, 183812, 183813, 183814, 183815, 183816, 183817, 183818, 183819, 183820, 183821, 183822, 183823, 183824, 183825, 183826, 183827, 183828, 183829, 183830, 183831, 183832, 183833, 183834, 183835, 183836, 183837, 183838, 183839, 183840, 183841, 183842, 183843, 183844, 183845, 183846, 183847, 183848, 183849, 183850, 183851, 183852, 183853, 183854, 183855;

**Bibliographic records:** Timberlake et al. (2007); Timberlake et al. (2009); Bayliss et al. (2014); Bryja et al. (2014);

**Reported distribution in Mozambique:** Zambezia;

**Known distribution (Wilson & Reeder 2005):** High plateaus and isolated mountains from N.E. Zambia (Nyika Plateau, Makutus, and Mafingas) and Malawi (Nyika Plateau), through Tanzania to S.E. Kenya.

***Rhabdomys dilectus* (de Winton, 1897)**

Mesic four-striped grass rat

**Other recorded names:** *Arvicantis* sp.; *Rhabdomys pumilio*; *Rhabdomys pumilio dilectus*;

**Museum records:** AMNH: M-216333; FMNH: 214808, 214809, 214810, 214811, 214812, 214813, 214814, 214815, 214816, 214817, 214818, 214819, 214820, 214821, 214822, 214823, 214824, 214825, 214826, 214911, 214912, 214913;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Inhambane; Manica; Sofala;

**Known distribution (Wilson & Reeder 2005):** E. South Africa, E. Zimbabwe, W.C. Mozambique, Malawi (Nyika Plateau and Mulanje Massif), N.E. Zambia (Nyika Plateau), S.E. Dem. Rep. Congo, highlands in Tanzania, Kenya, E. Uganda, and S. and C. Angola.

***Thallomys paedulcus* (Sundevall, 1846)**

Acacia thallomys

**Other recorded names:** *Thallomys paedulcus ruddi*; *Thallomys ruddi*;

**Museum records:** NHMUK: 1908.4.3.81; MCZ: 43906; USNM: 352582, 366183;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** From N.E. South Africa (N KwaZulu-Natal, W. Mpumalanga, Limpopo, Gauteng, and North West), Swaziland, and Botswana north through Zimbabwe, S. Zambia, Mozambique, Malawi, Tanzania, Kenya to S. Ethiopia and S. Somalia; limits unknown.

***Uranomys ruddi* Dollman, 1909**

Rudd's bristle-furred rat

**Other recorded names:** *Uranomys ruddi woodi*;

**Museum records:** USNM: 367018, 367019, 367020, 367021, 367022;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Manica; Sofala;

**Known distribution (Wilson & Reeder 2005):** Savannas in Senegal, Guinea, Côte d'Ivoire, Sierra Leone, Ghana, Togo, N. Nigeria, N. Cameroon, N.E. Dem. Rep. Congo, S.W. Ethiopia, Uganda, Kenya, Tanzania, C. Mozambique, Malawi, and S.E. Zimbabwe; limits unknown.

## Nesomyidae

---

### *Beamys major* Dollman, 1914

Hinde's pouched rat

**Other recorded names:** *Beamys hindei*;

**Museum records:** FMNH: 183657, 183658, 183659, 183751, 183752, 183753;

**Bibliographic records:** Bayliss et al. (2014);

**Reported distribution in Mozambique:** Zambezia;

**Known distribution (Wilson & Reeder 2005):** S.E. Kenya and E. Tanzania.

### *Cricetomys gambianus* Waterhouse, 1840

Northern giant pouched rat

**Other recorded names:** *Cricetomys ansorgei*; *Cricetomys gambianus?*; *Cricetomys gambianus ansorgei*; *Cricetomys gambianus viator*;

**Museum records:** ZMB: 1720, 1721, 72269, 72275; NHMUK: 1906.11.8.125, 1908.1.1.130; FMNH: 183754, 183755, 183756, 214880; USNM: 352925;

**Bibliographic records:** Smithers and Tello (1976); Mesochina, Langa and Chardonnet (2008);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Subsaharan savanna belt (Sudan and Guinea) and forest edges, from Gambia and Senegal eastwards to N.E. Dem. Rep. Congo, S. Sudan, and N. Uganda.

### *Dendromus melanotis* Smith, 1834

Gray African climbing mouse

**Other recorded names:** *Dendromus melanotis vulturinus*;

**Museum records:** MHNG: MAM-1706.055; FMNH: 214734, 214735, 214736, 214737, 214738, 214739, 214740, 214741, 214742, 214743, 214882, 214883; USNM: 367217;

**Bibliographic records:** Smithers and Tello (1976); Timberlake et al. (2009);

**Reported distribution in Mozambique:** Gaza; Manica; Maputo; Sofala; Zambezia;

**Known distribution (Wilson & Reeder 2005):** From South Africa northward in the west through Botswana to C. Angola; northward in the east through Zimbabwe, Mozambique, Zambia, Malawi, and Tanzania to Uganda; westward through Nigeria and Ghana to S. Guinea; also from Ethiopia. Range limits unresolved.

***Dendromus mystacalis* Heuglin, 1863**

Chestnut climbing mouse

**Museum records:** USNM: 367213, 367215;

**Bibliographic records:** Smithers and Tello (1976); Timberlake et al. (2009);

**Reported distribution in Mozambique:** Gaza; Manica; Maputo; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Much of C. and E. Africa, including S. Sudan and Ethiopia, as far south as Angola and E. South Africa.

***Dendromus nyikae* Wroughton, 1909**

Nyika climbing mouse

**Museum records:** USNM: 367214, 367216, 367218;

**Reported distribution in Mozambique:** Manica; Tete;

**Known distribution (Wilson & Reeder 2005):** Patchy range in S. Sub-saharan Africa; S.C. Dem. Rep. Congo, N. and C. Angola, N. South Africa, E. Zimbabwe, Zambia, Malawi, and Eastern Arc Mtns, N.E. Tanzania.

***Saccostomus campestris* Peters, 1846**

Southern African pouched mouse

**Other recorded names:** *Saccostomus campestris campestris*; *Saccostomus* sp.;

**Museum records:** AMNH: M-216334, M-216335, M-252631, M-252632, M-252633, M-252634, M-252635, M-252636, M-252637, M-252638; ZMB: 1712, 2789, 85435, 85436, 85437, 85450, 85455, 85457, 85458, 85459, 85460, 85461; MVZ: 118602, 118603; RMNH: RMNH-MAM-26574.a, RMNH-MAM-26574.b; NHMUK: 1907.1.1.181; FMNH: 214733, 214881; USNM: 352833, 352834, 352835, 352836, 352837, 352838, 352839, 352840, 352841, 352842, 352843, 352844, 352845, 352846, 352847, 352848, 352849, 352850, 352851, 352852, 352853, 352854, 352855, 352856, 352857, 352858, 352859, 352860, 352861, 352862, 352863, 352864, 352865, 352866, 352867, 352868, 352869, 352870, 352871, 352872, 352873, 352874, 352875, 352876, 352877, 352878, 352879, 352880, 352881, 352882, 352883, 352884, 352885, 352886, 352887, 352888, 352889, 352890, 352891, 352892, 352893, 352894, 352895, 352896, 352897, 352898, 352899, 352900, 352901, 352902, 352903, 352904, 352905, 352906, 352907, 352908, 352909, 352910, 352911, 352912, 352913, 352914, 352915, 352916, 352917, 352918, 352919, 352920, 352921, 352922, 352923, 352924, 367161, 367162, 367163, 367164, 367165, 367166, 367167, 367168, 367169, 367170, 367171, 367172, 367173, 367174, 367175, 367176, 367177, 367178, 367179, 367180, 367181, 367182, 367183, 367184, 367185, 367186, 367187, 367188, 367189, 367190, 367191, 367192, 367193, 367194, 367195, 367196, 367197, 367198, 367199, 367200, 367201, 367202, 367203, 367204, 367205, 367206, 367207, 367208, 367209, 367210, 367211, 367212, 367357, 367358; MCZ: 44212;

**Bibliographic records:** Smithers and Tello (1976); Gliwicz (1985);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Maputo City; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Arid to mesic southern savannahs and grasslands: from S.W. Tanzania across to W. Angola; south through most of Malawi, Zambia, Zimbabwe, Botswana, and Namibia; to S. Mozambique and S. South Africa (Western and Eastern Cape provinces).

### ***Steatomys parvus* Rhoads, 1896**

Tiny fat mouse

**Other recorded names:** *Steatomys parvus loveridgei*; *Steatomys pratensis loveridgei*;

**Museum records:** NHMUK: 1922.7.17.211;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Nampula;

**Known distribution (Wilson & Reeder 2005):** East and Southern Africa, and E.C. Sudan, S. Ethiopia, and Somalia; south through Kenya, Uganda, and Tanzania; to S.W. Angola, N.E. Namibia, N.W. Botswana, W. Zambia and W. Zimbabwe.

### ***Steatomys pratensis* Peters, 1846**

Fat mouse

**Other recorded names:** *Steatomys pratensis pratensis*;

**Museum records:** ZMB: 1678, 2788, 85438, 85439, 85440, 85462, 85464; MHNG: MAM-1700.086, MAM-1700.087, MAM-1700.088; RMNH: RMNH-MAM-26491; NHMUK: 1858.6.18.18, 1907.1.1.182; MCZ: 43930; USNM: 352926, 367219, 367220, 367221, 367222, 367223;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Maputo; Maputo City; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Southern and East Africa, S. Angola and N. Namibia; eastward through N. Botswana, Zimbabwe, N. South Africa, and Mozambique; north through Zambia, Malawi, and Tanzania to E.C. Ethiopia.

---

## **Pedetidae**

### ***Pedetes capensis* (Forster, 1778)**

South African spring hare

**Other recorded names:** *Pedetes cafer salineae*; *Pedetes capensis salineae*;

**Museum records:** AMNH: M-214795, M-216269, M-216270, M-216271, M-216272; ZMB: 69132; USNM: 352294, 352295, 352296, 352297, 352298, 352299; NMZB: NMZB-MAM-0067267, NMZB-MAM-0067268, NMZB-MAM-0067269, NMZB-MAM-0067270, NMZB-MAM-0067271, NMZB-MAM-0067272, NMZB-MAM-0067273, NMZB-MAM-0067274, NMZB-MAM-0067278; IICT: CZ000000875, CZ000000876, CZ000001134, CZ000001345, CZ000001373, CZ000001392;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica;

**Known distribution (Wilson & Reeder 2005):** South Africa, Namibia, Angola, Botswana, Mozambique, Zimbabwe, Zambia, S. Dem. Rep. Congo.

## Sciuridae

---

### *Heliosciurus mutabilis* (Peters, 1852)

Mutable sun squirrel

**Other recorded names:** *Heliosciurus mutabilis*; *Heliosciurus mutabilis beirae*; *Heliosciurus rufobrachium*; *Heliosciurus rufobrachium chirindensis*; *Heliosciurus rufobrachium mutabilis*; *Heliosciurus rufobrachium smithersi*; *Heliosciurus rufobrachium vumbae*;

**Museum records:** ZMB: 1396; USNM: 352292, 352293, 365797; NMZB: NMZB-MAM-0028526, NMZB-MAM-0064409, NMZB-MAM-0064410, NMZB-MAM-0064412, NMZB-MAM-0064413, NMZB-MAM-0064414, NMZB-MAM-0064415, NMZB-MAM-0069226, NMZB-MAM-0069230, NMZB-MAM-0069232, NMZB-MAM-0069233, NMZB-MAM-0069235, NMZB-MAM-0069240, NMZB-MAM-0069241; FMNH: 183738, 183739, 183740, 183741, 214879; MCZ: 46268;

**Bibliographic records:** Smithers and Tello (1976); Dowsett-Lemaire and Dowsett (2009); Timberlake et al. (2009); Bayliss et al. (2014);

**Reported distribution in Mozambique:** Gaza; Inhambane; Manica; Nampula; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Malawi; S. and S.W. highlands, Tanzania; N.W. of the Zambezi River near Beira (Mozambique); Chirinda Forest, Melsetter Dist., Sabi/Lundi River confluence, Vumba, Umtali (S.E. Zimbabwe).

### *Paraxerus cepapi* (A.Smith 1836)

Smith's bush squirrel

**Other recorded names:** *Paraxerus cepapi cepapoides*; *Paraxerus cepapi sindi*; *Paraxerus vincenti*;

**Museum records:** NMZB: NMZB-MAM-0003472, NMZB-MAM-0003473, NMZB-MAM-0003478, NMZB-MAM-0003479, NMZB-MAM-0004640, NMZB-MAM-0004788, NMZB-MAM-0033880, NMZB-MAM-0069154, NMZB-MAM-0069155, NMZB-MAM-0069157, NMZB-MAM-0069158, NMZB-MAM-0069159, NMZB-MAM-0069160, NMZB-MAM-0069161, NMZB-MAM-0069163, NMZB-MAM-0069164, NMZB-MAM-0069165, NMZB-MAM-0069167, NMZB-MAM-0069168; IICT: CZ000000856, CZ000001234,

CZ000001391; NHMUK: 1908.4.3.51; MCZ: 44116, 44117, 44118, 44119, 44120, 44121, 44122; USNM: 61751, 61752, 352285, 352286, 352287, 352288, 352289, 352291, 365789, 365790, 365791, 365792, 365793, 365794, 365795, 365796; FMNH: 89995;

**Bibliographic records:** Smithers and Tello (1976); Mesochina, Langa and Chardonnet (2008); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** S. Angola, Zambia, S.E. Dem. Rep. Congo, Malawi, S.W. Tanzania, Mozambique, N. Namibia, N. Botswana, Zimbabwe, N.E. South Africa.

### *Paraxerus flavovittis (Peters, 1852)*

Striped bush squirrel

**Other recorded names:** *Paraxerus flavivittis mossambicus*; *Paraxerus flavovittis mossambicus*;

**Museum records:** ZMB: 1402, 2248, 2267, 89487; NHMUK: 1922.7.17.155; FMNH: 34140; MCZ: 22869, 22870, 22871, 22872, 22873, 22874;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Cabo Delgado; Nampula; Zambezia;

**Known distribution (Wilson & Reeder 2005):** S. Kenya, Tanzania, N. Mozambique.

### *Paraxerus palliatus (Peters, 1852)*

Red bush squirrel

**Other recorded names:** *Paraxerus palliatus*; *Paraxerus palliatus bridgemanii*; *Paraxerus palliatus sponsus*; *Paraxerus swynnertoni*; *Paraxerus vincenti*;

**Museum records:** AMNH: M-216264, M-216265, M-216266; ZMB: 1397, 89486; NMZB: NMZB-MAM-0004784, NMZB-MAM-0028520, NMZB-MAM-0033878, NMZB-MAM-0033879, NMZB-MAM-0069174, NMZB-MAM-0069175, NMZB-MAM-0069176, NMZB-MAM-0069186, NMZB-MAM-0069187, NMZB-MAM-0069189, NMZB-MAM-0069190, NMZB-MAM-0069191, NMZB-MAM-0069192; IICT: CZ000000623, CZ000000818, CZ000000831, CZ000000832, CZ000000850; NHMUK: 1906.11.8.63, 1914.7.18.1; USNM: 425526;

**Bibliographic records:** Smithers and Tello (1976); Downs and Wirminghaus (1997); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Nampula; Sofala; Tete;

**Known distribution (Wilson & Reeder 2005):** S. Somalia, E. Kenya, E. Tanzania, Malawi, Mozambique, Zimbabwe, KwaZulu-Natal (South Africa).

***Paraxerus vincenti* Hayman, 1950**

Vincent's bush squirrel

**Museum records:** NHMUK: 1934.1.11.14; FMNH: 183736, 183737;

**Bibliographic records:** Smithers and Tello (1976); Timberlake et al. (2009);

**Reported distribution in Mozambique:** Zambezia;

**Known distribution (Wilson & Reeder 2005):** N. Mozambique.

---

**Thryonomyidae**

***Thryonomys gregorianus* (Thomas, 1894)**

Lesser cane rat

**Other recorded names:** *Thryonomys gregorianus sclateri*;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Manica;

**Known distribution (Wilson & Reeder 2005):** Cameroon, Central African Republic, Dem. Rep. Congo, S. Sudan, Ethiopia, Kenya, Uganda, Tanzania, Malawi, Zambia, Zimbabwe, Mozambique.

---

***Thryonomys swinderianus* (Temminck, 1827)**

Greater cane rat

**Museum records:** AMNH: M-216338, M-216339, M-216340, M-216341, M-216342, M-216343; ZMB: 1179, 72336, 72352, 102364; USNM: 367226, 367227, 367228, 367359; IICT: CZ000000906, CZ000001358, CZ000001443;

**Bibliographic records:** Smithers and Tello (1976); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Maputo City; Nampula; Sofala; Tete;

**Known distribution (Wilson & Reeder 2005):** Africa, south of the Sahara.

---

**Tubulidentata**

---

**Orycteropodidae**

***Orycteropus afer* (Pallas, 1766)**

Aardvark

**Other recorded names:** *Orycteropus afer afer*;

**Bibliographic records:** Smithers and Tello (1976); Mesochina, Langa and Chardonnet (2008); GRNB (2010);

**Reported distribution in Mozambique:** Cabo Delgado; Gaza; Inhambane; Manica; Maputo; Nampula; Niassa; Sofala; Tete; Zambezia;

**Known distribution (Wilson & Reeder 2005):** Savannah zones of West Africa to E. Sudan, Ethiopia and Eritrea; Kenya; Somalia; N. and W. Uganda to Tanzania; Rwanda; N, E, and C. Dem. Rep. Congo; W. Angola; Namibia; Botswana; Zimbabwe; Zambia; Mozambique; South Africa.

---

## 2. Questionable occurrence species list

### Artiodactyla

#### Bovidae

---

##### *Antidorcas marsupialis* (Zimmermann 1780)

Springbok

**Museum records:** MNCN: 5124;

**Reported distribution in Mozambique:** Zambezia;

**Known distribution (Wilson & Reeder 2005):** S.W. Angola, Botswana, Namibia and South Africa.

##### *Litocranius walleri* (Brooke, 1879)

Gerenuk

**Museum records:** SNOMNH: 19828;

**Known distribution (Wilson & Reeder 2005):** E. Ethiopia, Somalia, Kenya, N.E. Tanzania.

##### *Tragelaphus spekii* Sclater, 1863

Sitatunga

**Other recorded names:** *Tragelaphus spekei selousi*;

**Museum records:** UNSM: 15192;

**Reported distribution in Mozambique:** Tete;

**Known distribution (Wilson & Reeder 2005):** Disjunct. Swamps in Gambia, W. Guinea, Guinea Bissau, and S. Senegal; not authentically recorded from Sierra Leone and doubtfully recorded from Côte d'Ivoire. Rainforest and swamps in C. and E. Angola, S. Benin, N. Botswana, Burundi, Cameroon, Central African Republic, Chad (Lake Chad only), Dem. Rep. Congo, Equatorial Guinea (Mbini), Gabon, Ghana, W. Kenya, Mozambique (W Tete Prov. only), N.E. Namibia (Caprivi Strip only), Niger (Lake Chad only; extinct), S. Nigeria (and Lake Chad), Republic of Congo, Rwanda, S. Sudan, W. and NW Tanzania, Togo (extinct?), Uganda, Zambia and Zimbabwe (extreme NW).

---

## Chiroptera

---

### Emballonuridae

---

#### *Taphozous perforatus* E.Geoffroy, 1818

Egyptian tomb bat

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Manica;

**Known distribution (Wilson & Reeder 2005):** Mauritania and Senegal to Botswana, Mozambique, Somalia, Djibouti and Egypt; S. Arabia; Jordan; S. Iran; Pakistan; N.W. India.

---

## Molossidae

---

### *Mops thersites* Thomas, 1903

Short-winged free-tailed bat

**Other recorded names:** *Mops brachypterus*; *Tadarida thersites*;

**Museum records:** ZMB: 135841;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Nampula;

**Known distribution (Wilson & Reeder 2005):** Gambia to Kenya; Tanzania (including Zanzibar and Mafia Island); Mozambique.

### *Tadarida lobata* (Thomas, 1891)

Big-eared free-tailed bat

**Museum records:** FMNH: 214722;

**Reported distribution in Mozambique:** Sofala;

**Known distribution (Wilson & Reeder 2005):** Kenya, Zimbabwe.

---

## Nycteridae

---

### *Nycteris woodi* K.Andersen, 1914

Wood's slit-faced bat

**Museum records:** USNM: 365176;

**Reported distribution in Mozambique:** Tete;

**Known distribution (Wilson & Reeder 2005):** Zambia and South Africa to N.W. Mozambique and S.W. Tanzania.

### Pteropodidae

---

#### *Epomophorus gambianus (Ogilby, 1835)*

Gambian epauletted fruit bat

**Museum records:** MHNG: MAM-1971.002;

**Reported distribution in Mozambique:** Zambezia;

**Known distribution (Wilson & Reeder 2005):** Senegal and Gambia to Central African Republic, east to Sudan, Ethiopia, S. to Malawi and Botswana.

### Vespertilionidae

---

#### *Nyctalus noctula (Schreber, 1774)*

Noctule

**Other recorded names:** *Vesptilio macuanus*;

**Museum records:** ZMB: 135715; MNHN: MO-1867-409;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Nampula;

**Known distribution (Wilson & Reeder 2005):** Europe and S. Scandinavia to Urals and Caucasus; Turkey to Israel and Oman; W. Turkmenistan, W. Kazakhstan, Uzbekistan, Kyrgyzstan, and Tajikistan to S.W. Siberia, Himalayas, south to Burma, Vietnam, and W. Malaysia; possibly Algeria. A record from Mozambique is dubious.

#### *Pipistrellus rueppellii (J.Fischer, 1829)*

Ruppell's pipistrelle

**Other recorded names:** *Pipistrellus rueppelli*;

**Museum records:** ROM: 51088;

**Reported distribution in Mozambique:** Sofala;

**Known distribution (Wilson & Reeder 2005):** Mauritania, Senegal, Algeria, Israel, Egypt, and Iraq, south to Botswana and N.E. South Africa; Zanzibar.

***Scotoecus albofuscus* (Thomas, 1890)**

Light-winged lesser house bat

**Other recorded names:** *Nycticeius albofuscus woodi*;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Manica;

**Known distribution (Wilson & Reeder 2005):** Senegal and Gambia to Kenya, Tanzania, Mozambique, Malawi, KwaZulu-Natal (South Africa).

---

**Eulipotyphla**

**Soricidae**

---

***Crocidura flavescens* (I.Geoffroy, 1827)**

Greater red musk shrew

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Inhambane;

**Known distribution (Wilson & Reeder 2005):** South Africa.

***Crocidura nigrofusca* Matschie, 1895**

African black shrew

**Museum records:** USNM: 365077;

**Reported distribution in Mozambique:** Tete;

**Known distribution (Wilson & Reeder 2005):** S. Ethiopia and Sudan through E. Africa to Zambia and Angola, Dem. Rep. Congo, perhaps Cameroon.

***Suncus lixus* (Thomas, 1898)**

Greater dwarf shrew

**Other recorded names:** *Suncus lixus gratulus*;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Gaza;

**Known distribution (Wilson & Reeder 2005):** Savanna zones of Kenya, Tanzania, Malawi, Dem. Rep. Congo, Zambia, Angola, Botswana, and South Africa (KwaZulu-Natal, Northwest Prov., Mpumalanga and Limpopo).

### ***Suncus varilla* (Thomas, 1895)**

Lesser dwarf shrew

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Sofala;

**Known distribution (Wilson & Reeder 2005):** Savannahs from the Cape (South Africa) to Zimbabwe, Zambia, Tanzania, E. Dem. Rep. Congo, Malawi; an isolated record from Nigeria.

---

## **Macroscelidea**

### **Macroscelididae**

---

#### ***Elephantulus intufi* (A. Smith, 1836)**

Bushveld elephant shrew

**Museum records:** ZMB: 84906; RMNH: RMNH-MAM-51943.a, RMNH-MAM-51943.b;

**Reported distribution in Mozambique:** Tete;

**Known distribution (Wilson & Reeder 2005):** S.W. Angola; Namibia; Botswana; N. South Africa.

---

## **Pholidota**

### **Manidae**

---

#### ***Manis tricuspidata* Rafinesque, 1821**

Tree pangolin

**Museum records:** MNHN: 1851-519, MO-1847-1839;

**Known distribution (Wilson & Reeder 2005):** Equatorial Africa from Senegal to W. Kenya, south to NW Zambia and S.W. Angola; N.E. Mozambique; Bioko (Equatorial Guinea).

---

## Rodentia

---

### Muridae

---

#### ***Aethomys kaiseri* (Noack, 1887)**

Kaiser's aethomys

**Museum records:** USNM: 366090;

**Reported distribution in Mozambique:** Tete;

**Known distribution (Wilson & Reeder 2005):** S.W. Uganda, S. Kenya, Rwanda, S. and E. Dem. Rep. Congo, W. and S.W. Tanzania, Malawi, Zambia and N.C. Angola.

#### ***Aethomys silindensis* Roberts, 1938**

Seilinda aethomys

**Other recorded names:** *Aethomys selindensis*;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Manica;

**Known distribution (Wilson & Reeder 2005):** E. Zimbabwe.

#### ***Gerbilliscus validus* (Bocage 1890)**

Brush-tailed hairy-footed gerbil

**Other recorded names:** *Tatera valida*;

**Museum records:** IICT: CZ000000397;

**Reported distribution in Mozambique:** Sofala;

**Known distribution (Wilson & Reeder 2005):** From South Africa (Northern Cape Province) northwest through Namibia towards Brukaros-Karas Mtns and C. Namib Desert.

#### ***Mastomys coucha* (Smith, 1834)**

Southern African mastomys

**Museum records:** MCZ: 46303;

**Reported distribution in Mozambique:** Sofala;

**Known distribution (Wilson & Reeder 2005):** Endemic to Southern African Subregion: South Africa (provinces of Eastern and Northern Cape, KwaZulu-Natal, Free State, Gauteng, Mpumalanga, and S. and W. Limpopo; also, in Lesotho), S. and W. Zimbabwe, C. Namibia.

## Nesomyidae

---

### *Dendromus mesomelas* (Brants, 1827)

Brant's climbing mouse

**Other recorded names:** *Dendromus mesomelas mesomelas*;

**Bibliographic records:** Smithers and Tello (1976);

**Reported distribution in Mozambique:** Sofala;

**Known distribution (Wilson & Reeder 2005):** South Africa, N. Botswana, N.E. Namibia, N.W. Zambia, C. Mozambique.

### *Steatomys krebsii* Peters, 1852

Kreb's fat mouse

**Museum records:** USNM: 367224, 367225;

**Reported distribution in Mozambique:** Tete;

**Known distribution (Wilson & Reeder 2005):** Patchy distribution in Southern African Subregion; C and S.W. Angola, N.E. Namibia, N. Botswana, W. Zambia and South Africa.

---

---

## List of Acronyms

<b>AMNH</b>	American Museum of Natural History
<b>BRTC</b>	Texas Cooperative Wildlife Collection
<b>CAS</b>	California Academy of Sciences
<b>EMBL</b>	European Molecular Biology Laboratory
<b>FMNH</b>	Field Museum
<b>HSUWM</b>	Humboldt State University
<b>IICT</b>	Instituto de Investigacao Cientifica Tropical
<b>ISM</b>	Illinois State Museum
<b>KU</b>	University of Kansas Biodiversity Research Center
<b>LACM</b>	Los Angeles County Museum of Natural History
<b>MACN</b>	Museo Argentino de Ciencias Naturales
<b>MCZ</b>	Museum of Comparative Zoology, Harvard University
<b>MHNG</b>	Museum d Histoire Naturelle de la Ville de Geneve
<b>MNCN</b>	Museo Nacional de Ciencias Naturales
<b>MNHN</b>	Museum National d Histoire Naturelle
<b>MSU</b>	Michigan State University Museum
<b>MUP</b>	Museu de Historia Natural da Faculdade de Ciencias do Porto
<b>MVZ</b>	Museum of Vertebrate Zoology, University of California
<b>MZNA</b>	Museum of Zoology, University of Navarra
<b>NHMUK</b>	Natural History Museum
<b>NHMW</b>	Naturhistorisches Museum Wien
<b>NMR</b>	Natural History Museum Rotterdam
<b>NMZB</b>	Natural History Museum of Zimbabwe
<b>NRM</b>	Naturhistoriska Riksmuseet
<b>RBINS</b>	Royal Belgian Institute of Natural Sciences
<b>RMCA</b>	Royal Museum for Central Africa
<b>RMNH</b>	Rijksmuseum voor Natuurlijke Historie
<b>ROM</b>	Royal Ontario Museum
<b>SAMA</b>	South Australian Museum
<b>SMF</b>	Senckenberg Naturmuseum Frankfurt
<b>SNOMNH</b>	Sam Noble Oklahoma Museum of Natural History
<b>TTU</b>	Museum of Texas Tech University
<b>UNSM</b>	University of Nebraska State Museum
<b>USNM</b>	National Museum of Natural History
<b>UWBM</b>	University of Washington Burke Museum
<b>WAM</b>	Western Australian Museum
<b>ZMB</b>	Museum für Naturkunde

---

## Literature cited

- Agreco G.E.I.E., 2008, *National Census of Wildlife in Mozambique – Final Report*, Author & Ministério da Agricultura da República de Moçambique, Maputo
- Andresen, L., Everatt, K.T., Somers, M.J. & Purchase, G.K., 2012, 'Evidence for a resident population of cheetah in the Parque Nacional do Limpopo, Mozambique', *South African Journal of Wildlife Research*, 42(2), 144–146.
- Bayliss, J., Monteiro, J., Fishpool, L., Congdon, C., Bampton, I., Bruessow, C., Matimele, H., Banze, A., Timberlake, J., 2010, *Biodiversity and Conservation of Mount Inago, Mozambique. Report produced under Darwin Initiative Project: Monitoring and Managing Biodiversity Loss in South-east Africa's Montane Ecosystems D.I.No.15/036*, Malawi.
- Bayliss, J., Timberlake, J., Branch, W., Bruessow, C., Collins, S., Congdon, C., Curran, M., Sousa, C., Dowsett, R., Dowsett-Lemaire, F., Fishpool, L., Harris, T., Herrmann, E., Georgiadis, S., Kopp, M., Liggitt, B., Monadjem, A., Patel, H., Ribeiro, D., Spottiswoode, C., Taylor, P., Willcock, S. & Smith, P., 2014, 'The discovery, biodiversity and conservation of Mabu forest — the largest medium altitude rainforest in southern Africa', *Oryx*, 48(2), 177–185.
- Bryja, J., Mikula, O., Patzenhauerová, H., Oguge, N.O., Sumbera, R. & Verheyen, E., 2014, 'The role of dispersal and vicariance in the Pleistocene history of an East African mountain rodent, *Praomys delectorum*', *Journal of Biogeography*, 41(1), 196-208.
- Chimimba, C.T., 2001, 'Geographic variation in the Tete veld rat *Aethomys ineptus* (Rodentia: Muridae) from southern Africa', *Journal of Zoology*, 254, 77–89
- Coals, P.G.R. & Rathbun, G.B., 2012, 'The taxonomic status of giant sengis (Genus *Rhynchocyon*) in Mozambique', *Journal of East African Natural History*, 101(2), 241–250.
- Colangelo, P., Verheyen, E., Leirs, H., Tatard, C., Denys, C., Dobigny, G., Duplantier, J.M., Brouat, C., Granjon, L. & Lecompte, E., 2013, 'A mitochondrial phylogeographic scenario for the most widespread African rodent, *Mastomys natalensis*', *Biological Journal of the Linnean Society*, 108(4).
- Downs, C.T. & Wirminghaus, J.O., 1997, 'The terrestrial vertebrates of the Bazaruto Archipelago, Mozambique: A Biogeographical Perspective', *Journal of Biogeography*,

24, 591–602.

Dowsett-Lemaire, F. & Dowsett, R., 2009, *The avifauna and forest vegetation of Mt. Mabu, northern Mozambique, with notes on mammals. Final report (October 2008)*, Dowsett-Lemaire miscellaneous Report 66

Dunham, K.M., 2004, *Aerial Survey of Large Herbivores in Gorongosa National Park*, The Gregory C. Carr Foundation, Cambridge MA

Dunham, K.M., 2010, *Part 4 - Aerial Survey of Wildlife south of Lake Cabo Bassa Wildlife Survey Phase 2 and Management of Human-Wildlife Conflicts in Mozambique*

Dunham, K.M., Westhuizen, E. Van Der, Westhuizen, H. F. Van Der & Gandiwa, E., 2010, *Aerial Survey of Elephants and other Large Herbivores in Gonarezhou National Park (Zimbabwe), Zinave National Park (Mozambique) and surrounds: 2009*', Parks and Wildlife Management Authority, The Transfrontier Conservation Areas Co-ordination Unit, Frankfurt Zoological Society

Grupo de Gestão de Recursos Naturais e Biodiversidade (GRNB), 2010, *Biodiversity Baseline of the Quirimbas National Park, Mozambique - Final Report*, Author, Universidade Eduardo Mondlane, Maputo

International Union for the Conservation of Nature (IUCN), 2018, *The IUCN red list of threatened species*, Version 2018-1, viewed 27 August 2018, from <http://www.iucnredlist.org>.  
Matthews, W.S. & Nemane, M., 2006, *Aerial survey report for Maputo Special Reserve*, Ezemvelo KwaZulu-Natal Wildlife, Ministério do Turismo, Reserva Especial de Maputo, Maputo

Mazoch, V., Mikula, O., Bryja, J., Konvicková, H., Russo, I., Verheyen, E. & Sumbera, R., 2017, 'Phylogeography of a widespread sub-Saharan murid rodent *Aethomys chrysophilus*: the role of geographic barriers and paleoclimate in the Zambezian bioregion', *Mammalia*, aop.

Mesochina, P., Langa, F. & Chardonnet, P., 2008, *Preliminary Survey of Large Herbivores in Gilé National Reserve, Zambézia Province, Mozambique*, Direcção Provincial do Turismo da Zambézia & IGF Foundation, Paris

Monadjem, A., Schoeman, M.C., Reside, A., Pio, D.V., Stoffberg, S., Bayliss, J., Cotterill, F.P.D., Curran, M., Kopp, M. & Taylor, P.J., 2010, 'A recent inventory of the bats of Mozambique with documentation of seven new species for the country', *Acta Chiropterologica*,

12(2), 371–391.

Monadjem, A., Goodman, S.M., Stanley, W.T. & Appleton, B., 2013, 'A cryptic new species of Miniopterus from south-eastern Africa based on molecular and morphological characters', *Zootaxa*, 3746(1), 123–142.

Petruzela, J., Sumbera, R., Aghová, T., Bryjová, A., Katakweba, A.S., Sabuni, C.A., Chitaukali, W.N., Bryja, J., 2018, 'Spiny mice of the Zambezian bioregion – phylogeny, biogeography and ecological differentiation within the *Acomys spinosissimus* complex', *Mammalian Biology*, 91, 79–90.

Schneider, M.F., 2004, *Checklist of Vertebrates and Invertebrates of Mareja Reserve*, Universidade Eduardo Mondlane & International Union for the Conservation of Nature, Mozambique, Maputo

Smithers, R.H.N. & Tello, J.L.P., 1976, *Checklist and atlas of the mammals of Moçambique*, Museum Memoir No. 8, The Trustees of the National Museums and Monuments of Rhodesia, Salisbury.

Spassov, N. & Roche, J., 1988, 'Découverte du daman de Johnston, représentant du genre *Procavia*, au Mozambique', *Mammalia*, 52(2), 169–174.

Spassov, N., 1990, 'On the presence and specific position of pangolins (Gen. *Manis* L.: *Pholidota*) in North Mozambique', *Historia Naturalis Bulgarica*, 2, 61–64.

Stalmans, M., 2007, Parque Nacional de Zinave, Moçambique - Wildlife survey. Projecto Áreas de Conservação Transfronteira e Desenvolvimento do Turismo, Ministério do Turismo, Maputo

Stalmans, M. & Peel, M., 2009, *Parque Nacional de Banhine, Moçambique - Wildlife survey. Projecto Áreas de Conservação Transfronteira e Desenvolvimento do Turismo*, Ministério do Turismo, Maputo

Taylor, P.J., Stoffberg, S., Monadjem, A., Schoeman, M.C., Bayliss, J. & Cotterill, F.P.D., 2012, 'Four new bat species (*Rhinolophus hildebrandtii* complex) reflect Plio-Pleistocene divergence of dwarfs and giants across an Afromontane archipelago', *Plos One*, 7(9), e41744.

Taylor, P.J., Kearney, T.C., Kerbis Peterhans, J.C., Baxter, R.M. & Willows-Munro, S., 2013, 'Cryptic diversity in forest shrews of the genus *Myosorex* from southern Africa, with

the description of a new species and comments on *Myosorex tenuis*', *Zoological Journal of the Linnean Society*, 169(4), 881–902.

Taylor, P.J., Macdonald, A., Goodman, S.M., Kearney, T., Cotterill, F.P.D., Stoffberg, S., Monadjem, A., Schoeman, M.C., Guyton, J., Nasckrecki P. & Richards, L.R., 2018, 'Integrative taxonomy resolves three new cryptic species of small southern African horseshoe bats (*Rhinolophus*)', *Zoological Journal of the Linnean Society*, zly024

Timberlake, J., Bayliss, J., Alves, T., Baena, S., Harris, T. & Sousa, C., 2007, *The Biodiversity and Conservation of Mount Chiperone, Mozambique*, Darwin Initiative Award 15/036, Royal Botanic Gardens, Kew, London

Timberlake, J., Dowsett-lemaire, F., Bayliss, J., Alves, T., Baena, S., Bento, C., Cook, K., Francisco, J., Harris, T., Smith, P. & Sousa, C., 2009, *Mt. Namuli, Mozambique: biodiversity conservation*, Darwin Initiative Award 15/036, Royal Botanic Gardens, Kew, London

Wilson, D.E. & Reeder, D.M., 2005, *Mammal species of the world. A taxonomic and geographic reference*, Johns Hopkins University Press, Baltimore.

Whyte, I. & Swanepoel, B., 2006, *An Aerial Census of the Shingwedzi Basin Area of the Limpopo National Park*, Ministério do Turismo, Maputo