OBITUARY

SARIE MAGDALENA PEROLD (1928–2011)

Sarie Perold (née Lombard) (Figure 1) was born in Johannesburg, South Africa on 19 May 1928 and died in a frail care centre near Pretoria on Friday 11 November 2011, aged 83.

Dr or Mevrou [Mrs.] Perold, as I used to call her, for she hated being called by her first name by strangers and anyone she perceived as her junior, matriculated from the Kensington Hoërskool in 1945 with four distinctions. She studied at the University of the Witwatersrand (Wits) and received a B.Sc. degree in 1949, majoring in Anatomy and Histology. She well remembered the large first year classes at Wits as a result of the return of exservicemen from World War II. From 1950 to mid 1967, she worked as a laboratory technician in Histology and Chemical Pathology at the South African Institute for Medical Research, then for Irving & Robertson, a firm of private pathologists, and finally as a research assistant in the Department of Chemical Pathology at the Wits Medical School.

In 1953 she married the writer and film director Jan Perold, known for Afrikaans feature films such as *Die ruiter in die nag* (1963). Their only child, Jan, was born in 1967 and a year later they moved from Linden in Johannesburg to Val-de-Grace in Pretoria. Re-entering the work force in 1976, Dr Perold held several temporary teaching posts at private and public schools in Pretoria. During this time she also completed second year



FIGURE 1.—Sarie Magdalena Perold (1928–2011). Photograph: Elizma Fouché.



FIGURE 2.—Sarie Perold at work in the PRE bryophyte herbarium shortly after she started there in 1980. Photograph: Adela Romanowski.

courses in Zoology and Botany at the University of Pretoria. Her lecturers included the legendary Mr Oosthuizen of Zoology and Prof. Braam van Wyk, who later served as study leader for both her master's and doctoral degrees (Perold 1990, 1991). Little did she know that she herself would one day present a course on Bryology to 2nd year Botany students at the University of Pretoria; from 1992 to 1997.

In November 1979, Dr Perold joined the Botanical Research Institute (later the National Botanical Institute and now the South African National Biodiversity Institute) as a PRECIS database encoder. This job was very convenient, as she lived close to the botanical gardens and could drive her son to his many extra-mural activities in the afternoons. She also loved driving through the gardens on her way to work in the mornings. However, the encoding did not agree with her and she requested a transfer to the downtown head office of the Department




FIGURE 3.—From left, Jacques van Rooy, Robert (Bob) Magill and Sarie Perold in the PRE bryophyte herbarium, Oct. 1994. Photograph: Adela Romanowski.

Table 1. Liverwort taxa published by Sarie M. Perold (as listed in Tropicos, botanical information system at the Missouri Botanical Garden: www. tropicos.org)

Family	Name	Author	Reference	Date
Aytoniaceae	Cryptomitrium oreades	Perold	Bothalia 24: 149. f. 1–2	1994
Fossombroniaceae	Fossombronia angulifolia	Perold	Bothalia 28: 159. f. 1-3	1998
Fossombroniaceae	Fossombronia capensis var. spiralis	Perold	Bothalia 29: 1. f. 1-3	1999
Fossombroniaceae	Fossombronia cederbergensis	Perold	Bothalia 28: 1. f. 1-3	1998
Fossombroniaceae	Fossombronia elsieae	Perold	Bothalia 29: 25. f. 1-3	1999
Fossombroniaceae	Fossombronia gemmifera	Perold	Bothalia 27: 19. f. 1–3	1997
Fossombroniaceae	Fossombronia glenii	Perold	Bothalia 27: 20. f. 5-7	1997
Fossombroniaceae	Fossombronia hyalorhiza	Perold	Bothalia 29: 83. f. 1-3	1999
Fossombroniaceae	Fossombronia marindae	Perold	Bothalia 29: 86. f. 5-7	1999
Fossombroniaceae	Fossombronia monticola	Perold	Bothalia 29: 87. f. 8-10	1999
Fossombroniaceae	Fossombronia nyikaensis	Perold	Bothalia 31: 48	2001
Fossombroniaceae	Fossombronia renateae	Perold	Bothalia 29: 77. f. 1–3	1999
Fossombroniaceae	Fossombronia rwandaensis	Perold	Bothalia 28: 45. f. 1-7	1998
Fossombroniaceae	Fossombronia spinosa	Perold	Bothalia 29: 29. f. 5-8	1999
Fossombroniaceae	Fossombronia straussiana	Perold	Bothalia 27: 24. f. 8-10	1997
Fossombroniaceae	Fossombronia swaziensis	Perold	Bothalia 28: 162. f. 5-7	1998
Fossombroniaceae	Fossombronia zuurbergensis	Perold	Bothalia 31: 25	2001
Ricciaceae	Riccia subgen. Chartaceae	Perold	Bothalia 16: 29	1986
Ricciaceae	Riccia sect. Micantes	O.H. Volk & Perold	Bothalia 16: 187	1986
Ricciaceae	Riccia sect. Pannosae	Perold	Bothalia 20: 28	1990
Ricciaceae	Riccia alatospora	O.H. Volk & Perold	Bothalia 15: 534. f. 4-6	1985
Ricciaceae	Riccia alatospora var. hantamensis	Perold	Hist. Phys. Cuba, Bot., Pl. Cell.	?
Ricciaceae	Riccia alboporosa	Perold	Bothalia 19: 12. f. 5–6	1989
Ricciaceae	Riccia albornata	O.H. Volk & Perold	Bothalia 18: 160. f. 6-8	1988
Ricciaceae	Riccia ampullacea	Perold	Bothalia 20: 168. f. 1–3	1990
Ricciaceae	Riccia argenteolimbata	O.H. Volk & Perold	Bothalia 18: 155. f. 1–3	1988
Ricciaceae	Riccia atlantica	Sérgio & Perold	J. Bryol. 17: 127. f. 1-3	1992
Ricciaceae	Riccia bicolorata	Perold	Bothalia 20: 187. f. 5–7	1990
Ricciaceae	Riccia biokoensis	Perold	Nova Hedwigia 64: 244. f. 1–13	1997
Ricciaceae	Riccia duthieae	O.H. Volk & Perold	Bothalia 15: 531. f. 1-3	1985
Ricciaceae	Riccia elongata	Perold	Bothalia 20: 167. f. 1-3	1990
Ricciaceae	Riccia erubescens	Perold	J. Bryol. 16: 371. f. 4-6	1991
Ricciaceae	Riccia furfuracea	Perold	Bothalia 20: 176. f. 1-3	1990
Ricciaceae	Riccia hantamensis	Perold	Bothalia 19: 157. f. 2-4: A-F: a	1989
Ricciaceae	Riccia hirsuta	O.H. Volk & Perold	Bothalia 16: 187. f. 1–3	1986
Ricciaceae	Riccia mammifera	O.H. Volk & Perold	Bothalia 16: 176. f. 8-10	1986
Ricciaceae	Riccia mamrensis	Perold	Cryptog. Bryol. 26: 68	2005
Ricciaceae	Riccia microciliata	O.H. Volk & Perold	Bothalia 16: 173. f. 5-7	1986
Ricciaceae	Riccia montana	Perold	Bothalia 19: 9. f. 1-3	1989
Ricciaceae	Riccia namaquensis	Perold	Bothalia 20: 180. f. 8-10	1990
Ricciaceae	Riccia parvoareolata	O.H. Volk & Perold	Bothalia 15: 117. f. 1–3	1984
Ricciaceae	Riccia pulveracea	Perold	Bothalia 20: 185. f. 1-3	1990
Ricciaceae	Riccia radiata	Perold	Bothalia 34: 23	2004
Ricciaceae	Riccia rosea	O.H. Volk & Perold	Bothalia 16: 181. f. 1–4	1986
Ricciaceae	Riccia sarcosa	O.H. Volk & Perold	Bothalia 16: 23. f. 1-4	1986
Ricciaceae	Riccia schelpei	O.H. Volk & Perold	Bothalia 16: 29. f. 1–3	1986
Ricciaceae	Riccia sibayenii	Perold	Bothalia 31: 151	2001
Ricciaceae	Riccia simii	Perold	Bothalia 20: 36. f. 5-7	1990
Ricciaceae	Riccia somaliensis	Perold	J. Bryol. 16: 367. f. 1–3	1991
Ricciaceae	Riccia stricta	(Gottsche, Lindenb. & Nees) Perold	Bothalia 20: 197	1990
Ricciaceae	Riccia tomentosa	O.H. Volk & Perold	Bothalia 20: 25. f. 1-2, 3-6	1990
Ricciaceae	Riccia trachyglossum	Perold	Bothalia 20: 172. f. 8-10	1990
Ricciaceae	Riccia vitrea	Perold	Bothalia 20: 178. f. 5-7	1990
Ricciaceae	Riccia vitrenosa	Perold	Index Bryol. (ed. 2)	?

of Agriculture. Fortunately, the personnel officer, Mrs. Gwen Hussem, realised that it would be a loss for the institute and organised a post for her in the herbarium, as

part-time technical assistant to Dr Robert (Bob) Magill (Figure 3). He was on contract from the Missouri Botanical Garden to revise the mosses for the *Flora of south*-



FIGURE 4.—Collecting bryophytes in Lesotho as part of the first overseas British Bryological Society taxonomic workshop: National University of Lesotho (NUL), Roma, Apr. 1997. From left, Mr T. Mafa, Prof. Jeff Duckett, Dr A. Moteetee, Dr Sarie Perold and Mr Howard Matcham. Photograph: Marinda Koekemoer.

ern Africa (FSA) project. Her duties included microscope slide preparation, physical and scientific curation, identifications, and later taxonomic research (Figure 2). She was also in charge of the institute's Scanning Electron Microscope unit for many years.

How she landed this job in the first place came to light years later in a note addressed to Dr Donald Killick, Deputy Director of the institute, dated 28 April 1989. She wrote 'I would like to take this opportunity of sincerely thanking you for interviewing and appointing me ten years ago, when Mrs. Bruyns contacted you on my behalf. I have been very happy in my work at BRI.' On the 2nd of May Dr Killick replied 'I can't remember interviewing you, but if I did, it was one of the best appointments made.'

Dr Perold had many interesting stories to tell about her employers but always concluded that SANBI was the best place she ever worked for. Her great sense of humour kept us going through difficult times. In the words of a retired ex-curator of the National Herbarium: 'herbarium is dogsbody'. Her main regret was that she was always in only a 'temporary' post.

So she embarked upon a career in bryology at the relatively late age of 51, but nevertheless became one of the leading experts on the taxonomy and nomenclature of African thallose liverworts, in particular the genus *Riccia* (Van Rooy 2012). Dr Perold published more than 100 botanical papers, at nearly five papers per year, the vast majority of which appeared in SANBI's house journal *Bothalia* (see list below). Her longest series in *Bothalia* is *Studies in the genus* Riccia (*Marchantiales*) from southern Africa with 27 papers. However, she also published in several overseas journals, often by invitation (Van Rooy 2012). Her work on the thallose liverworts (Order Marchantiales) culminated in the first fascicle of the liverwort volume in the FSA series (Perold 1999). Dr Perold is the author or co-author of 53 new liverwort

names (36 in the family Ricciaceae) and one new combination (Table 1). She collected more than 5 000 numbers in South Africa, Lesotho (Van Rooy 2012) (Figure 4), Swaziland, Malawi, Réunion and Zimbabwe.

In 1993, when she reached the age of 65, Dr Perold had to retire from SANBI, but was determined to continue with her research. She was annually re-appointed on a temporary, part-time basis for another decade. Thereafter she maintained an active presence in her office and finally retired from scientific work in June 2009.

Dr Perold was a member of the International Association of Bryologists (IAB) for many years. She served on the International Association for Plant Taxonomy (IAPT) permanent Nomenclature Committee for Bryophytes from 2000 to 2005. In 1992, she was awarded the R.A. Dyer Prize for her contribution to taxonomic research at SANBI. The following year she received the Junior Captain Scott Medal, awarded by the South African Academy for Science and Arts for the best M.Sc. dissertation at a South African University. In 2011, the year of her death, she received the South African Association of Botany Silver Medal for her significant contributions to the advancement of botany in South Africa. In his endorsement of her nomination, Prof. Braam van Wyk concluded that 'Dr Perold is undoubtedly the most eminent hepaticologist southern Africa has hitherto produced. Her contributions to the taxonomy of the liverworts of Africa in general and southern Africa in particular have been immense and in many instances pioneering. All her scientific contributions are of the highest standard and of lasting significance.'

Life wasn't all about liverworts to Dr Perold. She delighted in the presence of bush babies, small nocturnal primates (*Galego moholi*), that were living in the trees around her house. She regularly put out fruit for them, especially bananas. She also kept a pet squirrel monkey (*Saimiri* sp.) called Kesie, that she showered with love.

Kesie was let loose in the trees around her house in the afternoons, to the dismay of her neighbours. After the monkey had died, she adopted a stray kitten. She particularly loved a little Scrophulariaceous plant, *Cymbalaria muralis* subsp. *muralis* (ivy-leaved toadflax). She gave a plant to a friend to look after, to ensure she did not lose if

Dr Perold's funeral service was held in the Nederduitse Gereformeerde Kerk, Skuilkrans, just down the road from the institute, on 18 November 2011. It was attended by many relatives, friends and former colleagues, including Mrs. Girlie Filter and me, both technical assistants in the bryophyte herbarium at the time of her appointment. She is survived by her son Jan, a research psychologist.

In his letter of condolence, Prof. Rod Seppelt of Tasmania, a long-time correspondent, wrote 'She will be a great loss and her contributions to our knowledge of the South African hepatic flora have been exemplary.' The eminent bryologists and experts on the bryoflora of Africa, Prof. Ryzard Ochyra and his wife Prof. Halina Bednarek-Ochyra from Krakow, Poland, remarked that 'Her death is a great loss, not only for South African but also international bryology and her meticulous work on thallose hepatics will continue to serve as a model of unprecedented scrutiny and accuracy.'

PUBLICATIONS BY SARIE M. PEROLD

- EEN, G. & PEROLD, S.M. 2000. Obituaries. In memory of S.W. Arnell, hepaticologist. *Bothalia* 30: 218–220.
- GLEN, H.F. & PEROLD, S.M. 2000. Obituaries. Otto Heinrich Volk (1903–2000). *Bothalia* 30: 215–218.
- LINDER, H.P., THOMPSON, J., ELLIS, R.P. & PEROLD, S.M. 1990. The occurrence, anatomy and systematic implications of the glands in *Pentachistis* and *Prionanthium* (Poaceae, Arundinoideae, Arundineae). *Botanical Gazette* 151: 221–233.
- MANYANGA, P. & PEROLD, S.M. 2004. A checklist of Zimbabwean bryophytes. Southern African Botanical Diversity Network Report No. 21. SABONET, Pretoria & Harare.
- PEROLD, S.M. & VOLK, O.H. 1988. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 8. *R. campbelliana* (subgenus *Riccia*), newly recorded for the region. *Bothalia* 18: 37–42.
- PEROLD, S.M. & VOLK, O.H. 1988. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 9. *R. nigrella* and the status of *R. capensis. Bothalia* 18: 43–49.
- PEROLD, S.M. 1986. Ricciaceae. *Pteroriccia* Schust., should it be upheld? *Bothalia* 16: 63, 64.
- -1986. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 7. *R. congoana* and its synonyms. *Bothalia* 16: 193–201.
- -1987. The hidden world of Bryophytes / Briofiete—amfibieë van die plantwêreld. Custos 16: 26–31.
- -1989. Spore-wall ornamentation as an aid in identifying the southern African species of *Riccia* (Hepaticae). *Journal of the Hattori Botanical Laboratory*. 67: 109–201.
- -1989. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 11. *Riccia montana* and *R. alboporosa*, a further two new white-scaled species of the group 'Squamatae'. *Bothalia* 19: 9–16.
- -1989. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 12. *R. albolimbata* and the status of *R. albosquamata*, white-scaled species originally described by Arnell. *Bothalia* 19: 17–25.
- -1989. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 13. A new species, *R. hantamensis*, in the section *Pilifer* and a new record for *R. alatospora. Bothalia* 19: 157–160.
- –1989. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 14. *R. concava*, section *Pilifer. Bothalia* 19: 161–165.
- -1990. Bryophyta. In B.C. de Wet et al., New taxa, new records and name changes for southern African plants. *Bothalia* 20: 249–266.

-1990. Marchantiales. Spore germination, early protonema development and vegetative reproduction in *Riccia*, section *Pilifer*. *Bothalia* 20: 214, 215.

- -1990. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 16. *R. albomarginata* and *R. simii* sp. nov. *Bothalia* 20: 31–39.
- -1990. Studies in the genus Riccia (Marchantiales) from southern Africa. 17. Three new species in the section Pilifer, R. elongata, R. ampullacea and R. trachyglossum. Bothalia 20: 167–174.
- -1990. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 18. New species in the section *Pilifer* from the NW Cape: *R. furfuracea*, *R. vitrea* and *R. namaquensis*. *Bothalia* 20: 175–183.
- -1990. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 19. Two new species: *R. pulveracea*, section *Pilifer* and *R. bicolorata*, section *Riccia*, group 'Squamatae'. *Bothalia* 20: 185–190.
- -1990. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 20. *R. albovestita* and its synonyms, *R. duthieae* and *R. sarcosa. Bothalia* 20: 191–196.
- -1990. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 21. *R. stricta*, *R. purpurascens* and *R. fluitans*, subgenus *Ricciella*. *Bothalia* 20: 197–206.
- -1990. Taxonomic relevance of the spore-wall ornamentation in the southern African species of *Riccia* L. (Hepaticae: Ricciaceae). M.Sc. thesis. University of Pretoria.
- -1991. Bryophyta. In B.C. de Wet et al., New taxa, new records and name changes for southern African plants. *Bothalia* 21: 191–213.
- -1991. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 22. *R. rubricollis* now validated, typified and described. *Bothalia* 21: 51–54.
- -1991. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 23. *R. bullosa*: typification and a full description. *Bothalia* 21: 129–135.
- -1991. Taxonomic revision of the Ricciaceae Reichenb. (Marchantiales: Hepaticae) in southern Africa. Ph.D. thesis. University of Pretoria.
- -1991. Two new species of Riccia L. from tropical Africa: R. somaliensis and R. erubescens. Journal of Bryology 16: 367–377.
- -1992. Cololejeunea cardiocarpa, an epiphyllous liverwort in southern Africa. Bothalia 22: 177–182.
- -1992. Notes on African plants. Lectotypification of Riccia crystallina. Bothalia 22: 185–187.
- -1992. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 24. *R. moenkemeyeri*, subgenus *Ricciella*: new records. *Bothalia* 22: 19–22.
- –1992. The occurrence in southern Africa of the hepatic, Symphyogyna brasiliensis (Pallaviciniaceae). Bothalia 22: 53–58.
- -1992. Whither bryology in southern Africa? Forum Botanicum 29: 1 & 3
- -1993. Allisoniaceae. The hepatic, Calycularia crispula (Metzgeriales) reported from Malawi and Zambia. Bothalia 23: 79–83.
- –1993. Discover the fascinating study of bryophytes. *Archimedes* 35: 50–56.
- -1993. Liverworts. In T.H. Arnold & B.C. De Wet (eds). Plants of southern Africa: Names and distributions. *Memoirs of the Botanical Survey of South Africa* no. 62. National Botanical Institute, Pretoria.
- -1993. Ricciaceae/Riccia L. in Results of the Bryotrop expedition to Rwanda and Zaïre. Tropical Bryology 8: 55–68.
- 1993. Studies in the Marchantiales (Hepaticae) from southern Africa.
 1. The genus *Dumortiera* and *D. hirsuta*; the genus *Lunularia* and *L. cruciata. Bothalia* 23: 49–57.
- -1993. Studies in the Marchantiales (Hepaticae) from southern Africa.
 2. The genus Athalamia and A. spathysii; the genus Oxymitra and O. cristata, Bothalia 23: 207–214.
- -1993. Studies in the Marchantiales (Hepaticae) from southern Africa. 3. The family Targioniaceae and its only local representative *Targionia hypophylla* with notes on *T. lorbeeriana* and *Cyathodium foetidissimum*. *Bothalia* 23: 215–222.
- -1993. The hepatic, Jensenia spinosa (Pallavicinia stephanii), Metzgeriales, in southern Africa. Bothalia 23: 223–229.
- -1993. The hepatics, Symphyogyna podophylla and Pallavicinia lyellii (Pallaviciniaceae) in southern Africa. Bothalia 23: 15–23.
- –1994. Die evolusie van gametangiofore in suider-Afrikaanse Marchantiales (Hepaticae): 'n hipotese. Die Suid-Afrikaanse tydskrif vir Wetenskap en Tegnologie 13: 16–20.
- -1994. Studies in the Marchantiales (Hepaticae) from southern Africa. 4. *Mannia capensis*, section and subgenus *Xeromannia*, family Aytoniaceae. *Bothalia* 24: 9–14.

- -1994. Studies in the Marchantiales (Hepaticae) from southern Africa.
 5. The genus Exormotheca and its local representatives E. pustulosa and E. holstii. Bothalia 24: 15–23.
- -1994. Studies in the Marchantiales (Hepaticae) from southern Africa.
 6. The genus Asterella (family Aytoniaceae, subfamily Reboulioideae) and its four local representatives. Bothalia 24: 133–147.
- -1994. Studies in the Marchantiales (Hepaticae) from southern Africa.
 7. The genus *Cryptomitrium* (family Aytoniaceae, subfamily Reboulioideae) and its only local representative, *C. oreades* sp. nov. *Bothalia* 24: 149–152.
- -1995. The taxonomic history of the Ricciaceae (1937–1995) and a classification of sub-Saharan Ricciae. *Bothalia* 25: 211–244.
- -1995. A survey of the Ricciaceae of tropical Africa. Fragmenta Floristica et Geobotanica 40: 53–91.
- -1995. Lunulariaceae. Fruiting *Lunularia cruciata*, now also reported from southern Africa. *Bothalia* 25: 239–242.
- -1995. Studies in the Marchantiales (Hepaticae) from southern Africa.
 8. The genus *Plagiochasma* (family Aytoniaceae, subfamily Aytonioideae) and its local taxa. *Bothalia* 25: 13–29.
- -1995. Studies in the Marchantiales (Hepaticae) from southern Africa.
 9. The genus *Marchantia* and its five local taxa. *Bothalia* 25: 183–204.
- -1996. Studies in the Ricciaceae of sub-Saharan Africa: a provisional key to the currently known species. *Bothalia* 26: 95–123.
- -1997. A new species of the liverwort genus *Riccia* L. from Bioko Island, *R. biokoensis* Perold. *Nova Hedwigia* 64: 243–248.
- -1997. Liverworts. In N.L. Meyer, M. Mössmer & G.F. Smith. Taxonomic literature of southern African plants. *Strelitzia* 5: 7. National Botanical Institute, Pretoria.
- -1997. Studies in the liverwort genus Fossombronia (Metzgeriales) from southern Africa. 1. Three new species from Northern Province, Gauteng and Mpumalanga. Bothalia 27: 17–27.
- -1997. Studies in the liverwort genus Fossombronia (Metzgeriales) from southern Africa. 2. An amendment to three species from Western Cape, described by S.W. Arnell. Bothalia 27: 29–38.
- -1997. Studies in the liverwort genus Fossombronia (Metzgeriales) from southern Africa. 3. An amendment to F. spinifolia. Bothalia 27: 39–42.
- -1997. Studies in the liverwort genus Fossombronia (Metzgeriales) from southern Africa. 4. A re-examination of F. crispa, F. leucoxantha and F. tumida. Bothalia 27: 105–116.
- –1997. The lectotypification of Fossombronia crispa. Bothalia 27: 137, 138.
- -1998. Asterella abyssinica newly reported from southern Africa and Malawi (Aytoniaceae— Hepatophyta). Bothalia 28: 53-56.
- -1998. Fossombronia occidento-africana: is it conspecific with F. indica Steph.? Bothalia 28: 183–187.
- -1998. Fossombronia rwandaensis, a new species from tropical Africa. Bothalia 28: 45–49.
- -1998. Studies in the liverwort genus Fossombronia (Metzgeriales) from southern Africa. 5. A new species from Northern and Western Cape. Bothalia 28: 1–5.
- -1998. Studies in the liverwort genus Fossombronia (Metzgeriales) from southern Africa. 6. New species from Lesotho, Swaziland and Mpumalanga and new records from Lesotho. Bothalia 28: 159–165.
- -1999. Flora of southern Africa. Hepatophyta. Part I: Marchantiopsida. Fascicle I: Marchantiidae. pp. 249. National Botanical Institute, Pretoria.
- -1999. Studies in the liverwort genus Fossombronia (Metzgeriales) from southern Africa. 7. F. capensis var. spiralis, a new variety from Western Cape. Bothalia 29: 1-4.
- -1999. Studies in the liverwort genus Fossombronia (Metzgeriales) from southern Africa. 8. F. elsieae and F. spinosa, two new Western Cape species with spinose spores. Bothalia 29: 25–32.
- -1999. Studies in the liverwort genus Fossombronia (Metzgeriales) from southern Africa. 9. A new species from Mpumalanga and KwaZulu-Natal with notes on other species. Bothalia 29: 77–82.
- -1999. Studies in the liverwort genus Fossombronia (Metzgeriales) from southern Africa. 10. Three new species from Northern and Western Cape. Bothalia 29: 83–92.
- –1999. Studies in the Sphaerocarpales (Hepaticae) from southern Africa. 1. The genus *Monocarpus* and its only member, *M. sphaerocarpus*. *Bothalia* 29: 225–230.
- -1999. The conspectus of the southern African species of the liverwort genus Fossombronia Raddi (Metzgeriales). Haussknechtia Beiheft 9 (Riclef-Grolle Festschrift): 265–278.
- -2000. Studies in the Sphaerocarpales (Hepaticae) from southern Africa. 2. The genus Sphaerocarpos and its only local species, S.

stipitatus. Bothalia 30: 17-24.

- -2000. Studies in the Sphaerocarpales (Hepaticae) from southern Africa.
 3. The genus *Riella* and its local species. *Bothalia* 30: 125–142.
- -2001. Notes on African Plants. Fossombronia nyikaensis, a new species from Malawi. Bothalia 31: 48-52.
- -2001. Proposal to reject the name *Riccia minima* (Hepaticae). *Taxon*: 50: 1187–1188.
- -2001. Studies in the genus *Riccia* (Hepaticae) from southern Africa. 25. A new species in subgenus *Ricciella*, Section *Ricciella*. *Bothalia* 31: 51–54.
- -2001. Studies in the liverwort family Aneuraceae (Metzgeriales) from southern Africa. 1. The genus *Aneura* and its local representative. *Bothalia* 31: 167–173.
- -2001. Studies in the liverwort family Aneuraceae (Metzgeriales) from southern Africa. 2. The genus *Riccardia* and its type species, *R. multifida*, with confirmation of its presence in the region. *Bothalia* 31: 183–187.
- -2001. Studies in the liverwort genus Fossombronia (Mezgeriales) from South Africa. 11. F. zuurbergensis, a new species from Eastern Cape and new records for the area. Bothalia 31: 25–29.
- -2002. Studies in the liverwort family Aneuraceae (Metzgeriales) from southern Africa. 3. Riccardia compacta. Bothalia 32: 15–19.
- -2002. Studies in the liverwort family Aneuraceae (Metzgeriales) from southern Africa. 4. Riccardia obtusa. Bothalia 32: 181–184.
- -2003. Hepatophyta & Anthocerophyta. In G.Germishuizen & N.L. Meyer (eds), Plants of southern Africa: an annotated checklist. Strelitzia 14: 39–64 (366 taxa).
- -2003. Notes on African Plants. Cleveaceae—Marchantiales. Sauteria nyikaensis, a new liverwort species from Malawi. Bothalia 33: 165-171.
- -2003. Studies in the liverwort family Aneuraceae (Metzgeriales) from southern Africa. 5. Riccardia amazonica. Bothalia 33: 99–104.
- -2004. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 26. A new species in section Pilifer, *Riccia radiata*, is described. *Bothalia* 34: 23–26.
- -2004. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 27. *Riccia lanceolata* and *R. radicosa* now also locally reported. *Bothalia* 34: 97–102.
- -2005. *Riccia mamrensis*, a new species from Western Cape, South Africa. *Cryptogamie, Bryologie* 26: 67–72.
- –2006. Hepatophyta. In G. Germishuysen, N.L. Meyer, Y. Steenkamp & M. Keith, A checklist of South African plants. Southern African Botanical Diversity Network Report No. 41: 31–49. SABONET, Pretoria.
- -2006. Review of M.J. Wigginton (ed.) E. W. Jones's liverwort and hornwort flora of West Africa. Meise, National Botanic Garden of Belgium, 2004, pp. xii+443 (Scripta Botanica belgica, Vol. 30). Journal of Bryology 28: 278–279.
- SÉRGIO, C. & PEROLD, S.M. 1992. A new species of *Riccia* L. from the island of Madeira, *R. atlantica* sp. nov. C. Sérgio and S.M. Perold. *Bryologist* 17: 127–132.
- VAN ROOY, J. & PEROLD, S.M. 1984. Bryophyta. In G.E. Gibbs Russell (ed.), List of species of southern African plants. Memoirs of the Botanical Survey of South Africa 48: 5–11.
- VAN ROOY, J. & PEROLD, S.M. 1990. Bryophyta. New and interesting records of mosses in the Flora of southern Africa area: 1. Sphagnaceae—Grimmiaceae. *Bothalia* 20: 211–213.
- VAN ROOY, J. & PEROLD, S.M. 1992. Bryophyta. New and interesting records of mosses in the Flora of southern Africa area: 2. Gigaspermaceae—Bartramiaceae. *Bothalia* 22: 37.
- VAN ROOY, J. & PEROLD, S.M. 1992. Bryophyta. New and interesting records of mosses in the Flora of southern Africa area: 3. Miscellaneous acrocarpous taxa. *Bothalia* 22: 195.
- VAN ROOY, J., PHEPHU, N. & PEROLD, S.M. 2011. New liverwort distribution records in South Africa. *Bothalia* 41: 185–186.
- VOLK, O.H. & PEROLD, S.M. 1984. Studies in the liverwort genus *Riccia* (Marchantiales) from the south-west Cape. *Bothalia* 15: 117–124.
- VOLK, O.H. & PEROLD, S.M. 1985. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 1. Two new species of the section *Pilifer: R. duthieae* and *R. alatospora. Bothalia* 15: 531–539.
- VOLK, O.H. & PEROLD, S.M. 1986. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 2. A new species of the section Pilifer: *R. sarcosa. Bothalia* 16: 23–27.
- VOLK, O.H. & PEROLD, S.M. 1986. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 3. *R. schelpei*, a new species in the new subgenus Chartaceae. *Bothalia* 16: 29–33.
- VOLK, O.H. & PEROLD, S.M. 1986. Studies in the genus Riccia

- (Marchantiales) from southern Africa. 4. Three endemic species, *R. natalensis*, *R. microciliata* sp. nov. and *R. mammifera* sp. nov. *Bothalia* 16: 169–180.
- VOLK, O.H. & PEROLD, S.M. 1986. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 5. *R. rosea*, a new species. *Bothalia* 16: 181–185.
- VOLK, O.H. & PEROLD, S.M. 1986. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 6. *R. hirsuta*, a new species, in a new section. *Bothalia* 16: 187–191.
- VOLK, O.H. & PEROLD, S.M. 1990. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 15. *R. hirsuta* and *R. tomentosa*, sp. nov., two distinct species previously treated as one. *Bothalia* 20: 23–29.
- VOLK, O.H., PEROLD, S.M. & BORNEFELD, T. 1988. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 10. Two new white-scaled species of the group 'Squamatae': *R. argenteolim-bata* and *R. albornata*. *Bothalia* 18: 155–163.

ACKNOWLEDGEMENTS

I am grateful to Elizma Fouche for the digital images and to Shirley Smithies for checking and improving the manuscript.

REFERENCES

- PEROLD, S.M. 1990. Taxonomic relevance of the spore-wall ornamentation in the southern African species of *Riccia* L. (Hepaticae: Ricciaceae). M.Sc. dissertation. University of Pretoria.
- PEROLD, S.M. 1991. Taxonomic revision of the Ricciaceae Reichenb. (Marchantiales: Hepaticae) in southern Africa. Ph.D. thesis. University of Pretoria.
- PEROLD, S.M. 1999. Flora of southern Africa. Hepatophyta. Part I: Marchantiopsida. Fascicle I: Marchantiidae. pp. 249. National Botanical Institute, Pretoria.
- VAN ROOY, J. 2012. Obituary: Sarie Magdalena Perold (1928–2011). Journal of Bryology 34(4): 324–326.

J. VAN ROOY

National Herbarium, South African National Biodiversity Institute, Private Bag X101, Pretoria 0001, South Africa. E-mail: j.vanrooy@sanbi.org.za.