

New taxa, new records and name changes for southern African plants

B.C. DE WET, G. GERMISHUIZEN, B.D. SCHRIRE, M. JORDAAN, B.J. PIENAAR, W.G. WELMAN, C. REID, C.M. VAN WYK, L. FISH, K.L. IMMELMAN, J. VAN ROOY, S.M. PEROLD, J. TAUSSIG, N.P. BARKER and H.F. GLEN*

ABSTRACT

Additions and alterations to the inventory of approximately 25 000 southern African plant taxa are reported for the period from February 1989 to February 1990. In this period, a total of 890 alterations have been recorded. These changes result from the continual surveying of taxonomic literature received by the library of the National Botanical Institute.

UITTREKSEL

Daar word vir die tydperk vanaf Februarie 1989 tot Februarie 1990 verslag gedoen oor byvoegings tot en veranderings aan die lys van ongeveer 25 000 Suider-Afrikaanse planttaksons. Gedurende hierdie tydperk is 'n totaal van 890 veranderings aangeteken. Hierdie veranderings word deurlopend in die taksonomiese literatuur wat deur die biblioteek van die Nasionale Botaniese Instituut ontvang word, opgespoor.

INTRODUCTION

This is the sixth annual publication in this series reporting on the complete inventory of southern African plant taxa. This inventory, maintained as the 'Taxon' component of PRECIS (PREtoria Computerised Information System), contains an up-to-date record of the taxonomic and nomenclatural history of southern African plant taxa over the latter half of the twentieth century.

In this report year, 890 name changes were recorded. The most name changes recorded in one genus occurred in *Pentastichis*, which underwent a total of 71 changes. The format used here to report these changes continues to follow that used in previous lists of this series (De Wet *et al.* 1989 and references therein).

The 'Taxon' component of PRECIS currently holds the names of approximately 25 000 taxa, including naturalised aliens. This means that there has been an increase of about 1 000 names since the completion of the second edition of the List of species of southern African plants (Gibbs Russell *et al.* 1987). Furthermore, numerous combinations of names have been published, resulting in the placing of names into synonymy. This continual addition of new taxa, and re-assessment of existing taxa, emphasises the fact that the flora of southern Africa is relatively unknown, and many of the taxonomic revisions that are undertaken result in the description of new taxa. As the *Flora of southern Africa (FSA)* project is estimated to be only 14% complete, it may be realistic to predict that another 2 000 unknown taxa await formal description!

The National Botanical Institute intends to accelerate the rate at which the *Flora of southern Africa* is being completed. To assist in this, a third edition of the list of southern African plant species is being prepared. This list, to be produced using the DELTA suite of programs, will incorporate the present name and synonym data as well as distribution data at territorial and provincial level for

taxa found in the FSA area. The annual publication of updates to this list will, in future, continue in a format compatible with this new edition.

Each contributor is acknowledged at the beginning of the groups for which he/she is responsible. Although staff of the National Botanical Institute, Pretoria, have final responsibility for maintaining Taxon-PRECIS, we acknowledge with gratitude the co-operation of other botanists in reporting changes.

REFERENCES

- DE WET, B.C., GIBBS RUSSELL, G.E., GERMISHUIZEN, G., SCHRIRE, B.D., JORDAAN, M., PIENAAR, B.J., WELMAN, W.G., REID, C., VAN WYK, C.M., FISH, L., IMMELMAN, K.L., VAN ROOY, J., GLEN, H.F. & BARKER, N.P. 1989. New taxa, new records and name changes for southern African plants. *Bothalia* 19: 275–294.
- GIBBS RUSSELL, G.E., WELMAN, W.G., RETIEF, E., IMMELMAN, K.L., GERMISHUIZEN, G., PIENAAR, B.J., VAN WYK, M., NICHOLAS, A., DE WET, C., MOGFORD, J.C. & MULVENNA, J. 1987. List of species of southern African plants, Edn 2. Part 2. *Memoirs of the Botanical Survey of South Africa* No. 56.

BRYOPHYTA Contributed by J. van Rooy unless otherwise stated

HEPATICAE 1000

RICCIACEAE (H8) Contributed by S.M. Perold 1016

1016 –RICCIA L.

7. VOLK. 1981. MITT. BOT. STSAMML., MUNCH. 17: 245.

16. PEROLD. 1989. BOTHALIA 19,2: 157–160.

17. VOLK & PEROLD. 1990. BOTHALIA 20,1: 23–29.

18. PEROLD. 1990. BOTHALIA 20,1: 31–39.

19. PEROLD. 1990. FSA.

20. PEROLD. 1990. BOTHALIA 20,2.

350 R. ALBOVESTITA VOLK (=R. duthieae Volk & Perold) 20

375 R. AMPULLACEA PEROLD

550 R. BICOLORATA PEROLD

600 R. BULLOSA LINK EX LINDENB.

(=R. garsidei Sim) 19

* All members of staff of the National Botanical Institute, Private Bag X101, Pretoria 0001.

MS. received: 1990.07.10.

- 1500 R. CURTISII (AUST.) JAMES
(=R. spongosa S. Arnell) 19
R. duthieae Volk & Perold = R. ALBOVESTITA
- 1575 R. ELONGATA PEROLD
- 1650 R. FURFURACEA PEROLD
R. garsidei Sim = R. BULLOSA
- 1725 R. HANTAMENSIS PEROLD
- 1975 R. NAMAQUENSIS PEROLD
- 2450 R. PULVERACEA PEROLD
- 2975 R. SIMII PEROLD
R. spongosa S. Arnell = R. CURTISII
- 3200 R. STRICTA (GOTTSCHKE ET AL.) PEROLD
- 3225 R. TOMENTOSA VOLK & PEROLD
- 3240 R. TRACHYGLOSSUM PEROLD
- 3350 R. VITREA PEROLD
- LUNULARIACEAE (H3) 1041
- 1041 -LUNULARIA ADANS.
(Note change in genus number)
- CODONIACEAE (H11) 1051
- 1051 -FOSSOMBRONIA RADDI
(Note change in genus number)
- MUSCI 1301
- DICRANACEAE (8) 1356
- 1359 -CAMPYLOPUS BRID.
2. FRAHM, 1984. NOVA HEDWIGIA 39: 591-594.
- 1350 C. LONCHOCLADOS C. MUELL.
- 1372 -Schistomitrium Dozy & Molk. Southern African species moved to LEUCOBRYUM
(Note change in genus number)
- 1373 -Thysanomitrium Schwaegr. = CAMPYLOPUS
(Note change in genus number)
- FUNARIACEAE (19) 1466
- 1471 -PHYSCOMITRIUM (BRID.) BRID.
- 400 P. SPATHULATUM (HORNSCH.) C. MUELL. VAR. SPATHULATUM (Note change in species number)
- BRYACEAE (24) 1506
- 1508 -BRYUM HEDW.
3. OCHYRA, 1989. J. BYROL. 15.3: 551-553.
B. perlimbatum Card. (Species does not occur in southern Africa)
- ORTHOTRICHACEAE (42) 1616
- 1618 -MACROMITRIUM BRID.
3. VAN ROOY, 1990. J. BRYOL. 16.2.
- 50 M. LEBOMBOENSE VAN ROOY
- 350 M. RICHARDII SCHWAEGR.
- 1619 -ORTHOTRICHUM HEDW.
2. LEWINSKY & VAN ROOY, 1990. J. BRYOL. 16.1.
- 150 O. ARMATUM LEWINSKY & VAN ROOY
- 225 O. FIRMUM VENT.
- 250 O. INCURVOMARGINATUM LEWINSKY & VAN ROOY
- 300 O. OREOPHILUM LEWINSKY & VAN ROOY
- HEDWIGIACEAE (47) 1671
- 1674 -RHACOCARPUS LINDB.
2. MAGILL & VAN ROOY. MS. FSA.
- 100 R. PURPURASCENS (BRID.) PAR.
(=R. rehmannianus (C. Muell.) Wijk & Marg.) 2
R. rehmannianus (C. Muell.) Wijk & Marg. = R. PURPURASCENS
- LEUCODONTACEAE (49) 1686
- 1687 -LEUCODON SCHWAEGR.
2. MAGILL & VAN ROOY. MS. FSA.
- 50 L. ASSIMILIS (C. MUELL.) JAEG.
(=L. capensis Schimp. in Ren.) 2
L. capensis Schimp. in Ren. = L. ASSIMILIS
- PTERIDOPHYTA Contributed by C. Reid
- OPHIOGLOSSACEAE 60
- 60 -OPHIOGLOSSUM L.
5. BURROWS, 1989. BOTHALIA 19.2: 167-174.
- 120 O. CONVEXUM J.E. BURROWS
- SCHIZAEACEAE 100
- 120 -MOHRRIA SWARTZ
6. BURROWS, 1989. BOTHALIA 19.2: 167-174.
- 100 M. CAFFRORUM (L.) DESV. VAR. CAFFRORUM
- 150 M. CAFFRORUM (L.) DESV. VAR. FERRUGINEA J.E. & S.M. BURROWS
- HYMENOPHYLLACEAE 160
- 160 -HYMENOPHYLLUM J.E. SM.
H. polyanthos Swartz var. kuhnii (C. Chr.) Schelpe
(Species does not occur in southern Africa fide J.E. Burrows - specimens referable to H. CAPENSE)
- MARSILEACEAE 190
- 190 -MARSILEA L.
6. BURROWS, 1989. BOTHALIA 19.2: 167-174.
- 650 M. FARINOSA LAUNERT SUBSP. ARRECTA J.E. BURROWS
- 700 M. FARINOSA LAUNERT SUBSP. FARINOSA
- ADIANTACEAE 280
- 290 -ACTINIOPTERIS LINK
5. BURROWS, 1989. BOTHALIA 19.2: 167-174.
- 300 A. SEMIFLABELLATA PICH SERM.
- GRAMMITIDACEAE 395
- 395 -GRAMMITIS SWARTZ
5. BURROWS, 1989. BOTHALIA 19.2: 164-167.
- 200 G. RIGESCENS (BORY EX WILLD.) J.E. BURROWS
(=Xiphopteris flabelliformis (Poir.) Schelpe) 5
(=Xiphopteris rigescens (Bory ex Willd.) Alston) 5
- 400 -Xiphopteris Kaulf. = GRAMMITIS
X. flabelliformis (Poir.) Schelpe = GRAMMITIS RIGESCENS
X. rigescens (Bory ex Willd.) Alston = GRAMMITIS RIGESCENS
- ASPLENIACEAE 520
- 520 -ASPLENIUM L.
1050 A. X FLEXUOSUM SCHRAD.
(Note change in species number)
- THELYPTERIDACEAE 531
- 532 -THELYPTERIS SCHMIDEL
8. BURROWS, 1989. BOTHALIA 19.2: 167-174.
- 750 T. OPPOSITIFORMIS (C. CHR.) CHING
- ATHYRIACEAE 540
- 565 -Dryoathyrium Ching
D. boryanum (Willd.) Ching (Species does not occur in southern Africa fide J.E. Burrows - specimens referable to DIPLAZIUM ZANZIBARICUM)

- GYMNOSPERMAE Contributed by C. Reid
- CUPRESSACEAE 37000
- 0038010 -WIDDRINGTONIA ENDL. (Note correction to genus number: 0038000 = Callitris)
- ANGIOSPERMAE
- MONOCOTYLEDONAE Contributed by C. Reid
- NAJADACEAE 64000
- 0064000 -NAJAS L.
2. TRIEST, 1987. A REVISION OF THE GENUS NAJAS L. (NAJADACEAE) IN AFRICA & SURROUNDING ISLANDS.
- 140 N. HORRIDA A. BR.
(=N. pectinata (Parl.) Magnus) 2
- 160 N. MARINA L. SUBSP. ARMATA (LINDB. F.) HORN AF RANTZIEN
(=N. marina L. subsp. delilei (Rouy) Maire) 2
N. marina L. subsp. delilei (Rouy) Maire = N. MARINA SUBSP. ARMATA
N. pectinata (Parl.) Magnus = N. HORRIDA
- CYPERACEAE 452000
- 0492000 -RHYNCHOSPORA VAHL.
4. VAN LAREN ET AL. 1989. S. AFR. J. BOT. 55,5: 498-508.
- 50 R. BARROSIANA GUAGLIANONE
- ARECACEAE 528000
- 0553000 -HYPHAENE GAERTN.
3. DRANSFIELD, 1986. FTEA.
- 75 H. CORIACEA GAERTN.
(=H. natalensis Kunze) 3
H. natalensis Kunze = H. CORIACEA
- 150 H. PETERSIANA KLOTZSCH
(=H. ventricosa Kirk) 3
H. ventricosa Kirk = H. PETERSIANA
- ARACEAE 684000
- 0748000 -ZANTEDESCHIA SPRENG.
2. PERRY, 1989. S. AFR. J. BOT. 55,4: 447-451.
- 650 Z. ODORATA P.L. PERRY
- RESTIONACEAE 804000
- 0804110 -THAMNOCHORTUS BERG.
- 2900 T. SPICIGERUS (THUNB.) SPRENG.
- 0804190 -HYPODISCUS NEES
- 400 H. ARISTATUS (THUNB.) KRAUSS
- JUNCACEAE 930000
- 0936000 -JUNCUS L.
5. BURTT, 1988. NOTES ROY. BOT. GARD. EDINB. 45: 191.
- 1300 J. EXSERTUS BUCHEN. SUBSP. EXSERTUS
(=J. rostratus Buchen.) 3
- 1350 J. EXSERTUS BUCHEN. SUBSP. LESUTICUS B.L. BURTT
J. rostratus Buchen. = J. EXSERTUS SUBSP. EXSERTUS
- LILIACEAE 942000
- 0985010 -TRACHYANDRA KUNTH
3. MANNING, 1990. S. AFR. J. BOT. 56,1: 1-5.
- 350 T. ARIDIMONTANA J.C. MANNING
- 1012000 -ERIOSPERMUM JACQ. EX WILLD.
8. PERRY, 1989. S. AFR. J. BOT. 55,1: 83.
- 2610 E. ERINUM P.L. PERRY
- 2615 E. ERIOPHORUM MARLOTH EX P.L. PERRY
- 3290 E. LAMMARGINATUM MARLOTH EX P.L. PERRY
- 3375 E. LAXIRACEMOSUM P.L. PERRY
- 3650 E. MARGINATUM MARLOTH EX P.L. PERRY
- 5450 E. RATELPOORTIANUM P.L. PERRY
- 6140 E. SUBINCANUM P.L. PERRY
- 6160 E. SUBTILE P.L. PERRY
- 6450 E. UNDULATUM P.L. PERRY
- 6550 E. VERMIFORME MARLOTH EX P.L. PERRY
- 1026000 -ALOE L. Revision: H.F. Glen & D.S. Hardy (PRE).
6. GLEN & HARDY, 1987. FLOWER. PL. AFR. 49: PL. 1935, 1943.
7. GLEN & HARDY, 1987. S. AFR. J. BOT. 53,6: 489-492.
- A. boastii Letty = A. CHORTOLIRIOIDES VAR. CHORTOLIRIOIDES
- A. chortolirioides Berger. var. boastii (Letty) Reynolds = A. CHORTOLIRIOIDES VAR. CHORTOLIRIOIDES
- 3000 A. CHORTOLIRIOIDES BERGER VAR. CHORTOLIRIOIDES
(=A. boastii Letty) 7
(=A. chortolirioides Berger. var. boastii (Letty) Reynolds) 7
- A. davyana Schönl. var. davyana = A. GREATHEADII VAR. DAVYANA
- A. davyana Schönl. var. subolifera Groenewald = A. GREATHEADII VAR. DAVYANA
- 6550 A. GREATHEADII SCHÖNL. VAR. DAVYANA (SCHÖNL.) GLEN & HARDY
(=A. davyana Schönl. var. davyana) 7
(=A. davyana Schönl. var. subolifera Groenewald) 7
- 1086000 -SCILLA L.
- # PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
- S. dracomontana Hilliard & Burtt = S. NATALENSIS
- 200 S. NATALENSIS PLANCH.
(=S. dracomontana Hilliard & Burtt) #
- 1098000 -LACHENALIA JACQ. F. EX MURRAY
12. BARKER, 1989. S. AFR. J. BOT. 55,6: 630-646.
- 270 L. ANGELICA W.F. BARKER
- 1000 L. CARNOSA BAK.
(=L. ovatifolia Guth.) 12
- 1390 L. DUNCANII W.F. BARKER
- 1400 L. ELEGANS W.F. BARKER VAR. ELEGANS
- 1402 L. ELEGANS W.F. BARKER VAR. FLAVA W.F. BARKER
- 1404 L. ELEGANS W.F. BARKER VAR. MEMBRANACEA W.F. BARKER
- 1406 L. ELEGANS W.F. BARKER VAR. SUAVEOLENS W.F. BARKER
- 1420 L. FISTULOSA BAK.
(=L. convallariodora Stapf) 12
- 1670 L. HIRTA (THUNB.) THUNB. VAR. EXSERTA W.F. BARKER
- 1700 L. HIRTA (THUNB.) THUNB. VAR. HIRTA
- 1850 L. JUNCIFOLIA BAK. VAR. CAMPANULATA W.F. BARKER
- 1900 L. JUNCIFOLIA BAK. VAR. JUNCIFOLIA
- 2700 L. MEDIANA JACQ. VAR. MEDIANA
- 2705 L. MEDIANA JACQ. VAR. ROGERSII (BAK.) W.F. BARKER
- 3100 L. ORCHIOIDES (L.) AIT. VAR. ORCHIOIDES
- 3150 L. ORCHIOIDES (L.) AIT. VAR. GLAUCINA (JACQ.) W.F. BARKER
(=L. glaucina Jacq.) 12
- L. schlechteri Bak. = L. UNIFOLIA VAR. SCHLECHTERI
- 4740 L. SPLENDIDA DIELS
(=L. roodieae Phill.) 12
- 5250 L. UNIFOLIA JACQ. VAR. SCHLECHTERI (BAK.) W.F. BARKER
(=L. schlechteri W.F. Barker) 12

- 5470 L. VIOLACEA JACQ. VAR. GLAUCA W.F. BARKER
5500 L. VIOLACEA JACQ. VAR. VIOLACEA
- 1113010 -PROTASPARAGUS OBERM.
6. MATHEW. 1989. KEW BULL. 44,1: 181.
3300 P. LONGICLADUS (N.E. BR.) B. MATHEW
- AMARYLLIDACEAE 1166000
- 1166000 -HESSEA HERB. Revision: D. Muller-Doblies
(Herb. M-D); D. Snijman (NBG).
6. SNIJMAN. 1989. S. AFR. J. BOT. 55,3:
349-357.
650 H. INCANA SNIJMAN
920 H. MONTICOLA SNIJMAN
960 H. PUSILLA SNIJMAN
1150 H. UNDOSA SNIJMAN
- 1167000 -HAEMANTHUS L.
1. SNIJMAN. 1984. JL S. AFR. BOT. SUPPL. 12.
1600 H. DEFORMIS HOOK. F.
(=H. mackenii Bak.) 1
H. mackenii Bak. = H. DEFORMIS
- 1186000 -GETHYLLIS L. Revision: D. Muller-Doblies
(Herb. M-D).
550 G. GRANDIFLORA L. BOL.
- HYPOXIDACEAE 1229010
- 1230000 -HYPOXIS L.
4. BURTT. 1988. NOTES ROY. BOT. GARD.
EDINB. 45,2: 188-191.
300 H. ARGENTEA HARV. EX BAK. VAR. ARGENTEA
350 H. ARGENTEA HARV. EX BAK. VAR. SERICEA
BAK.
2650 H. LIMICOLA B.L. BURTT
3920 H. PARVULA BAK. VAR. ALBIFLORA B.L. BURTT
3950 H. PARVULA BAK. VAR. PARVULA
4700 H. VILLOSA L. F. VAR. OBLIQUA (JACQ.) BAK.
(Note author correction)
- IRIDACEAE 1259000
- 1300000 -GEISSORHIZA KER GAWL.
5. GOLDBLATT. 1989. FL. PL. AFR. 50,2:
PL. 1996.
710 G. CALLISTA GOLDBL.
5670 G. SPIRALIS (BURCH.) DE VOS EX GOLDBL.
(Note change in species number)
- 1303000 -DIERAMA K. KOCH Revision: O.M. Hilliard (E).
2. HILLIARD. 1988. NOTES R. BOT. GDN
EDINB. 45: 78.
750 D. GRACILE N.E. BR.
900 D. IGNEUM KLATT
(=D. pansum N.E. Br.) 2
1000 D. INSIGNE N.E. BR.
(=D. rupestre N.E. Br.) 2
D. pansum N.E. Br. = D. IGNEUM
D. rupestre N.E. Br. = D. INSIGNE
- 1306030 -CHASMANTHE N.E. BR.
2. DE VOS. 1985. S. AFR. J. BOT. 51: 253.
100 C. AETHIOPICA (L.) N.E. BR.
(=Antholyza aethiopica L.) 2
(=Petamenes aethiopica (L.) Phill.) 2
(=Petamenes peglerae (N.E. Br) Phill.) 2
(=Petamenes vittigera (Salisb.) Phill.) 2
200 C. BICOLOR (GASP. EX TENORE) N.E. BR.
(=Petamenes bicolor (Gasp. ex Tenore) Phill.)
2
300 C. FLORIBUNDA (SALISB.) N.E. BR. VAR.
FLORIBUNDA
(=Petamenes floribunda (Salisb.) Phill.) 2
- 1306070 -Petamenes Salisb. = ANAPALINA, ANOMALEZIA,
CHASMANTHE, HOMOGLOSSUM,
OENOSTACHYS
P. aethiopica (L.) Phill. = CHASMANTHE
AETHIOPICA
- P. bicolor (Gasp. ex Tenore) Phill. =
CHASMANTHE BICOLOR
P. peglerae (N.E. Br) Phill. = CHASMANTHE
AETHIOPICA
P. vittigera (Salisb.) Phill. = CHASMANTHE
AETHIOPICA
- 1311000 -GLADIOLUS L.
8. GOLDBLATT & VLOK. 1989. S. AFR. J.
BOT. 55,2: 259-264.
950 G. AQUAMONTANUS GOLDBL.
3550 G. DALENII VAN GEEL
(=G. psittacinus Hook. var. cooperi (Bak.)
Bak.) 2,4 (Note author correction)
6900 G. X LEWISIAE OBERM.
G. psittacinus Hook. var. cooperi (Bak.) Bak. =
G. DALENII
12750 G. UITENHAGENSIS GOLDBL. & VLOK
- 1312000 -ANTHOLYZA L.
A. aethiopica L. = CHASMANTHE AETHIOPICA
A. lucidor Bak. = ANAPALINA TRITICEA
- 1312020 -ANAPALINA N.E. BR.
1. LEWIS. 1960. JL S. AFR. BOT. 26: 51.
700 A. TRITICEA (BURM. F.) N.E. BR.
(=Antholyza lucidor Bak.) 1
- 1314000 -LAPEIROUSIA POURRET
PRE HERBARIUM PRACTICE,
FOLLOWING GOLDBLATT.
220 L. AVASMONTANA DINTER
2450 L. OTAVIENSIS R.C. FOST.
- 1315000 -WATSONIA MILL. Revision: P. Goldblatt (MO).
6. GOLDBLATT. 1989. ANN. KIRSTENB. BOT.
GARD. 19.
110 W. ALETROIDES (BURM. F.) KER-GAWL. X W.
LACCATA (JACQ.) KER-GAWL.
W. alpina G.J. Lewis = W. STRUBENIAE
120 W. AMABILIS GOLDBL.
150 W. AMATOLAE GOLDBL.
200 W. ANGUSTA KER-GAWL.
W. archbelliae L. Bol. = W. PILLANSII
W. ardernei J.W. Mathews & L. Bol. = W.
BORBONICA SUBSP. ARDERNEI
W. baurii L. Bol. = W. GLADIOLOIDES
W. beatricis J.W. Mathews & L. Bol. = W.
PILLANSII
420 W. BELLA N.E. BR. EX GOLDBL.
440 W. BORBONICA (POURR.) GOLDBL. SUBSP.
ARDERNEI (SANDER) GOLDBL.
(=W. ardernei J.W. Mathews & L. Bol.) 6
(=W. obrienii (N.E. Br.) V. Tiberger) 6
450 W. BORBONICA (POURR.) GOLDBL. SUBSP.
BORBONICA
(=W. cooperi (Bak.) L. Bol.) 6
(=W. pyramidata (Andr.) Stapf) 5
W. brevifolia Ker-Gawl. = W. LACCATA
W. bulbifera J.W. Mathews & L. Bol. = W. MERIANA
(L.) MILL. CV. "BULBILLIFERA"
720 W. CANALICULATA GOLDBL.
800 W. COCCINEA HERB. EX BAK.
W. comptonii L. Bol. = W. ZEYHERI
W. cooperi (Bak.) L. Bol. = W. BORBONICA
SUBSP. BORBONICA
1100 W. DENSIFLORA BAK.
(=W. neglecta N.E. Br.) 6
(=W. plantii N.E. Br.) 6
W. desmidtii L. Bol. = W. WILMANIAE
1220 W. DISTANS L. BOL.
(=W. pauciflora L. Bol.) 6
W. ecklonii L. Bol. = W. VERSFELDII
W. elimensis L. Bol. = W. ZEYHERI
1270 W. ELSIAE GOLDBL.
1450 W. FOURCADEI J.W. MATHEWS & L. BOL.
(=W. stanfordiae L. Bol.) 6
(=W. stohrii L. Bol.) 6
W. fulgens (Andr.) Ker-Gawl. (sp. of uncertain
identity)

- 1800 W. GLADIOLOIDES SCHLTR.
(=W. baurii L. Bol.) 6
- 1900 W. HUMILIS MILL.
(=W. roseoalba Ker-Gawl.) 6
- 2070 W. INCLINATA GOLDBL.
- 2150 W. LACCATA (JACQ.) KER-GAWL.
(=W. albertiniensis P.E. Glover) 6
(=W. brevifolia) 6
(=W. caledonica Bak.) 6
(=W. muirii Phill.) 6
- 2200 W. LATIFOLIA N.E. BR. EX OBERM.
W. leipoldtii L. Bol. = W. MERIANA
- 2350 W. X LONGIFOLIA J.W. MATHEWS & L. BOL.
W. masoniae L. Bol. = W. PILLANSII
- 2500 W. MERIANA (L.) MILL.
(=W. leipoldtii L. Bol.) 6
(=W. vivipara J.W. Mathews & L. Bol.) 6
- 2510 W. MERIANA (L.) MILL. CV. "BULLIFLIFERA"
(=W. bulbiflora J.W. Mathews & L. Bol.) 6
- 2520 W. MINIMA GOLDBL.
W. middlemostii L. Bol. = W. ROGERSII
- 2550 W. MTAMVUNAE GOLDBL.
W. neglecta N.E. Br. = W. DENSIFLORA
W. obrienii (N.E. Br.) V. Tiberger = W. BORBONICA
SUBSP. ARDERNEI
W. pauciflora L. Bol. = W. DISTANS
- 2790 W. PAUCIFOLIA GOLDBL.
- 2800 W. PILLANSII L. BOL.
(=W. archbelliae L. Bol.) 6
(=W. beatrix J.W. Mathews & L. Bol.) 6
(=W. masoniae L. Bol.) 6
(=W. priorii L. Bol.) 6
(=W. socium J.W. Mathews & L. Bol.) 6
- W. plantii N.E. Br. = W. DENSIFLORA
- 2820 W. PONDOENSIS GOLDBL.
W. priorii L. Bol. = W. PILLANSII
- 2870 W. PULCHRA N.E. BR. EX GOLDBL.
W. pyramidata (Andr.) Stapf = W. BORBONICA
SUBSP. BORBONICA
- 2920 W. ROGERSII L. BOL.
(=W. middlemostii L. Bol.) 6
W. roseoalba Ker-Gawl. = W. HUMILIS
- 2960 W. ROURKEI GOLDBL.
W. schinzii L. Bol. = W. SCHLECHTERI
- 2990 W. SCHLECHTERI L. BOL.
(=W. schinzii L. Bol.) 6
W. socium J.W. Mathews & L. Bol. = W. PILLANSII
W. stanfordiae L. Bol. = W. FOURCADEI
W. starkeae L. Bol. = W. WILMANIAE
W. stohrii L. Bol. = W. FOURCADEI
- 3650 W. STRUBENIAE L. BOL.
(=W. alpina G.J. Lewis) 6
(=W. transvaalensis Bak. var. drakensbergensis L. Bol.) 6
W. transvaalensis Bak. var. drakensbergensis L. Bol. = W. STRUBENIAE
- 4100 W. VERSFELDII J.W. MATHEWS & L. BOL.
(=W. ecklonii L. Bol.) 6
W. vittata J.W. Mathews & L. Bol. (Species of uncertain identity)
W. vivipara J.W. Mathews & L. Bol. = W. MERIANA
W. westiae L. Bol. (sp. of uncertain identity)
- 4400 W. WILMANIAE J.W. MATHEWS & L. BOL.
(=W. desmidtii L. Bol.) 6
(=W. starkeae L. Bol.) 6
W. wordsworthiana J.W. Mathews & L. Bol. (Species of uncertain identity)
- 4700 W. ZEYHERI L. BOL.
(=W. comptonii L. Bol.) 6
(=W. elimensis L. Bol.) 6
- ORCHIDACEAE 1389000
- 1407000 -STENOGLOTTIS LINDL.
2. STEWART. 1989. KEW MAG. 6.1: 9-22.
500 S. ZAMBESIACA ROLFE
- 1422000 -HABENARIA WILLD.
3. MANNING. 1989. S. AFR. J. BOT. 55.2: 192-195.
H. bolusiana Schltr. = H. LITHOPHILA
H. caffra Schltr. = H. FALCICORNIS SUBSP. CAFFRA
- 1220 H. FALCICORNIS (BURCH. EX LINDL.) H. BOL. SUBSP. CAFFRA (SCHLTR.) J.C. MANNING
(=H. caffra Schltr.) 3
(=H. falcicornis (Burch. ex Lindl.) H. Bol. var. caffra (Schltr.) Renz & Schelpe) 3
(=H. tetrapetala Kraenzl.) 3
- 1300 H. FALCICORNIS (BURCH. EX LINDL.) H. BOL. SUBSP. FALCICORNIS
H. falcicornis (Burch. ex Lindl.) H. Bol. var. caffra (Schltr.) Renz & Schelpe = H. FALCICORNIS SUBSP. CAFFRA
- 1420 H. HUMILIOR REICHB. F.
(=H. rehmannii H. Bol.) 3
- 1870 H. LITHOPHILA SCHLTR.
(=H. bolusiana Schltr.) 2
(=H. macowaniana Kraenzl.) 2
(=H. petri Schltr.) 2
H. lithophila Schltr. subsp. mossii Williamson = H. MOSSII
H. macowaniana Kraenzl. = H. LITHOPHILA
- 2150 H. MOSSII (WILLIAMSON) J.C. MANNING
(=H. lithophila Schltr. subsp. mossii Williamson) 3
H. petri Schltr. = H. LITHOPHILA
H. PSEUDOCILIOSA SCHELPE EX J.C. MANNING
H. rehmannii H. Bol. = H. HUMILIOR
H. tetrapetala Kraenzl. = H. FALCICORNIS SUBSP. CAFFRA
- 1437000 -DISPERIS SWARTZ
1450 D. X DUCKITIAE
(Note change in species number)
- 1468000 -NERVILIA COMM. EX GAUD.
2. PETERSON. 1990. NORDIC J. OF BOT. 9.5: 487-497.
N. adolphii sensu Stewart et al. = N. GASSNERI
- 60 N. BICARINATA (BLUME) SCHLTR.
(=N. umbrosa (Reichb. f.) Schltr.) 2
- 70 N. CROCIFORMIS (ZOLL. & MOR.) SEIDENF.
(=N. reniformis Schltr.) 2
- 80 N. GASSNERI B. PETERSON
(=N. adolphii sensu Stewart et al.) 2
N. grandiflora Schltr. = N. RENSCHIANA
250 N. KOTSCHYI (REICHB. F.) SCHLTR. VAR. PURPURATA (REICHB. F. & SOND.) B. PETERSON
(=N. purpurata (Reichb. f.) Schltr.) 2
N. natalensis Schelpe = N. RENSCHIANA
N. purpurata (Reichb. f.) Schltr. = N. KOTSCHYANA VAR. PURPURATA
N. reniformis Schltr. = N. CROCIFORMIS
- 550 N. RENSCHIANA (REICHB. F.) SCHLTR.
(=N. grandiflora Schltr.) 1
(=N. natalensis Schelpe) 1
N. umbrosa (Reichb. f.) Schltr. = N. BICARINATA
- ZINGIBERACEAE 1324000
- 1342000 -HEDYCHUM KOENIG
200 H. FLAVESCENS ROSCOE *
(Species naturalised in coastal and midland areas of Natal and Transkei)
- 1828010 -TRIDACTYLE SCHLTR.
2. LINDER. 1989. KEW BULL. 44.2: 317-319.
- 100 T. BICAUDATA (LINDL.) SCHLTR. SUBSP. BICAUDATA
- 120 T. BICAUDATA (LINDL.) SCHLTR. SUBSP. RUPESTRIS LINDER

- 1828040 –DIAPHANANTHE SCHLTR.
2. LINDER. 1989. KEW BULL. 44,2: 317–319.
20 D. CAFFRA (H. BOL.) LINDER
(=Margelliantha caffra (H. Bol.) H. Bol.) 2
(=Mystacidium caffrum (H. Bol.) H. Bol.) 2
70 D. MILLARII (H. BOL.) LINDER
(=Mystacidium millarii H. Bol.) 2
- 1830000 –AERANGIS REICHB. F.
A. kirkii (Reichb. f.) Schltr. (Species does not
occur in southern Africa fide Linder)
- 1835010 –CYRTORCHIS SCHLTR.
2. LINDER. 1989. KEW BULL. 44,2: 317–319.
200 C. PRAETERMISSA SUMMERH. SUBSP.
PRAETERMISSA
250 C. PRAETERMISSA SUMMERH. SUBSP.
ZULUENSIS (E. HARRISON) LINDER
(=C. praetermissa Summerh. var. zuluensis E.
Harrison) 2
C. praetermissa Summerh. var. zuluensis E.
Harrison = C. PRAETERMISSA
SUBSP. ZULUENSIS
- 1837000 –MYSTACIDIUM LINDL.
M. caffrum (H. Bol.) H. Bol. = DIAPHANANTHE
CAFFRA
M. millarii H. Bol. = DIAPHANANTHE MILLARII
- 1837010 –Margelliantha Cribb = DIAPHANANTHE
M. caffra (H. Bol.) Cribb & J. Stewart =
DIAPHANANTHE CAFFRA
- POACEAE Contributed by L. Fish 9900010
- 9900380 –MISCANTHUS ANDERSS. Revision: G.E. Gibbs
Russell (PRE).
4. GIBBS RUSSELL ET AL. 1990. GRASSES SA.
#. PRE HERBARIUM PRACTICE, FOLLOWING
GIBBS RUSSELL.
100 M. CAPENSIS (NEES) ANDERSS.
(=Miscanthidium capensis Nees var. villosa
Stapf) 4
(=Miscanthidium erectum Stent) 4
(=Miscanthidium sorghum Stent) 4
(=M. sorghum (Nees) Pilg.) #
M. sorghum (Nees) Pilg. = M. CAPENSIS
- 9900400 –Miscanthidium Stapf = MISCANTHUS
M. capensis Nees var. villosa Stapf =
MISCANTHUS CAPENSIS
M. erectum Stent = MISCANTHUS CAPENSIS
M. sorghum Stent = MISCANTHUS CAPENSIS
- 9900730 –HYPARRHENIA FOURN.
1350 H. NEWTONII (HACK.) STAPF VAR. NEWTONII
(Note change in species number)
- 9900890 –DIGITARIA HALLER Revision: P.D.F. Kok (PRU).
3550 D. SETIFOLIA STAPF
(Note change in species number)
- 9901040 –BRACHIARIA (TRIN.) GRISEB.
3. CLAYTON & RENVOIZE. 1982. FTEA.
5. GIBBS RUSSELL ET AL. 1990. GRASSES SA.
380 B. DEFLEXA (SCHUMACH.) C.E. HUBB. EX
ROBYNS
(=Pseudobrachiaria deflexa (Schumach.)
Launert) 3
B. ramosa (L.) Stapf (Species does not occur in
southern Africa)
B. rugulosa Stapf (Species does not occur in
southern Africa)
- 9901043 –Pseudobrachiaria Launert = BRACHIARIA
P. deflexa (Schumach.) Launert = BRACHIARIA
DEFLEXA
- 9901121 –ACROCERAS STAPF
A. pilgerianum Schweick. = PANICUM
PILGERIANUM
- 9901124 –Psilochloa Launert = PANICUM
P. pilgeriana (Schweick.) Launert = PANICUM
PILGERIANUM
- 9901160 –PANICUM L.
4. CLAYTON & RENVOIZE. 1986. GEN. GRAM.
6. RENVOIZE. 1989. KEW BULL. 44: 544.
7. RENVOIZE. 1989. FZ 10,3: 17–19.
8. RENVOIZE. 1989. FZ 10,3: 29–30.
P. brevifolium auct., non L. = P.
GLANDULOPANICULATUM
1475 P. FUNAENSE VANDERYST (Tropical African
species collected in Botswana.
1922 (NOKONENG): Khianadiandavhu
River (-BB), P.A. Smith 2758.)
1650 P. GLANDULOPANICULATUM RENVOIZE
(=P. brevifolium auct., non L.) 6
P. phragmitoides (Species does not occur in southern
Africa)
3750 P. PILGERIANUM (SCHWEICK.) CLAYTON
(=Acroceras pilgerianum Schweick.) 4
(=Psilochloa pilgeriana (Schweick.) Launert)
4
3775 P. PORPHYRRHIZOS STEUD. (Tropical African
species collected in Botswana.
1924 (JOVEREGA): Mababe Depression
(-AA), P.A. Smith 2455.)
- 9901280 –SETARIA BEAUV.
2455 S. SPHACELATA (SCHUMACH.) MOSS VAR.
SERICEA (STAPF) CLAYTON
(Note change in species number)
- 9901321 –Rhynchelytrum Nees = MELINIS
R. bellespicatum (Rendle) Stapf & C.E. Hubb. =
MELINIS LONGISETA SUBSP.
BELLESPICATA
R. brevipilum (Hack.) Chiov. = MELINIS REPENS
SUBSP. GRANDIFLORA
R. costatum Stapf & C.E. Hubb. = MELINIS
REPENS SUBSP. GRANDIFLORA
R. grandiflorum Hochst. = MELINIS REPENS
SUBSP. GRANDIFLORA
R. kallimorphon Clayton = MELINIS
KALLIMORPHA
R. longisetum (A. Rich.) Stapf & C.E. Hubb. =
MELINIS LONGISETA SUBSP.
LONGISETA
R. minutiflorum (Rendle) Stapf & C.E. Hubb.
var. melinoides (Stent) Stapf &
C.E. Hubb. = MELINIS LONGISETA
SUBSP. LONGISETA
R. nerviglume (Franch.) Chiov. = MELINIS
NERVIGLUMIS
R. nyassanum (Mez) Stapf & C.E. Hubb. =
MELINIS NERVIGLUMIS
R. ramosum Stapf & C.E. Hubb. = MELINIS
NERVIGLUMIS
R. repens (Willd.) C.E. Hubb. = MELINIS REPENS
SUBSP. REPENS
R. rhodesianum (Rendle) Stapf & C.E. Hubb. =
MELINIS NERVIGLUMIS
R. scabridum (K. Schum.) Chiov. = MELINIS
SCABRIDA
R. setifolium (Stapf) Chiov. = MELINIS
NERVIGLUMIS
R. suberostratum Stapf & C.E. Hubb. = MELINIS
REPENS SUBSP. GRANDIFLORA
R. subglabrum (Mez) Stapf & C.E. Hubb. =
MELINIS SUBGLABRA
R. villosum (Parl.) Chiov. = MELINIS REPENS
SUBSP. GRANDIFLORA
- 9901330 –TRICHOLAENA SCHULT.
5. ZIZKA. 1988. BIBLIOTHECA BOTANICA 138.
T. arenaria Nees = T. CAPENSIS SUBSP. ARENARIA
T. arenaria Nees var. glauca (Hack.) Stapf =
T. CAPENSIS SUBSP. ARENARIA

- 50 T. CAPENSIS (LICHT. EX ROEM. & SCHULT.)
NEES SUBSP. ARENARIA
(NEES) ZIZKA
(=T. arenaria Nees) 5
(=T. arenaria Nees var. glauca (Hack.) Stapf) 5
- 100 T. CAPENSIS (LICHT. EX ROEM. & SCHULT.)
NEES SUBSP. CAPENSIS
T. monachne (Trin.) Stapf & C.E. Hubb. var.
annua J.G. Anders. = T. MONACHNE
- 300 T. MONACHNE (TRIN.) STAPF & C.E. HUBB.
(=T. monachne (Trin.) Stapf & C.E. Hubb. var.
annua J.G. Anders.) 5
- 9901340 –MELINIS BEAUV.
3. ZIZKA. 1988. BIBLIOTHECA BOTANICA 138.
- 60 M. KALLIMORPHA (CLAYTON) ZIZKA
(=Rhynchelytrum kallimorphon Clayton) 3
- 70 M. LONGISETA (A. RICH.) ZIZKA SUBSP.
BELLESPICATA (RENDLE) ZIZKA
(=Rhynchelytrum bellespicatum (Rendle) Stapf
& C.E. Hubb.) 3
- 80 M. LONGISETA (A. RICH.) ZIZKA SUBSP.
LONGISETA
(=Rhynchelytrum longisetum (A. Rich.) Stapf &
C.E. Hubb.) 3
(=Rhynchelytrum minutiflorum (Rendle) Stapf &
C.E. Hubb. var. melinoides (Stent)
Stapf & C.E. Hubb.) 3
- 250 M. NERVIGLUMIS (FRANCH.) ZIZKA
(=Rhynchelytrum nerviglume (Franch.) Chiov.) 3
(=Rhynchelytrum nyassanum (Mez) Stapf & C.E.
Hubb.) 3
(=Rhynchelytrum ramosum Stapf & C.E. Hubb.) 3
(=Rhynchelytrum rhodesianum (Rendle) Stapf &
C.E. Hubb.) 3
(=Rhynchelytrum setifolium (Stapf) Chiov.) 3
- 275 M. REPENS (WILLD.) ZIZKA SUBSP.
GRANDIFLORA (HOCHST.) ZIZKA
(=Rhynchelytrum brevopilum (Hack.) Chiov.) 3
(=Rhynchelytrum costatum Stapf & C.E. Hubb.) 3
(=Rhynchelytrum grandiflorum Hochst.) 3
(=Rhynchelytrum suberostratum Stapf & C.E.
Hubb.) 3
(=Rhynchelytrum villosum (Parl.) Chiov.) 3
- 300 M. REPENS (WILLD.) ZIZKA SUBSP. REPENS
(=Rhynchelytrum repens (Willd.) C.E. Hubb.) 3
- 325 M. SCABRIDA (K. SCHUM.) HACK.
(=Rhynchelytrum scabridum (K. Schum.) Chiov.) 3
- 350 M. SUBGLABRA MEZ
(=Rhynchelytrum subglabrum (mez) Stapf & C.E.
Hubb.) 3
- 9901600 –EHRHARTA THUNB. Revision: G.E. Gibbs Russell
3. GIBBS RUSSELL. 1987. BOTHALIA 17: 191–
194.
4. GIBBS RUSSELL & ELLIS. 1989. BOTHALIA
19,2: 189–207.
E. gigantea Thunb. = E. THUNBERGII
- 2100 E. RAMOSA (THUNB.) THUNB. SUBSP. APHYLLA
(SCHRAD.) GIBBS RUSSELL
(=E. ramosa (Thunb.) Thunb. var. aphylla
(Schrad.) Gluckman) 3
- 2200 E. RAMOSA (THUNB.) THUNB. SUBSP. RAMOSA
(=E. ramosa (Thunb.) Thunb. var. ramosa
(Schrad.) Gluckman) 4
E. ramosa (Thunb.) Thunb. var. aphylla
(Schrad.) Gluckman = E. RAMOSA
SUBSP. APHYLLA
E. ramosa (Thunb.) Thunb. var. ramosa = E.
RAMOSA SUBSP. RAMOSA
- 2300 E. REHMANNII STAPF SUBSP. FILIFORMIS
(STAPF) GIBBS RUSSELL
(=E. rehmannii Stapf var. filiformis Stapf) 3
- 2400 E. REHMANNII STAPF SUBSP. REHMANNII
(=E. rehmannii Stapf var. rehmannii) 3
- 2440 E. REHMANNII STAPF SUBSP. SUBSPICATA
(STAPF) GIBBS RUSSELL
(=E. subspicata Stapf) 4
E. rehmannii Stapf var. filiformis Stapf = E.
REHMANNII SUBSP. FILIFORMIS
E. rehmannii Stapf var. rehmannii = E.
REHMANNII SUBSP. REHMANNII
E. stipoides Labill. * = MICROLAENA STIPOIDES
E. subspicata Stapf = E. REHMANNII SUBSP.
SUBSPICATA
- 2750 E. THUNBERGII GIBBS RUSSELL
(=E. gigantea Thunb.) 3
(=E. virgata Launert) 3
E. virgata Launert = E. THUNBERGII
- 9901610 –MICROLAENA R. BR.
1. GIBBS RUSSELL ET AL. 1990. GRASSES SA.
- 300 M. STIPOIDES (LABILL.) R. BR. *
(=Ehrharta stipoides Labill. *) 1
- 9901850 –AIRA L.
2. GIBBS RUSSELL ET AL. 1990. GRASSES SA.
A. caryophyllea auct., non L. * = A. CUPANIANA
200 A. CUPANIANA GUSS. *
(=A. caryophyllea auct., non L.) 2
- 9901910 –Poagrostis Stapf = PENTASCHISTIS
P. pusilla (Nees) Stapf = PENTASCHISTIS
PUSILLA
- 9901920 –HOLCUS L.
H. mollis L. * (Species does not occur in southern
Africa)
- 9901950 –AVENA L.
A. strigosa L. * (Species does not occur in
southern Africa)
- 9902050 –PENTASCHISTIS (NEES) SPACH
3. LINDER & ELLIS. 1990. CONTRIBUTIONS
FROM THE BOLUS HERBARIUM 12.
- 200 P. AIROIDES (NEES) STAPF SUBSP. AIROIDES
(=P. patula (Nees) Stapf var. glabrata Stapf)
3
- 250 P. AIROIDES (NEES) STAPF SUBSP. JUGORUM
(STAPF) LINDER
(=P. jugorum Stapf) 3
- 260 P. ALTICOLA LINDER
P. angulata (Nees) Adamson = P. TORTUOSA
P. angustifolia (Nees) Stapf var. albescens
Stapf = P. PALLIDA
P. angustifolia (Nees) Stapf var. angustifolia
= P. PALLIDA
P. angustifolia (Nees) Stapf var. cirrhulosa
(Nees) Stapf = P. CIRRHULOSA
P. angustifolia (Nees) Stapf var. micratera
(Nees) Stapf = P. GLANDULOSA
- 650 P. ARGENTEA STAPF
- 1200 P. AUREA (STEUD.) MCCLEAN SUBSP. AUREA
- 1250 P. AUREA (STEUD.) MCCLEAN SUBSP.
PILOSGLUMA (MCCLEAN)
LINDER
(=P. pilosogluma McClean) 3
P. bachmannii McClean = P. ECKLONII
P. BARBATA (NEES) LINDER SUBSP. BARBATA
1370 P. BARBATA (NEES) LINDER SUBSP. ORIENTALIS
LINDER
P. brachyathera Stapf = P. TOMENTELLA
P. burchellii Stapf = P. CIRRHULOSA
- 1520 P. CALCICOLA LINDER VAR. CALCICOLA
- 1550 P. CALCICOLA LINDER VAR. HIRSUTA LINDER
- 1720 P. CAULESCENS LINDER
- 1740 P. CHIPPINDALLIAE LINDER
- 1760 P. CIRRHULOSA (NEES) LINDER
(=P. angustifolia (Nees) Stapf var.
cirrhulosa (Nees) Stapf) 3
(=P. burchellii Stapf) 3
(=P. patuliflora Rendle) 3
- 1800 P. COLORATA (STEUD.) STAPF
(=P. colorata (Steud.) Stapf var. polytricha
Stapf) 3

- P. colorata* (Steud.) Stapf var. *polytricha*
Stapf = *P. COLORATA*
- 2100 *P. DENSIFOLIA* (NEES) STAPF
(=*P. densifolia* (Nees) Stapf var. *intricata*
Stapf) 3
P. densifolia (Nees) Stapf var. *intricata* Stapf
= *P. DENSIFOLIA*
- 2250 *P. ECKLONII* (NEES) MCCLEAN
(=*P. bachmannii* McClean) 3
- 2400 *P. ERIOSTOMA* (NEES) STAPF
(=*P. juncifolia* Stapf) 3
P. euadenia Stapf = *P. PATULA*
- 2650 *P. EXSERTA* LINDER
P. fibrosa Stapf = *P. TYSONII*
P. filiformis (Nees) Stapf = *P. PALLIDA*
- 2850 *P. GLANDULOSA* (SCHRAD.) LINDER
(=*P. angustifolia* (Nees) Stapf var.
micrathera (Nees) Stapf) 3
- 3050 *P. HOLCIFORMIS* (NEES) LINDER
P. imperfecta Stapf = *P. PALLIDA*
P. involuta (Steud.) Adamson = *P. PALLESCENS*
P. jugorum Stapf = *P. AIROIDES* SUBSP. *JUGORUM*
P. juncifolia Stapf = *P. ERIOSTOMA*
- 3250 *P. LIMA* (NEES) STAPF
- 3650 *P. MONTANA* LINDER
P. nutans (Nees) Stapf = *P. TORTUOSA*
- 4000 *P. PALLESCENS* (SCHRAD.) STAPF
(=*P. involuta* (Steud.) Adamson) 3
(=*P. silvatica* Adamson) 3
- 4150 *P. PALLIDA* (THUNB.) LINDER
(=*P. angustifolia* (Nees) Stapf var. *albescens*
Stapf) 3
(=*P. angustifolia* (Nees) Stapf var.
angustifolia) 3
(=*P. filiformis* (Nees) Stapf) 3
(=*P. imperfecta* Stapf) 3
(=*P. thunbergii* (Kunth) Stapf var. *brevifolia*
Stapf) 3
(=*P. thunbergii* (Kunth) Stapf var. *bulbothrix*
Stapf) 3
(=*P. thunbergii* (Kunth) Stapf var. *ebarbata*
Stapf) 3
- 4250 *P. PAPILLOSA* (STEUD.) LINDER
(=*P. subulifolia* Stapf) 3
(=*P. zeyheri* Stapf) 3
- 4300 *P. PATULA* (NEES) STAPF
(=*P. euadenia* Stapf) 3
(=*P. patula* (Nees) Stapf var. *acuta* Stapf) 3
P. patula (Nees) Stapf var. *acuta* Stapf = *P.*
PATULA
P. patula (Nees) Stapf var. *glabrata* Stapf =
P. AIROIDES SUBSP. *AIROIDES*
P. patuliflora Rendle = *P. CIRRHULOSA*
P. pilosogluma McClean = *P. AUREA* SUBSP.
PILOSOGLUMA
- 4350 *P. PRAECOX* LINDER
- 4420 *P. PSEUDOPALLESCENS* LINDER
- 4460 *P. PUNGENS* LINDER
- 4520 *P. PUSILLA* (NEES) LINDER
(=*Poa* *pusilla* (Nees) Stapf) 3
- 4550 *P. PYROPHILA* LINDER
- 4570 *P. REFLEXA* LINDER
- 4600 *P. RIGIDISSIMA* PILG. EX LINDER
- 4650 *P. ROSEA* LINDER SUBSP. *PURPURASCENS*
LINDER
- 4670 *P. ROSEA* LINDER SUBSP. *ROSEA*
- 4750 *P. SCANDENS* LINDER
P. silvatica Adamson = *P. PALLESCENS*
P. subulifolia Stapf = *P. PAPILLOSA*
P. thunbergii (Kunth) Stapf, nom. illegit. =
P. TRISETA
P. thunbergii (Kunth) Stapf var. *brevifolia*
Stapf = *P. PALLIDA*
P. thunbergii (Kunth) Stapf var. *bulbothrix*
Stapf = *P. PALLIDA*
P. thunbergii (Kunth) Stapf var. *ebarbata* Stapf
= *P. PALLIDA*
- 5600 *P. TOMENTELLA* STAPF
(=*P. brachyathera* Stapf) 3
- 5700 *P. TORTUOSA* (TRIN.) STAPF
(=*P. angulata* (Nees) Adamson) 3
(=*P. nutans* (Nees) Stapf) 3
- 5800 *P. TRISETA* (THUNB.) STAPF
(=*P. thunbergii* (Kunth) Stapf, nom. illegit.)
3
- 5900 *P. TYSONII* STAPF
(=*P. fibrosa* Stapf) 3
- 5930 *P. VELUTINA* LINDER
- 5960 *P. VENETA* LINDER
P. zeyheri Stapf = *P. PAPILLOSA*
- 9902611 –*STIPAGROSTIS* NEES
3. DE WINTER. 1990. *BOTHALIA* 20,1: 82–87.
(Note spelling change to species
and authors of nos 1700 & 1800)
- 1700 *S. HOCHSTETTERIANA* (BECK EX HACK.) DE
WINTER VAR. *HOCHSTETTERIANA*
- 1800 *S. HOCHSTETTERIANA* (BECK EX HACK.) DE
WINTER VAR. *SECALINA*
(HENR.) DE WINTER
- 2450 *S. PELYTRONIS* DE WINTER (Described from
Namibia 2315 (ROSTOCK): Namib
Naukluft Park, Tsondap Vlei (-CD),
Hofmeyer 45.)
- 2850 *S. SEELYAE* DE WINTER (Described from Namibia
2415 (SOSSUSVLEI): Sossus Vley (-CB),
Giess 13433.)
- 9902620 –*ARISTIDA* L.
2. MELDERIS. 1971. FZ.
4. GIBBS RUSSELL ET AL. 1990. *GRASSES SA.*
- 50 *A. ADSCENSIONIS* L.
(=*A. adscensionis* L. subsp. *guineensis*
(Trin. & Rupr.) Henr.) 2
(=*A. curvata* (Nees) Dur. & Schinz.) 2
(=*A. submucronata* Schumach.) 2
A. adscensionis L. subsp. *guineensis* (Trin. &
Rupr.) Henr. = *A. ADSCENSIONIS*
A. curvata (Nees) Dur. & Schinz. = *A.*
ADSCENSIONIS
- 2800 *A. SCABRIVALVIS* HACK. SUBSP. *CONTRACTA* (DE
WINTER) MELD. (Note corrected
author citation)
A. submucronata Schumach. = *A. ADSCENSIONIS*
- 9902630 –*STIPA* L.
700 *S. VARIABILIS* HUGHES * (Australian species
collected in the Cape. 3318 (CAPE TOWN):
Atlantic (-CB), Smook 3617.)
- 9902650 –*NASSELLA* DESV. (Note corrected spelling of genus)
- 9902830 –*SPOROBOLUS* R. BR.
2. CLAYTON ET AL. 1974. FTEA.
4. GIBBS RUSSELL ET AL. 1990. *GRASSES SA.*
S. cordofanus (Steud.) Coss. (Species does not
occur in southern Africa)
- 1400 *S. FIMBRIATUS* (TRIN.) NEES
(=*S. fimbriatus* (Trin.) Nees var. *latifolius*
Stent) 2
S. fimbriatus (Trin.) Nees var. *latifolius*
Stent = *S. FIMBRIATUS*
- 1700 *S. IOCLADOS* (TRIN.) NEES
(=*S. smutsii* Stent) 2
S. smutsii Stent = *S. IOCLADOS*
S. uniglumis Stent & Rattray (Species does not
occur in southern Africa)
- 9902860 –*ERAGROSTIS* WOLF
E. moggii De Winter var. *contracta* De Winter
(Species does not occur in southern
Africa)
- 8750 *E. VACILLANS* RENDLE (Collected in Namibia.
1724 (KATIMA MULILO): near
Katima Mulilo (-AC), De
Winter 9124.)
- 9902960 –*CYNODON* RICH.
C. plectostachyus (K. Schum.) Pilg. * (Species does
not occur in southern Africa)

- 9903090 –CRASPEDORHACHIS BENTH.
50 C. AFRICANA BENTH.
C. sarmentosa (Hack.) Pilg. = WILLKOMMIA
SARMENTOSA
- 9903100 –WILLKOMMIA HACK.
1. LAUNERT. 1970. FSWA.
2. CLAYTON & RENVOIZE. 1986. GEN. GRAM.
3. GIBBS RUSSELL ET AL. 1990. GRASSES SA.
100 W. ANNUA HACK.
200 W. NEWTONII HACK.
300 W. SARMENTOSA HACK.
(=Craspedorhachis sarmentosa (Hack.) Pilg.) 2
- 9903320 –DACTYLOCTENIUM WILLD.
100 D. AEGYPTIUM (L.) WILLD.
(Note correct author citation)
400 D. GIGANTEUM FISHER & SCHWEICK.
(Note correct spelling of author)
- 9903530 –TRICHONEURA N.J. ANDERSS.
2. GIBBS RUSSELL ET AL. 1990. GRASSES SA.
T. schlechteri (Pilg.) Ekman (Species does not
occur in southern Africa)
- 9903742 –Rostraria Trin.
1. Tzvelev. 1970. Novosti Sistematiki
Vysshikh Rastenii 7: 46.
2. Clayton & Renvoize. 1986. Gen. Gram.
Species could be transferred to this genus from
LOPHOCHLOA
- 9904010 –DESMAZERIA DUMORT.
2. CLAYTON & RENVOIZE. 1986. GEN. GRAM.
D. rigida (L.) Tutin * = CATAPODIUM RIGIDUM *
- 9904070 –POA L. Revision: H.P. Linder (BOL).
3. GIBBS RUSSELL ET AL. 1990. GRASSES SA.
400 P. BINATA NEES
(=P. heterogama Hack.) 3
P. heterogama Hack. = P. BINATA
- 9904150 –PUCCINELLIA PARL.
2. GIBBS RUSSELL ET AL. 1990. GRASSES SA.
300 P. FASCICULATA (TORR.) BICKN. *
(=P. fasciculata (Torr.) Bickn. var.
caespitosa Allen & Jansen) 2
P. fasciculata (Torr.) Bickn. var. caespitosa
Allen & Jansen = P.
FASCICULATA
- 9904170 –FESTUCA L.
4. GIBBS RUSSELL ET AL. 1990. GRASSES SA.
F. abyssinica A. Rich. var. abyssinica (Species
does not occur in southern Africa)
200 F. CAPRINA NEES
(=F. caprina Nees var. irrasa Stapf) 4
(=F. caprina Nees var. macra Stapf) 4
F. caprina Nees var. irrasa Stapf = F. CAPRINA
F. caprina Nees var. macra Stapf = F. CAPRINA
500 F. COSTATA NEES
(=F. costata Nees var. longiligulata J.G.
Anders.) 4
(=F. costata Nees var. longiseta Nees) 4
F. costata Nees var. longiligulata J.G. Anders.
= F. COSTATA
F. costata Nees var. longiseta Nees = F.
COSTATA
- 9904200 –CATAPODIUM LINK Revision: H.P. Linder
(BOL).
1. CLAYTON & RENVOIZE. 1986. GEN. GRAM.
100 C. RIGIDUM (L.) C.E. HUBB. *
(=Desmazeria rigida (L.) Tutin *) 1
- 9904340 –Agropyron Gaertn. = ELYTRIGIA, THINOPYRUM
A. distichum (Thunb.) Beauv. = THINOPYRUM
DISTICHUM
A. repens (L.) Beauv. * = ELYTRIGIA REPENS
- 9904345 –ELYTRIGIA DESV.
3. GIBBS RUSSELL ET AL. 1990. GRASSES SA.
300 E. REPENS (L.) NEVSKI *
(=Agropyron repens (L.) Beauv. *) 3
- 9904348 –THINOPYRUM LOEVE
3. GIBBS RUSSELL ET AL. 1990. GRASSES SA.
200 T. DISTICHUM (THUNB.) LOEVE *
(=Agropyron distichum (Thunb.) Beauv. *) 3
- 9904422 –Monerma auct., non Beauv. = HAINARDIA
100 M. cylindrica auct., non (Willd.) Coss. &
= HAINARDIA CYLINDRICA *
- 9904423 –HAINARDIA GREUTER
1. CLAYTON & RENVOIZE. 1986. GEN. GRAM.
100 H. CYLINDRICA (WILLD.) GREUTER *
(=Monerma cylindrica auct., non (Willd.)
Coss. & Dur. *) 1
- 9904510 –HORDEUM L.
H. vulgare L. subsp. vulgare * (Species does not
occur in southern Africa)
- DICOTYLEDONAE
- CASUARINACEAE Contributed by M. Jordaan 1855000
- 1855000 –CASUARINA ADANS. Revision: M. Wilmot-Dea (K).
100 C. CUNNINGHAMIANA MIQ. *
- SALICACEAE Contributed by M. Jordaan 1872000
- 1873000 –SALIX L.
1. IMMELMAN. 1987. BOTHALIA 17,2: 171–177.
670 S. MUCRONATA THUNB. SUBSP. WILMSII
(SEEMEN) IMMELMAN
680 S. MUCRONATA THUNB. SUBSP. WOODII
(SEEMEN) IMMELMAN
- MORACEAE Contributed by M. Jordaan 1908000
- 1961000 –FICUS L. Revision: C.C. Berg (U); H. Baijnath
(UD-W); J.V. van Greuning (PRU).
1. FRIEDRICH-HOLZHAMMER. 1966. FSWA 16,3.
3. AWEKE. 1979. MEDED. LANDBOUWH. WAG.
79,3: 9.
4. BERG ET AL. 1984. FL. DU GABON 26:
148, 215.
50 F. ABUTILIFOLIA (MIQ.) MIQ.
200 F. BUBU WARB.
1000 F. GLUMOSA (MIQ.) DEL.
- URTICACEAE Contributed by M. Jordaan 1974000
- 2013000 –DROGUETIA GAUDICH.
#. PRE HERBARIUM PRACTICE,
FOLLOWING IMMELMAN.
50 D. AMBIGUA WEDD.
(=D. urticaefolia Wedd.) #
100 D. INERS (FORSSK.) SCHWEINF. SUBSP.
BURCHELLII (N.E. BR.)
FRIIS & WILMOT-DEAR
200 D. INERS (FORSSK.) SCHWEINF. SUBSP. INERS
(=D. thunbergii N.E. Br.) #
(=D. woodii N.E. Br.) #
D. thunbergii N.E. Br. = D. INERS SUBSP. INERS
D. urticaefolia Wedd. = D. AMBIGUA
D. woodii N.E. Br. = D. INERS SUBSP. INERS
- 2014000 –AUSTRALINA GAUDICH. Southern African species
moved to DIDYMODOKA
A. capensis Wedd. = DIDYMODOKA CAPENSIS
VAR. CAPENSIS
A. lanceolata N.E. Br. (Species does not occur in
southern Africa)
A. paarlensis N.E. Br. = DIDYMODOKA CAPENSIS
VAR. INTEGRIFOLIA
A. procumbens N.E. Br. = DIDYMODOKA
CAPENSIS VAR. CAPENSIS
A. thunbergii N.E. Br. = DIDYMODOKA CAPENSIS
VAR. CAPENSIS

- 2014010 –DIDYMODOXIA WEDD.
2. FRIIS, IMMELMAN & WILMOT-DEAR. 1987.
NORD. J. BOT. 7: 125–126.
- 300 D. CAPENSIS (L. F.) FRIIS & WILMOT-DEAR
VAR. CAPENSIS
(=Australina capensis Wedd.) 2
(=Australina procumbens N.E. Br.) 2
(=Australina thunbergii N.E. Br.) 2
- 400 D. CAPENSIS (L. F.) FRIIS & WILMOT-DEAR
VAR. INTEGRIFOLIA (WEDD.)
FRIIS & WILMOT-DEAR
(=Australina paarlensis N.E. Br.) 2
- PROTEACEAE Contributed by M. Jordaan 2016000
- 2035000 –PROTEA L.
5. ROURKE. 1990. S. AFR. J. BOT. 56,2:
261–265.
- 5350 P. NAMAQUANA ROURKE
- POLYGONACEAE Contributed by M. Jordaan 2184000
- 2195000 –RUMEX L.
4. PRESS. 1988. B.S.B.I. NEWS 49: 49.
- 50 R. ACETOSELLA L. SUBSP. ANGIOCARPUS
(MURB.) MURB.
(=R. angiocarpus Murb.) 4
R. angiocarpus Murb. = R. ACETOSELLA SUBSP.
ANGIOCARPUS
- CENOPODIACEAE Contributed by M. Jordaan 221400
- 2269000 –SALSOLA L.
3130 S. GEMINIFLORA FENZL EX C.H. WR.
- AMARANTHACEAE Contributed by M. Jordaan 2289000
- 2299000 –AMARANTHUS L.
1. BRENAN. 1981. J.L.S. AFR. BOT. 47,3:
451–492.
- 530 A. DINTERI SCHINZ SUBSP. DINTERI VAR. A
540 A. DINTERI SCHINZ SUBSP. DINTERI VAR. B
- AIZOACEAE Contributed by M. Jordaan 2374000
- 2376000 –LIMEUM L.
1550 L. INDICUM STOCKS EX ANDERSON
(Note change in species number)
- MESEMBRYANTHEMACEAE Contr. by M. Jordaan 2405001
- 2405028 –CONICOSIA N.E. BR.
1. N.E. BROWN. 1932. GARD. CHRON. SER. III
91: 144.
#. PRE HERBARIUM PRACTICE, FOLLOWING
IHLENFELDT & GERBAULET.
C. alborosea L. Bol. = C. PUGIONIFORMIS SUBSP.
ALBOROSEA
C. muirii N.E. Br. = C. PUGIONIFORMIS SUBSP.
MUIRII
- 725 C. PUGIONIFORMIS (L.) N.E. BR. SUBSP.
ALBOROSEA (L. BOL.)
IHLENFELDT & GERBAULET
(=C. alborosea L. Bol.) #
- 750 C. PUGIONIFORMIS (L.) N.E. BR. SUBSP.
MUIRII (N.E. BR.)
IHLENFELDT & GERBAULET
(=C. muirii N.E. Br.) #
- 800 C. PUGIONIFORMIS (L.) N.E. BR. SUBSP.
PUGIONIFORMIS
- 1000 C. ROBUSTA N.E. BR.
- 2405030 –CONOPHYTUM N.E. BR.
1. L. BOLUS. 1963. J.L.S. AFR. BOT. 29,2: 47.
- 34950 C. VANZIILII LAVIS
35350 C. VELUTINUM SCHWANT. VAR. CRATERULUM
(TISCHER) RAWE
- 2405039 –DOROTHEANTHUS SCHWANT.
1. IHLENFELDT & STRUCK. 1987. BEITR.
BIOL. PFLANZEN 61: 411–453.
N.E. BR.
- 300 D. BELLIDIFORMIS (BURM. F.) N.E. BR.
SUBSP. BELLIDIFORMIS
(=D. acuminatus L. Bol.) 1
(=D. bidouwensis L. Bol.) 1
(=D. flos-solis (Berger) L. Bol.) 1
(=D. hallii L. Bol.) 1
(=D. littlewoodii L. Bol.) 1
(=D. lutens N.E. Br.) 1
(=D. muirii L. Bol.) 1
(=D. oculatus N.E. Br. var. oculatus) 1
(=D. oculatus N.E. Br. var. salghanensis L.
Bol.) 1
(=D. stayneri L. Bol.) 1
- 700 D. GRAMINEUS (HAW.) SCHWANT.
(=D. gramineus (Haw.) Schwant. forma albus
(Haw.) Rowley) 1
(=D. gramineus (Haw.) Schwant. forma roseus
(Haw.) Rowley) 1
(=D. tricolor (Willd.) L. Bol.) 1
D. lutens N.E. Br. = D. BELLIDIFORMIS
- 1800 D. MAUGHANII (N.E. BR.) IHLENF. & STRUCK
(=Pherolobus maughanii (N.E. Br.) var.
maughanii) 1
(=Pherolobus maughanii (N.E. Br.) var.
stayneri L. Bol.) 1
- 2405046 –EREPSIA N.E. BR.
#. PRE HERBARIUM PRACTICE,
FOLLOWING LIEDE.
- 150 E. ANCEPS (HAW.) SCHWANT. X E. BRACTEATA
(AIT.) SCHWANT.
- 1050 E. DUBIA LIEDE
1150 E. FORFICATA LIEDE
- 2405071 –MALEPHORA N.E. BR.
1150 M. PURPUREO-CROCEA (HAW.) JACOBSEN &
SCHWANT.
- 2405076 –Micropterum Schwant. Southern African specie
moved to CLERETUM,
MESEMBRYANTHEMUM
M. herrei Schwant. = CLERETUM HERREI
M. longipes (L. Bol.) Schwant. = CLERETUM
PAPULOSUM SUBSP. SCHLECHTERI
M. schlechteri Schwant. = CLERETUM
PAPULOSUM SUBSP. SCHLECHTERI
- 2405081 –MUIRIA N.E. BR. (Note correction to genus
number)
- 2405095 –Pherolobus N.E. BR. = DOROTHEANTHUS
P. maughanii (N.E. Br.) var. maughanii =
DOROTHEANTHUS MAUGHANII
P. maughanii (N.E. Br.) var. stayneri L. Bol.
= DOROTHEANTHUS MAUGHANII
- 2405140 –CLERETUM R. BR.
2. IHLENFELDT & STRUCK. 1987. BEITR.
BIOL. PFLANZEN 61: 411–451.
- 100 C. HERREI SCHWANT.
(=Micropterum herrei Schwant.) 2
C. longipes L. Bol. = C. PAPULOSUM SUBSP.
SCHLECHTERI
- 400 C. PAPULOSUM (L. F.) SCHWANT. SUBSP.
SCHLECHTERI (SCHWANT.)
IHLENF. & STRUCK
(=C. longipes L. Bol.) 2
(=C. schlechteri (Schwant.) N.E. Br.) 2
(=Micropterum longipes (L. Bol.) Schwant.) 2
(=Micropterum schlechteri Schwant.) 2
C. schlechteri (Schwant.) N.E. Br.) 2
- 2405152 –PHYLLOBOLUS N.E. BR.
#. PRE HERBARIUM PRACTICE,
FOLLOWING O'CONNOR & FENTON.

- 100 P. PALENS N.E. BR.
- CARYOPHYLLACEAE (PART B) Contr. by M. Jordaan 2488000
- 2490000 -SILENE L. Revision: G. Bocquet (G).
3. MASSON. 1989. CANDOLLEA 44.2: 485-491.
- 1450 S. VLOKII MASS.
- 1475 S. VULGARIS (MOENCH) GARCKE SUBSP.
MACROCARPA (MARSDEN) JONES
& TURRILL *
- ANNONACEAE Contributed by M. Jordaan 2665000
- 2673000 -UVARIA L.
1. ROBSON. 1958. BOL. SOC. BROT. 32: 152.
- 150 U. GRACILIPES N. ROBSON
- 2696000 -MONANTHOTAXIS BAILL.
(Note correction to genus number)
- CAPPARACEAE Contributed by M. Jordaan 3082000
- 3082000 -CLEOME L.
2. WILD & GONCALVES. 1973. FM 12: 5.
- 250 C. BOROSENSIS (KLOTZSCH) OLIV.
- CRASSULACEAE Contributed by M. Jordaan 3161000
- 3168000 -CRASSULA L.
1. FERNANDES. 1982. BOL. SOC. BROT. 55:
98
- 2025 C. ATROPURPUREA (HAW.) DIETR. VAR.
ANOMALA (SCHONL. & BAK. F.)
TOELKEN X VAR. MUIRII
(SCHONL.) R. FERNANDES
- 2150 C. ATROPURPUREA (HAW.) DIETR. VAR.
ATROPURPUREA (HAW.) DINTER
X VAR. MUIRII (SCHONL.)
R. FERNANDES
- 2275 C. ATROPURPUREA (HAW.) DIETR. VAR. MUIRII
(SCHONL.) R. FERNANDES
(=C. atropurpurea (Haw.) Dietr. var. rubella
(Compton) Toelken) 1
C. atropurpurea (Haw.) Dietr. var. rubella
(Compton) Toelken = C.
ATROPURPUREA VAR. MUIRII
- ROSACEAE Contributed by M. Jordaan 3316000
- 3333010 -PYRACANTHA M.J. ROEMER
600 P. ROGERSIANA (A.B. JACKS.) BEAN
- 3336000 -CYDONIA MILL.
1. BAILEY. 1977. HORTUS THIRD: 352.
- 100 C. OBLONGA MILL. *
- 3345000 -CRATAEGUS L.
1. BAILEY. 1977. HORTUS THIRD: 331.
- 100 C. X LAVALLEI HENRIQUE *
- 3353000 -RUBUS L. Revision: C. Stirton (K).
- 200 R. AFFINIS WIGHT & ARN. *
- 230 R. AFFINIS WIGHT & ARN. X R. PINNATUS
WILLD. *
- 1100 R. PHOENICULACIUS MAZIM. *
- 1230 R. X PROTEUS C.H. STIRTON
- 1400 R. ROSIFOLIUS J.E. SM. *
- 1600 R. TRIFOLIOLATUS SUESSENG. *
- FABACEAE Contributed by G. Germishuizen 3436000
& B.D. Schrire (Indigofera)
- 3446000 -ACACIA MILL.
2. ROSS. 1979. MEM. BOT. SURV. S. AFR.
44:80-81.
- A. albida Del. = FAIDHERBIA ALBIDA (DEL.) A.
CHEV.
- 91650 A. GOETZEI HARMS SUBSP. MICROPHYLLA
BRENAN
A. mossambicensis Bolle = FAIDHERBIA ALBIDA
- 3446010 -FAIDHERBIA A. CHEV.
1. LOCK. 1989. LEGUMES OF AFRICA.
- 100 F. ALBIDA (DEL.) A. CHEV.
(=A. albida Del.) 1
(=A. mossambicensis Bolle) 1
- 3516020 -JULBERNARDIA PELLEGR.
(Note correction to genus number)
- 3536000 -CASSIA L. EMEND. GAERTN.
2. LOCK. 1988. KEW BULL. 43.2: 334-341.
- C. absus L. = CHAMAECRISTA ABSUS
- C. arachoides Burch. = SENNA ITALICA SUBSP.
ARACHOIDES
- C. bicapsularis L. * = SENNA BICAPSULARIS
- C. biensis (Steyaert) Mendonça & Torre =
CHAMAECRISTA BIENSIS
- C. capensis Thunb. var. capensis =
CHAMAECRISTA CAPENSIS
VAR. CAPENSIS
- C. capensis Thunb. var. keiensis Steyaert =
CHAMAECRISTA CAPENSIS
VAR. CAPENSIS
- C. capensis Thunb. var. flavescens (E. Mey.)
Vogel = CHAMAECRISTA CAPENSIS
VAR. FLAVESCENS
- C. coluteoides Collad. * = SENNA PENDULA VAR.
GLABRATA
- C. comosa (E. Mey.) Vogel var. capricornia
Steyaert = CHAMAECRISTA COMOSA
VAR. CAPRICORNIA
- C. comosa (E. Mey.) Vogel var. comosa =
CHAMAECRISTA COMOSA E. MEY.
VAR. COMOSA
- C. comosa (E. Mey.) Vogel var. lanata Steyaert
= CHAMAECRISTA COMOSA
VAR. COMOSA
- C. corymbosa Lam. * = SENNA CORYMBOSA
- C. delagoensis Harv. = SENNA PETERSIANA
- C. didymobotrya Fresen. * = SENNA
DIDYMOBOTRYA
- C. falcinella Oliv. var. longifolia Ghesq. =
CHAMAECRISTA PARVA
- C. falcinella Oliv. var. parviflora Steyaert =
CHAMAECRISTA FALCINELLA VAR.
PARVIFLORA
- C. floribunda sensu Brenan non Cav. * = SENNA
SEPTENTRIONALIS
- C. glauca Lam. = SENNA SURATTENSIS
- C. goratensis Fresen. = SENNA SINQUEANA
- C. hirsuta L. * = SENNA HIRSUTA
- C. italica (Mill.) Lam. ex F.W. Andr. subsp.
arachoides (Burch.) Brenan =
SENNA ITALICA SUBSP. ARACHOIDES
- C. italica (Mill.) Lam. ex F.W. Andr. subsp.
micrantha Brenan = SENNA
ITALICA SUBSP. MICRANTHA
- C. kirkii Oliv. var. quarrei Ghesq. =
CHAMAECRISTA STRICTA
- C. laevigata Willd. = SENNA SEPTENTRIONALIS
- C. mimosoides L. = CHAMAECRISTA
MIMOSOIDES
- C. mimosoides L. var. stricta (E. Mey.) Harv. =
CHAMAECRISTA STRICTA
- C. multijuga L.C. Rich. = SENNA MULTIJUGA
- C. nairobensis Aggeler & Musser = SENNA
DIDYMOBOTRYA
- C. obovata Collad. var. mucronata Burtt Davy =
SENNA ITALICA SUBSP. ARACHOIDES
- C. obovata Collad. var. pallidiflora Dinter =
SENNA ITALICA SUBSP. MICRANTHA
- C. obovata Collad. var. pilosa Burtt Davy =
SENNA ITALICA SUBSP. ARACHOIDES
- C. obtusifolia L. * = SENNA OBTUSIFOLIA
- C. occidentalis L. * = SENNA OCCIDENTALIS
- C. parva Steyaert = CHAMAECRISTA PARVA
(STEYAERT) LOCK
- C. petersiana Bolle = SENNA PETERSIANA
- C. plumosa (E. Mey.) Vogel var. erecta Schorn &
Gordon-Gray = CHAMAECRISTA
PLUMOSA VAR. ERECTA

- C. plumosa* (E. Mey.) Vogel var. *plumosa* =
CHAMAECRISTA PLUMOSA VAR.
PLUMOSA
- C. plumosa* (E. Mey.) Vogel x *C. mimosoides* L. =
CHAMAECRISTA PLUMOSA E. MEY. X
CHAMAECRISTA MIMOSOIDES (L.)
GREENE
- C. quarrei* (Ghesq.) Steyaert = CHAMAECRISTA
STRICTA
- C. siamea* Lam. * = SENNA SIAMEA
- C. singueana* Del. = SENNA SINGUEANA (DEL.)
LOCK
- C. sinqueana* sensu auct. non Del., orth. err. =
SENNA SINGUEANA (DEL.) LOCK
- C. sophera* L. * = SENNA SOPHERA
- C. stricta* (E. Mey.) Steud. = CHAMAECRISTA
STRICTA
- C. surattensis* Burm. f. * = SENNA SURATTENSIS
- C. tomentosa* L. f. * = SENNA
MULTIGLANDULOSA
(JACQ.) IRWIN & BARNEBY
- C. tomentosa* sensu H.M.L. Forbes = SENNA
HIRSUTA
- C. transversali-seminata* De Wild. = SENNA
BICAPSULARIS
- C. zanzibarensis* Vatke = SENNA SINQUEANA
- 3536010 –CHAMAECRISTA MOENCH
1. GORDON-GRAY. 1977. FSA 16,2: 69.
2. LOCK. 1988. KEW BULL. 43,2: 334–341.
- 100 *C. ABSUS* (L.) IRWIN & BARNEBY
(=Cassia *absus* L.) 2
- 200 *C. BIENSIS* (STEYAERT) LOCK
(=Cassia *biensis* (Steyaert) Mendonça & Torre)
2
(=C. *katangensis* (Ghesq.) Steyaert var.
biensis Steyaert) 2
- 300 *C. CAPENSIS* (THUNB.) E. MEY. VAR. *CAPENSIS*
(=Cassia *capensis* Thunb. var. *capensis*) 2
- 400 *C. CAPENSIS* (THUNB.) E. MEY. VAR.
FLAVESCENS (THUNB.) E. MEY.
(=Cassia *capensis* Thunb. var. *flavescens* (E.
Mey.) Vogel) 2
(=Cassia *capensis* Thunb. var. *keiensis*
Steyaert) 2
- 500 *C. COMOSA* E. MEY. VAR. *CAPRICORNIA*
(STEYAERT) LOCK
(=Cassia *comosa* (E. Mey.) Vogel var.
capricornia) 2
- 600 *C. COMOSA* E. MEY. VAR. *COMOSA*
(=Cassia *comosa* (E. Mey.) Vogel var. *comosa*)
2
(=Cassia *comosa* (E. Mey.) Vogel var. *lanata*
Steyaert) 2
- 700 *C. FALCINELLA* (OLIV.) LOCK VAR. *PARVIFLORA*
(STEYAERT) LOCK
(=Cassia *falcinella* Oliv. var. *parviflora*
Steyaert) 2
- 800 *C. MIMOSOIDES* (L.) GREENE
(=Cassia *mimosoides* L.) 2
- 850 *C. PARVA* (STEYAERT) LOCK
(=Cassia *falcinella* Oliv. var. *longifolia*
Ghesq.) 1,2
(=Cassia *parva* Steyaert) 2
- C. plumosa* E. Mey. var. *diffusa* E. Mey. = *C.*
PLUMOSA VAR. PLUMOSA
- 900 *C. PLUMOSA* E. MEY. VAR. *ERECTA* (SCHORN &
GORDON-GRAY) LOCK
- 1000 *C. PLUMOSA* E. MEY. VAR. *PLUMOSA*
(=Cassia *plumosa* (E. Mey.) Vogel var. *diffusa*
(E. Mey.) Vogel) 1,2
(=Cassia *plumosa* (E. Mey.) Vogel var.
plumosa) 2
(=C. *plumosa* E. Mey. var. *diffusa* E. Mey.)
1,2
- 1050 *C. PLUMOSA* E. MEY. X *C. MIMOSOIDES* (L.)
GREENE
(=Cassia *plumosa* (E. Mey.) Vogel x *Cassia*
mimosoides L.) 1,2
- 1100 *C. STRICTA* E. MEY.
(=Cassia *kirkii* Oliv. var. *quarrei* Ghesq.) 2
(=Cassia *mimosoides* L. var. *stricta* (E. Mey.)
Harv.) 1,2
(=Cassia *quarrei* (Ghesq.) Steyaert) 2
(=Cassia *stricta* (E. Mey.) Steud.) 2
- 3536020 –SENNA MILL.
1. GORDON-GRAY. 1977. FSA 16,2:69.
2. LOCK. 1988. KEW BULL. 43,2: 334–341.
3. LOCK. 1989. LEGUMES OF AFRICA.
- 100 *S. BICAPSULARIS* (L.) ROXB. *
(=Cassia *bicapsularis* L. *) 2
(=Cassia *transversali-seminata* De Wild.) 1,2
- 200 *S. CORYMBOSA* (LAM.) IRWIN & BARNEBY *
(=Cassia *corymbosa* Lam. *) 2
- 300 *S. DIDYMOBOTRYA* (FRESEN.) IRWIN &
BARNEBY *
(=Cassia *didymobotrya* Fresen. *) 2
(=Cassia *nirobensis* Aggeler & Musser) 1,2
- 400 *S. HIRSUTA* (L.) IRWIN & BARNEBY *
(=Cassia *hirsuta* L. *) 2
(=Cassia *tomentosa* sensu H.M.L. Forbes) 1,2
- 500 *S. ITALICA* MILL. SUBSP. *ARACHOIDES*
(BURCH.) LOCK
(=Cassia *arachoides* Burch.) 2
(=Cassia *italica* (Mill.) Lam. ex F.W. Andr.
subsp. *arachoides*) 1
(=Cassia *obovata* Collad. var. *mucronata* Burt
Davy) 1,2
(=Cassia *obovata* Collad. var. *pilosa* Burt
Davy) 1,2
- 600 *S. ITALICA* MILL. SUBSP. *MICRANTHA* (BRENNAN)
LOCK
(=Cassia *italica* (Mill.) Lam. ex F.W. Andr.
subsp. *micrantha* Brennan) 2
(=Cassia *obovata* Collad. var. *pallidiflora*
Dinter) 1,2
- 700 *S. MULTIGLANDULOSA* (JACQ.) IRWIN &
BARNEBY *
(=Cassia *tomentosa* L. f. *) 2
- 750 *S. MULTIJUGA* (L.C. RICH.) IRWIN & BARNEBY
(=Cassia *multijuga* L.C. Rich.) 2
- 800 *S. OBTUSIFOLIA* (L.) IRWIN & BARNEBY *
(=Cassia *obtusifolia* L. *) 2
- 900 *S. OCCIDENTALIS* (L.) LINK *
(=Cassia *occidentalis* L. *) 2
- 1000 *S. PENDULA* (WILLD.) IRWIN & BARNEBY VAR.
GLABRATA (VOGEL) IRWIN &
BARNEBY *
(=Cassia *coluteoides* Collad.) 2
- 1100 *S. PETERSIANA* (BOLLE) LOCK
(=Cassia *delagoensis* Harv.) 1,2
(=Cassia *petersiana* Bolle) 2
- 1200 *S. SEPTEMTRIONALIS* (VIV.) IRWIN & BARNEBY *
(=Cassia *floribunda* sensu Brennan non Cav. *)
2
(=Cassia *laevigata* Willd.) 2
- 1300 *S. SIAMEA* (LAM.) IRWIN & BARNEBY *
(=Cassia *siamea* Lam.) 2
- 1400 *S. SINGUEANA* (DEL.) LOCK
(=Cassia *goratensis* Fresen.) 2
(=Cassia *singueana* Del.) 2
(=Cassia *sinqueana* sensu auct. non Del.,
orth. err.) 2
(=Cassia *zanzibarensis* Vatke) 2
- 1500 *S. SOPHERA* (L.) ROXB. *
(=Cassia *sophera* L. *) 2
- 1600 *S. SURATTENSIS* (BURM. F.) IRWIN & BARNEBY*
(=Cassia *glauca* Lam.) 1,2
(=Cassia *surattensis* Burm. f.) 2
- 3621000 –PODALYRIA WILLD. Revision: A.S.L. Schelpe
(BOL).
#. PRE HERBARIUM PRACTICE, FOLLOWING
A.S.L. SCHELPE.
- 50 *P. AMOENA* ECKL. & ZEYH.
- 400 *P. BUXIFOLIA* (RETZ.) WILLD.

- 500 P. CALYPTRATA (RETZ.) WILLD. VAR. CALYPTRATA
(=P. styracifolia Bot. Mag.) 1
- 550 P. CALYPTRATA (RETZ.) WILLD. VAR. LANCEOLATA E. MEY.
- 1075 P. HAMATA E. MEY.
- 1100 P. HIRSUTA (AIT.) WILLD.
- 1600 P. MYRTILLIFOLIA (RETZ.) WILLD.
- 1650 P. OLEAEFOLIA SALISB.
- 1870 P. RACEMULOSA ECKL. & ZEYH.
- 2000 P. SERICEA (ANDR.) R. BR. EX AIT. F.
P. styracifolia Bot. Mag. = P. CALYPTRATA VAR. CALYPTRATA
- 2300 P. VELUTINA BURCH. EX BENTH.
- 3657000 -LOTONONIS (DC.) ECKL. & ZEYH.
11. VAN WYK. 1989. BOTHALIA 19.1: 1-8.
12. VAN WYK. 1989. S. AFR. J. BOT. 55.2: 178-183.
13. VAN WYK. 1989. S. AFR. J. BOT. 55.6: 647-661.
14. VAN WYK. 1990. BOTHALIA 20.1: 1-22, 70-80.
- 50 L. ACOCKSII B-E. VAN WYK
- 150 L. ACUTICARPA B-E. VAN WYK
- 670 L. AZUREOIDES B-E. VAN WYK
- 1430 L. BRACTEOSA B-E. VAN WYK
- 1950 L. CARNEA B-E. VAN WYK
- 2130 L. COMPLANATA B-E. VAN WYK
- 3550 L. ESTERHUYSENIANA B-E. VAN WYK
- 3650 L. FILIFORMIS B-E. VAN WYK
- 3850 L. FRUTICOIDES B-E. VAN WYK
- 4130 L. GLOBULOSA B-E. VAN WYK
- 4150 L. GRACILIFOLIA B-E. VAN WYK
- 4750 L. LAMPRIFFOLIA B-E. VAN WYK
- 4850 L. LATICEPS B-E. VAN WYK
- 5140 L. LINEARIFOLIA B-E. VAN WYK
- 5250 L. LONGICEPHALA B-E. VAN WYK
- 5650 L. MAGNIFICA B-E. VAN WYK
- 6550 L. NUTANS B-E. VAN WYK
- 6570 L. OLIGOCEPHALA B-E. VAN WYK
L. oocarpa Dinter ex Wilman = L. SPARSIFLORA
- 6850 L. PACHYCARPA DINTER EX B.E. VAN WYK
- 7330 L. PLICATA B-E. VAN WYK
- 8050 L. PURPURESCENS B-E. VAN WYK
- 8350 L. RACEMIFLORA B-E. VAN WYK
- 8460 L. ROSTRATA BENTH. SUBSP. BRACHYBOTRYS B-E. VAN WYK
- 8465 L. ROSTRATA BENTH. SUBSP. NAMAQUENSIS (H. BOL.) B.E. VAN WYK
- 8667 L. ROSTRATA BENTH. SUBSP. ROSTRATA
- 8550 L. SCHREIBERI B-E. VAN WYK
- 8910 L. SPARSIFLORA (E. MEY.) B-E. VAN WYK
(=L. oocarpa Dinter ex Wilman) 13
- 9050 L. STENOPHYLLA (ECKL. & ZEYH.) B-E. VAN WYK
- 9250 L. SUBULATA B-E. VAN WYK
- 10130 L. VENOSA B-E. VAN WYK
- 3657040 -Gemista L. Southern African species moved to CYCLOPIA, POLHILLIA, MELOLOBIUM
G. involucrata (Thunb.) Briq. = POLHILLIA INVOLUCRATA
- 3660020 -POLHILLIA C.H. STIRTON Revision: C.H. Stirton (K).
2. STIRTON. 1986. S. AFR. J. BOT. 52: 354-356.
3. VAN WYK & SCHUTTE. 1989. KEW BULL. 44.3: 420-421.
- 50 P. BREVICALYX (C.H. STIRTON) VAN WYK & SCHUTTE
(=Argyrobium brevicalyx C.H. Stirton) 3
- 250 P. INVOLUCRATUM (THUNB.) VAN WYK & SCHUTTE
(=Argyrobium involucratum (Thunb.) Harv.) 3
(=Gemista involucrata (Thunb.) Briq.) 2,3
(=Melolobium involucratum (Harv.) C.H. Stirton) 3
(=Psoralea involucrata Thunb.) 3
- 3665000 -MELOLOBIUM ECKL. & ZEYH.
M. involucratum (Thunb.) C.H. Stirton = POLHILLIA INVOLUCRATUM
- 3673000 -ARGYROLOBIUM ECKL. & ZEYH.
A. brevicalyx C.H. Stirton = POLHILLIA BREVICALYX
A. involucratum (Thunb.) Harv. = POLHILLIA INVOLUCRATA
- 3690000 -TRIFOLIUM L.
3. ZACHARY & HELLER. 1984. THE GENUS TRIFOLIUM.
- 100 T. AFRICANUM SER. VAR. AFRICANUM
(=T. africanum Ser. var. glabellum (E. Mey.) Harv.) 3
T. africanum Ser. var. glabellum (E. Mey.) Harv. = T. AFRICANUM VAR. AFRICANUM
- 500 T. ANGUSTIFOLIUM L. VAR. ANGUSTIFOLIUM *
- 700 T. BURCHELLIANUM SER. SUBSP. BURCHELLIANUM
- 800 T. BURCHELLIANUM SER. SUBSP. JOHNSTONII (OLIV.) J.B. GILLET
- 3702000 -INDIGOFERA L. Revision: B. Schrire (PRE).
#. PRE HERBARIUM PRACTICE, FOLLOWING SCHRIRE.
- 450 I. ALOPECUROIDES (BURM. F.) DC. VAR. ALOPECUROIDES
(=I. coriacea Ait. var. alopecuroides (Burm. f.) Harv.) #
I. amoena E. Mey., non Ait. = I. INTERMEDIA
- 850 I. AMORPHOIDES JAUB. & SPACH
- 950 I. ANGSTATA E. MEY.
(=I. stenophylla Eckl. & Zeyh.) #
(=I. zeyheri Spreng. ex Eckl. & Zeyh. var. trifoliolata Eckl. & Zeyh.) #
- 1100 I. ANNUA MILNE-REDH.
- 1400 I. ARGYRAEA ECKL. & ZEYH.
(=I. burchellii E. Mey. var. multifolia E. Mey.) #
(=I. collina Eckl. & Zeyh.) #
I. bifrons E. Mey. = I. BURCHELLII
I. bifrons E. Mey. var. digitata E. Mey. = I. BURCHELLII
I. bifrons E. Mey. var. trifoliata E. Mey. = I. MEYERIANA
- 2850 I. BURCHELLII DC.
(=I. bifrons E. Mey.) #
(=I. bifrons E. Mey. var. digitata E. Mey.) #
I. burchellii E. Mey. var. multifolia E. Mey. = I. ARGYRAEA
I. cardiophylla Harv. = I. MEYERIANA
I. collina Eckl. & Zeyh. = I. ARGYRAEA
I. coriacea Ait. var. alopecuroides (Burm. f.) Harv. = I. ALOPECUROIDES VAR. ALOPECUROIDES
I. dealbata Harv. = I. NIGROMONTANA
I. denudata Jacq., non L. f. = I. INTERMEDIA
- 5900 I. DENUDATA L. F.
I. discolor E. Mey. = I. PROCUMBENS
- 7400 I. ERECTA THUNB.
- 9000 I. FRUTESCENS L. F.
- 9700 I. GLAUDESCENS ECKL. & ZEYH.
(=I. reflexa E. Mey.) #
I. heterophylla Thunb. var. montana Eckl. & Zeyh. = I. NIGROMONTANA
- 11300 I. HOCHSTETTERI BAK. SUBSP. STREYANA (MERXM.) A. SCHREIB.
(=I. senegalensis auct., non Lam.) #
- 11910 I. INTERMEDIA HARV.
(=I. amoena E. Mey., non Ait.) #
(=I. denudata Jacq., non L. f.) #
I. lateritia Bertol. = I. STRICTA
- 12600 I. LEPIDA N.E. BR.
- I. longipes N.E. Br. = I. TENUISSIMA
- 14050 I. MEYERIANA ECKL. & ZEYH.
(=I. bifrons E. Mey. var. trifoliata E. Mey.) #
(=I. cardiophylla Harv.) #

- 14990 I. NIGROMONTANA ECKL. & ZEYH.
(=I. dealbata Harv.) #
(=I. heterophylla Thunb. var. montana Eckl. & Zeyh.) #
(=I. spinescens E. Mey.) #
I. notata N.E. Br. = I. STRICTA
I. procumbens E. Mey. = I. PROCUMBENS
- 17600 I. PROCUMBENS L.
(=I. procumbens L. var. concolor Harv.) #
I. procumbens L. var. concolor Harv. = I. PROCUMBENS
I. reflexa E. Mey. = I. GLAUDESCENS
- 18400 I. RHODANTHA FOURC.
I. senegalensis auct., non Lam. = I. HOCHSTETTERI SUBSP. STREYANA
I. spinescens E. Mey. = I. NIGROMONTANA
I. stenophylla Eckl. & Zeyh. = I. ANGUSTATA
- 20400 I. STRICTA L. F.
(=I. lateritia Bertol.) #
(=I. notata N.E. Br.) #
- 21100 I. TENUISSIMA E. MEY.
(=Anila tenuifolia (Lam.) Kuntze var. filifolia Kuntze) #
(=I. longipes N.E. Br.) #
- 22950 I. WOODII H. BOL. VAR. LAXA H. BOL.
I. zeyheri Spreng. ex Eckl. & Zeyh. var. trifoliolata Eckl. & Zeyh. = I. ANGUSTATA
- 3702020 -Anila Kuntze = INDIGOFERA
A. tenuifolia (Lam.) Kuntze var. filifolia Kuntze = INDIGOFERA TENUISSIMA
- 3703000 -PSORALEA L. Revision: C.H. Stirton (K).
P. involucrata Thunb. = POLHILLIA INVOLUCRATA
- 3718010 -REQUIENIA DC.
100 R. PSEUDOSPHAEROSPERMA (SCHINZ) BRUMMITT
- 3905000 -VIGNA SAVI Revision: B.J. Pienaar (PRE).
3. VERDCOURT. 1971. FTEA 4: 630.
150 V. COMOSA BAK. VAR. COMOSA *
- GERANIACEAE 3924000
- 3927000 -ERODIUM L'HÉRIT.
400 E. MALACOIDES (L.) WILLD.
(Note spelling of species)
- ZYGOPHYLLACEAE Contributed by C.M. van Wyk 3958000
- 3978000 -TRIBULUS L.
1. SCHWEICKERDT. 1937. BOTHALIA 3: 159-178.
2. FRIEDRICH & STETTER. 1973. FSWA 65.5.
3. HADIDI. 1985. FTEA ZYGOPHYLLACEAE: 2-8.
500 T. ZEYHERI SOND. SUBSP. ZEYHERI
- RUTACEAE Contributed by C.M. van Wyk 3986000
- 4076000 -VEPRIS COMM. EX A. JUSS.
3. BOND & GOLDBLATT. 1984. JL S. AFR. BOT. 13: 404.
150 V. LANCEOLATA (LAM.) G. DON
(=V. undulata (Thunb.) Verdoorn & C.A. Sm., nom. illegit.) 3
V. undulata (Thunb.) Verdoorn & C.A. Sm., nom. illegit. = V. LANCEOLATA
- MALPIGHIACEAE Contributed by M. Jordaan 4201000
- 4206000 -TRIASPIS BURCH.
T. transvaalica Kuntze = SPHEDAMNOCARPUS TRANSVAALICUS
- 4219000 -SPHEDAMNOCARPUS PLANCH. EX BENTH. & HOOK. F.
PRE HERBARIUM PRACTICE, FOLLOWING JORDAAN.
- 600 S. TRANSVAALICUS (KUNTZE) BURTT DAVY
(=Triaspis transvaalica Kuntze) #
- POLYGALACEAE Contributed by M. Jordaan 4273000
- 4273000 -POLYGALA L.
5. MERRILL. 1938. JL ARNOLD ARBORETUM 19: 352.
6650 P. SEMINUDA HARV.
- 4278000 -MURALTIA JUSS.
2. PAIVA. 1981. BOTHALIA 13,3 & 4: 458-460.
3. VLOK. 1989. S. AFR. J. BOT. 55,3: 365-368.
1550 M. BONDII VLOK *
- EUPHORBIACEAE Contributed by M. Jordaan 4286000
- 4295000 -PSEUDOLACHNOSTYLIS PAX
2. RADCLIFFE-SMITH. 1987. FTEA EUPHORBIACEAE 1: 81.
175 P. MAPROUNEIFOLIA PAX VAR. GLABRA (PAX) BRENNAN
- 4309000 -DRYPETES VAHL.
2. RADCLIFFE-SMITH. 1987. FTEA EUPHORBIACEAE 1: 92-99.
400 D. NATALENSIS (HARV.) HUTCH. VAR. NATALENSIS
- 4361000 -CAPERONIA ST. HIL.
4. RADCLIFFE-SMITH. 1989. KEW BULL. 44,3: 448.
75 C. FISTULA BEILLE
- 4368000 -ERYTHROCOCCA BENTH.
5. RADCLIFFE-SMITH. 1989. KEW BULL. 44,3: 451.
400 E. TRICHOGYNE (MUELL. ARG.) PRAIN
- 4388000 -ALCHORNEA SWARTZ
1. PAX. 1914. PFLANZENREICH 63: 242.
A. glabrata Muell. Arg. = A. HIRTELLA FORMA GLABRATA
100 A. HIRTELLA BENTH. FORMA GLABRATA (MUELL. ARG.) PAX & K. HOFFM.
(=A. glabrata Muell. Arg.) 1
- 4407000 -ACALYPHA L.
3. RADCLIFFE-SMITH. 1987. FTEA EUPHORBIACEAE 1: 185-213.
4. RADCLIFFE-SMITH. 1989. KEW BULL. 44,3: 445-446.
700 A. FIMBRIATA SCHUMACH. & THONN.
A. moggii Compton = A. ORNATA
1500 A. ORNATA HOCHST. EX A. RICH.
(=A. moggii Compton) 4
A. petiolaris Hochst. = A. VILICAULIS
2550 A. VILICAULIS HOCHST.
(=A. petiolaris Hochst.) 4
- 4444000 -MANIHOT MILL.
2. RADCLIFFE-SMITH. 1987. FTEA EUPHORBIACEAE 1: 367.
200 M. GRAHAMII HOOK.
- 4498000 -EUPHORBIA L.
11. LEACH. 1988. S. AFR. J. BOT. 54,5: 501-503.
12. LEACH. 1988. S. AFR. J. BOT. 54,6: 534-538.
13. CARTER. 1988. FTEA EUPHORBIACEAE 2: 409-531.
14. LEACH & WILLIAMSON. 1990. S. AFR. J. BOT. 56,1: 71-78.
15. BRUYNS. 1990. S. AFR. J. BOT. 56,1: 125-132.

- 5300 E. COOPERI N.E. BR. EX BERGER VAR. COOPERI
 5700 E. CROTONOIDES BOISS. SUBSP. CROTONOIDES
 6150 E. CYATHOPHORA J. MURR. *
 (=Poinsettia cyathophora (J. Murr.) Bartl. *) 12
 7250 E. EPHEDROIDES E. MEY. EX BOISS. VAR.
 DEBILIS LEACH
 7300 E. EPHEDROIDES E. MEY. EX BOISS. VAR.
 EPHEDROIDES
 7350 E. EPHEDROIDES E. MEY. EX BOISS. VAR.
 IMMINUTA LEACH &
 WILLIAMSON
 7750 E. ERYTHRINA LINK VAR. ERYTHRINA
 7775 E. ERYTHRINA LINK VAR. MEYERI N.E. BR.
 8350 E. EXILIS LEACH
 10225 E. GENTILIS N.E. BR. SUBSP. TANQUANA LEACH
 10300 E. GLANDULARIS LEACH & WILLIAMSON
 25200 E. SUFFULTA BRUYNS
- 4498010 -CHAMAESYCE S.F. GRAY Revision: D. Koutnik
 (BOL).
 1700 C. ZAMBESIANA (BENTH.) KOUTNIK VAR.
 ZAMBESIANA
- 4498020 -POINSETTIA R. GRAH.
 P. cyathophora (J. Murr.) Bartl. * = EUPHORBIA
 CYATHOPHORA *
- ANACARDIACEAE Contributed by M. Jordaan 4543000
- 4563000 -LANNEA A. RICH.
 4. KOKWARO. 1986. FTEA ANACARDIACEAE:
 10-26.
 200 L. EDULIS (SOND.) ENGL. VAR. EDULIS
 350 L. SCHIMPERI (A. RICH.) ENGL.
- AQUIFOLIACEAE Contributed by M. Jordaan 4614000
- 4614000 -ILEX L.
 2. VERDCOURT. 1968. FTEA AQUIFOLIACEAE:
 1-3.
 100 I. MITIS (L.) RADLK. VAR. MITIS
- CELASTRACEAE Contributed by M. Jordaan 4618000
- 4626000 -MAYTENUS MOLINA
 2. ROBSON. 1966. FZ 2.2: 358-374.
 1550 M. PUTTERLICKIOIDES (LOES.) EXELL &
 MENDONCA
- SAPINDACEAE Contributed by M. Jordaan 4723000
- 4726000 -CARDIOSPERMUM L.
 2. FOUILLOY & HALLE. 1973. FLORE DU
 GABON 23: 17-20.
 200 C. GRANDIFLORUM SWARTZ VAR. HIRSUTUM
 (WILLD.) RADLK.
- 4734000 -ALLOPHYLUS L.
 3. FOUILLOY & HALLE. 1973. FLORE DU
 GABON 23: 20-55.
 100 A. AFRICANUS BEAUV. VAR. AFRICANUS
- RHAMNACEAE Contributed by C.M. van Wyk 4858000
- 4861000 -ZIZIPHUS MILL.
 2. JOHNSON. 1972. FTEA RHAMNACEAE: 23-31.
 250 Z. SPINA-CHRISTI (L.) DESF. VAR. SPINA-
 CHRISTI *
- MALVACEAE Contributed by J. Taussig 4980000
- 4983000 -ABUTILON MILL.
 1. MEEUSE. 1961. FZ 1: 484-499.
 1400 A. LAURASTER HOCHR.
- CLUSIACEAE Contributed by C.M. van Wyk 5162000
- 5168000 -HYPERICUM L.
 1. WIGHT & ARN. 1834. PRODR. 99.
 2. KILLICK & ROBSON. 1976. FSA 22: 14-20.
 350 H. HOOKERIANUM WIGHT & ARN. *
- VIOLACEAE Contributed by C.M. van Wyk 5258000
- 5274000 -VIOLA L.
 1. VALENTINE, MERXMUELLER & SCHMIDT.
 1968. FLORA EUROPAEA 2: 281.
 2. OBERMEYER. 1976. FSA 22: 50-52.
 150 V. ARVENSIS MURRAY *
- PENAEACEAE Contributed by C.M. van Wyk 5423000
- 5425000 -PENAEA L.
 2. ROURKE & MCDONALD. 1989. S-AFR.
 TYDSKR. PLANTK. 55.4: 400-404.
 650 P. DAHLGRENII ROURKE
- THYMELAEACEAE Contributed by C.M. van Wyk 5429000
- 5435000 -GNIDIA L.
 20. HILLIARD & BURTT. 1989. NOTES R. BOT.
 GDN EDINB. 45.2: 179-223.
 5953 G. SINGULARIS HILLIARD
- LYTHRACEAE Contributed by C.M. van Wyk 5473000
- 5474000 -AMMANNIA L.
 350 A. PRIEURIANA GUILL. & PERR.
- 5476000 -LYTHRUM L.
 3. WEBB. 1968. FLORA EUROPAEA 2: 301.
 400 L. SALICARIA L. *
- COMBRETACEAE Contributed by C.M. van Wyk 5536000
- 5538000 -COMBRETUM LOEFL. Revision: E.F. Hennessy (U.
 D-W.).
 9. EXELL. 1978. FZ 4: 100-160.
 12. CARR & RETIEF. 1989. BOTHALIA 19.1:
 38-40.
 700 C. COLLINUM FRESEN. SUBSP. GAZENSE
 (SWYNN. & BAK. F.) OKAFOR
 (=C. mechowianum O. Hoffm.) 9
 C. mechowianum O. Hoffm. = C. COLLINUM
 SUBSP. GAZENSE
 1955 C. MKUZENSE CARR & RETIEF
- MYRTACEAE Contributed by C.M. van Wyk 5553000
- 5598000 -EUCALYPTUS L'HÉRIT.
 1. KELLY. 1969. EUCALYPTS 20-61.
 100 E. CLADOCALYX F.J. MUELL. *
 200 E. LEHMANNII (SCHAUER.) BENTH. *
- 5599000 -LEPTOSPERMUM J.R. & G. FORST.
 2. THOMPSON. 1989. TELOPEA 3.3: 372-373.
 100 L. LAEVIGATUM (GAERTN.) F. MUELL. *
- MELASTOMATACEAE Contr. by C.M. van Wyk 5627000
- 5642000 -HETEROCENTRON HOOK. ET ARN.
 1. BAILEY & BAILEY. 1977. HORTUS THIRD.
 558.
 50 H. MACROSTACHYUM NAUD.
 (=H. roseum A. Br. & Bouche) 1
 H. roseum A. Br. & Bouche
 = H. MACROSTACHYUM
- APIACEAE Contributed by C.M. van Wyk 5893000
- 5893000 -HYDROCOTYLE L.
 H. hederifolia Burch. = CENTELLA MACRODUS
- 5894000 -CENTELLA L.
 3. BURTT. 1989. NOTES R. BOT. GDN EDINB.
 45.2: 197-198.
 C. hederifolia (Burch.) Drude = C. MACRODUS

- 3450 C. MACRODUS (SPRENG.) B.L. BURTT
(=C. hederifolia (Burch.) Drude) 3
(=Hydrocotyle hederifolia Burch.) 3
- 5950000 -CAUCALIS L.
1. HEYWOOD. 1968. FL. EUROP. 2: 372.
C. daucoides L. * = C. PLATYCARPOS
(Note spelling of species)
- 300 C. PLATYCARPOS L. *
(=C. daucoides L. *) 1
- 6042010 -Bubon L. = PEUCEDANUM
B. montanum Sond. = PEUCEDANUM SONDERI
- 6078000 -ANNESORRHIZA CHAM. & SCHLECHTD.
A. gummifera (L.) Jackson = GLIA CAPENSIS
A. inebrians (Thunb.) Wijnands = GLIA CAPENSIS
- 6078010 -GLIA SOND.
1. BURTT. 1989. NOTES R. BOT. GDN EDINB.
45,2: 200.
- 100 G. CAPENSIS (HOULT.) B.L. BURTT
(=Annesorrhiza gummifera (L.) Jackson) 1
(=Annesorrhiza inebrians (Thunb.) Wijnands) 1
(=G. gummifera (L.) Sond.) 1
(=Peucedanum abbreviatum Meisn., non E. Mey.)
1
G. gummifera (L.) Sond. = G. CAPENSIS
- 6116000 -PEUCEDANUM L.
15. BURTT. 1989. NOTES R. BOT. GDN EDINB.
45,2: 200.
P. abbreviatum Meisn., non E. Mey. = GLIA
CAPENSIS
P. montanum (Sond.) Drude = P. SONDERI
- 2650 P. SONDERI (HIROE) B.L. BURTT
(=Bubon montanum Sond.) 15
(=P. montanum (Sond.) Drude) 15
- ERICACEAE Contributed by C.M. van Wyk 6179000
- 6237000 -ERICA L.
29. DAVIDSON. 1989. S. AFR. J.L. BOT. 55,5:
473.
30. OLIVER. 1990. BOTHALIA 20,1: 41-48.
- 2050 E. AMNICORUM E.G.H. OLIVER
15650 E. CUNONIENSIS E.G.H. OLIVER
56450 E. RIVULARIS L.E. DAVIDSON
62250 E. TEGETIFORMIS E.G.H. OLIVER
- APOCYNACEAE Contributed by C.M. van Wyk 6549000
- 6559000 -CARISSA L.
2. KUPICHA. 1985. FZ 7,2: 398-404.
C. bispinosa (L.) Desf. ex Brenan var.
acuminata (E. Mey.) Codd = C.
BISPINOSA SUBSP. ZAMBESIENSIS
- 200 C. BISPINOSA (L.) DESF. EX BRENNAN SUBSP.
BISPINOSA (Note change in rank)
- 250 C. BISPINOSA (L.) DESF. EX BRENNAN SUBSP.
ZAMBESIENSIS KUPICHA
(=C. bispinosa (L.) Desf. ex Brenan var.
acuminata (E. Mey.) Codd) 2
- 6562000 -LANDOLPHIA BEAUV.
2. KUPICHA. 1985. FZ 7,2: 408-416.
L. capensis Oliv. = ANCYLOBOTRYS CAPENSIS
L. petersiana (Klotzsch) T.-Dyer =
ANCYLOBOTRYS PETERSIANA
- 6562020 -ANCYLOBOTRYS PIERRE
(Note change in spelling of genus)
- 100 A. CAPENSIS (OLIV.) PICHON
(=Landolphia capensis Oliv.) 1
- 200 A. PETERSIANA (KLOTZSCH) PIERRE
(=Landolphia petersiana (Klotzsch) T.-Dyer) 1
- 6686000 -ONCINOTIS BENTH.
2. KUPICHA. 1985. FZ 7,2: 492-495.
O. inandensis Wood & Evans = O. TENUILOBA
- 200 O. TENUILOBA STAPF
(=O. inandensis Wood & Evans) 2
- PERIPLOCACEAE Contributed by C.M. van Wyk 6729000
- 6735000 -ECTADIUM E. MEY.
2. VENTER, KOTZE & VERHOEVEN. 1990. S.
AFR. J.L. BOT. 56,1: 113-124.
- 50 E. LATIFOLIUM (SCHINZ) N.E. BR.
(=E. virgatum E. Mey. var. latifolium Schinz)
2
- 70 E. ROTUNDIFOLIUM (HUBER) VENTER & KOTZE
(=E. virgatum E. Mey. var. rotundifolium
Huber) 2
E. virgatum E. Mey. var. latifolium Schinz =
E. LATIFOLIUM
E. virgatum E. Mey. var. rotundifolium Huber =
E. ROTUNDIFOLIUM
- 300 E. VIRGATUM E. MEY.
- ASCLEPIADACEAE Contributed by C.M. van Wyk & M. Jordaan 6752000
- 6752000 -MICROLOMA R. BR.
3. WANNTORP. 1988. OP. BOT. 98: 5-69.
- 50 M. ARMATUM (THUNB.) SCHLTR.
(=M. massonii (Schultes) Schltr.) 3
- 200 M. CALYGINUM E. MEY. SUBSP. CALYGINUM
225 M. CALYGINUM E. MEY. SUBSP. FLAVESCENS (E.
MEY.) WANNTORP
250 M. CAMPANULATUM WANNTORP
275 M. DREGEI (E. MEY.) WANNTORP
400 M. GLABRATUM E. MEY. SUBSP. GLABRATUM
425 M. GLABRATUM E. MEY. SUBSP.
SUBGLABRATUM WANNTORP
450 M. HEREROENSE WANNTORP
475 M. HYSTRICOIDES WANNTORP
550 M. LANATUM WANNTORP
600 M. LONGITUBUM SCHLTR.
M. massonii (Schultes) Schltr. = M. ARMATUM
- 1050 M. SAGITTATUM (L.) R. BR. SUBSP. PILLANSII
WANNTORP
1100 M. SAGITTATUM (L.) R. BR. SUBSP.
SAGITTATUM
1120 M. SCHAFFERII DINTER
1140 M. SPINOSUM N.E. BR. SUBSP. DINTERI
(SCHLTR.) WANNTORP
1160 M. SPINOSUM N.E. BR. SUBSP. SPINOSUM
1180 M. SPINOSUM N.E. BR. SUBSP. VELUTINUM
WANNTORP
1200 M. TENUIFOLIUM (L.) K. SCHUM.
1300 M. VIRIDIFLORUM N.E. BR.
- 6777000 -XYSMALOBIMUM R. BR. Revision: J. Stewart (K).
5. BRUYNIS. 1990. S. AFR. J.L. BOT. 56,1:
125-132.
- 450 X. FLUVIALE BRUYNIS
600 X. GOMPHOCARPOIDES (E. MEY.) D. DIETR.
VAR. GOMPHOCARPOIDES
650 X. GOMPHOCARPOIDES (E. MEY.) D. DIETR.
VAR. PARVILOBUM BRUYNIS
1650 X. WOODII N.E. BR.
- 6778000 -SCHIZOGLOSSUM E. MEY.
2. HILLIARD. 1989. NOTES R. BOT. GDN
EDINB. 45,2: 179-223.
- 500 S. AMATOLICUM HILLIARD
9300 S. RUBIGINOSUM HILLIARD
- 6778010 -ASPIDOGLOSSUM E. MEY.
2. HILLIARD. 1989. NOTES R. BOT. GDN
EDINB. 45,2: 179-223.
- 550 A. DIFFICILE HILLIARD
2200 A. XANTHOSPHAERUM HILLIARD

- 6787010 –PACHYCARPUS E. MEY.
1800 P. MACROCHILUS (SCHLTR.) N.E. BR.
2450 P. ROSTRATUS N.E. BR. (Note new species number)
- 6874000 –CEROPEGIA L.
4600 C. RENDALLII N.E. BR. (Note change in spelling)
- 6883000 –DUVALIA HAW. Revision: L.C. Leach (NBG).
2. LEACH, 1989, S. AFR. J. BOT. 55.2: 268.
850 D. IMMACULATA (LUCKHOFF) BAYER EX LEACH
- 6884010 –QUAQUA N.E. BR. Revision: L.C. Leach (NBG).
1100 Q. MAMMILLARIS (L.) BRUYNS
(Note correction to spelling)
- 6887000 –HUERNIA R. BR. Revision: L.C. Leach (NBG).
5100 H. VOLKARTII PEITSCH. EX WERDERM. &
PEITSCH. VAR. VOLKARTII
- 6889000 –PECTINARIA HAW. Revision: L.C. Leach (NBG).
4. BRUYNS, 1978, J. S. AFR. BOT. 44.2:
153–166.
550 P. EXASPERATA BRUYNS
- ACANTHACEAE Contributed by W.G. Welman 7906000
- 7982000 –ACANTHOPSIS HARV.
450 A. HORRIDA NEES
- RUBIACEAE Contributed by W.G. Welman 8119000
- 8348000 –PENTANISIA HARV.
220 P. PRUNELLOIDES (KLOTZSCH EX ECKL. &
ZEYH.) WALP. SUBSP.
LATIFOLIA (HOCHST.) VERDC.
230 P. PRUNELLOIDES (KLOTZSCH EX ECKL. &
ZEYH.) WALP. SUBSP.
PRUNELLOIDES
- ASTERACEAE Contributed by W.G. Welman 8729000
- 8992000 –GNAPHALIUM L.
G. eximium L. = SYNCARPHA EXIMIA
G. milleflorum L. = SYNCARPHA MILLEFLORA
- 9000000 –HELIPTERUM DC. Revision: B. Nordenstam (S)
#. PRE HERBARIUM PRACTICE, FOLLOWING
HILLIARD.
H. affine B. Nord. = SYNCARPHA AFFINIS
H. argyropsis DC. = SYNCARPHA ARGYROPSIS
H. brachypterum Levyns = SYNCARPHA ZEYHERI
H. canescens (L.) DC. var. canescens =
SYNCARPHA CANESCENS SUBSP.
CANESCENS
H. canescens (L.) DC. var. leucolepis DC. =
SYNCARPHA CANESCENS SUBSP.
LEUCOLEPIS
H. canescens (L.) DC. var. tricolor DC. =
SYNCARPHA CANESCENS SUBSP.
TRICOLOR
H. citrinum (Less.) Harv. & Sond. = SYNCARPHA
AFFINIS
H. dregeanum DC. = SYNCARPHA DREGEANA
H. eximium (L.) DC. = SYNCARPHA DREGEANA
H. ferrugineum (Lam.) DC. = SYNCARPHA
FERRUGINEA
H. flavum Compton = SYNCARPHA FLAVA
H. gnaphaloides (L.) DC. = SYNCARPHA
GNAPHALOIDES
H. loganianum Compton = SYNCARPHA
LOGANIANA
H. marlothii Schltr. = SYNCARPHA MARLOTHII
H. milleflorum (L.) Druce = SYNCARPHA
MILLEFLORA
H. montanum B. Nord. = SYNCARPHA MONTANA
H. phlomoides (Lam.) DC. = SYNCARPHA
MILLEFLORA
H. seminudum Sch. Bip. = SYNCARPHA
SPECIOSISSIMA SUBSP.
SPECIOSISSIMA
- H. speciosissimum (L.) DC. var. angustifolium
DC. = SYNCARPHA SPECIOSISSIMA
SUBSP. ANGUSTIFOLIA
H. speciosissimum (L.) DC. var. speciosissimum
= SYNCARPHA SPECIOSISSIMA
SUBSP. SPECIOSISSIMA
H. variegatum (Berg.) DC. = SYNCARPHA
VARIEGATA
H. virgatum (Berg.) DC. = SYNCARPHA VIRGATA
H. zeyheri Sond. = SYNCARPHA ZEYHERI
H. SPP.
(=Helichrysum chlorochrysum DC.) #
(=Helichrysum mucronatum Less.) #
- 9000010 –SYNCARPHA DC.
1. NORDENSTAM, 1989, COMP. NEWSL. 17: 2–6.
#. PRE HERBARIUM PRACTICE, FOLLOWING
WELMAN.
100 S. AFFINIS (B. NORD.) B. NORD.
(=Helichrysum citrinum Less.) 1
(=Helipterum affine B. Nord.) 1
(=Helipterum citrinum (Less.) Harv. & Sond.)
1
200 S. ARGENTEA (THUNB.) B. NORD.
(=Helichrysum argenteum (Thunb.) Thunb.) 1
300 S. ARGYROPSIS (DC.) B. NORD.
(=Helipterum argyropsis DC.) 1
400 S. CANESCENS (L.) B. NORD. SUBSP.
CANESCENS
(=Helipterum canescens (L.) DC. var.
canescens) 1
(=Xeranthemum canescens L.) 1
500 S. CANESCENS (L.) B. NORD. SUBSP.
LEUCOLEPIS (DC.) B. NORD.
(=Helipterum canescens (L.) DC. var.
leucolepis DC.) 1
600 S. CANESCENS (L.) B. NORD. SUBSP. TRICOLOR
(DC.) B. NORD.
(=Helipterum canescens (L.) DC. var. tricolor
DC.) 1
700 S. DREGEANA (DC.) B. NORD.
(=Helipterum dregeanum DC.) 1
800 S. DYKEI (H. BOL.) B. NORD.
(=Helichrysum dykei H. Bol.) 1
900 S. EXIMIA (L.) B. NORD.
(=Gnaphalium eximium L.) 1
(=Helipterum eximium (L.) DC.) 1
1000 S. FERRUGINEA (LAM.) B. NORD.
(=Helipterum ferrugineum (Lam.) DC.) 1
(=Xeranthemum ferrugineum Lam.) 1
1100 S. FLAVA (COMPTON) B. NORD.
(=Helipterum flavum Compton) 1
1200 S. GNAPHALOIDES (L.) DC.
(=Helipterum gnaphaloides (L.) DC.) 1
(=Staelia gnaphaloides L.) 1
1300 S. LEPIDODOIDIUM (H. BOL.) B. NORD.
(=Helichrysum lepidodoidium H. Bol.) 1
1400 S. LOGANIANA (COMPTON) B. NORD.
(=Helipterum loganianum Compton) 1
1500 S. MARLOTHII (SCHLTR.) B. NORD.
(=Helipterum marlothii Schltr.) 1
1600 S. MILLEFLORA (L. F.) B. NORD.
(=Gnaphalium milleflorum L. f.) 1
(=Helipterum milleflorum (L. f.) Druce) 1
(=Helipterum phlomoides (Lam.) DC.) 1
1700 S. MONTANA (B. NORD.) B. NORD.
(=Helipterum montanum B. Nord.) 1
1800 S. PANICULATA (L.) B. NORD.
(=Helichrysum paniculatum (L.) Willd.) 1
1900 S. RECURVATA (L. F.) B. NORD.
(=Helichrysum recurvatum (L. f.) Thunb.) 1
2000 S. SORDESCENS (DC.) B. NORD.
(=Helichrysum sordescens DC.) 1
2100 S. SPECIOSISSIMA (L.) B. NORD. SUBSP.
ANGUSTIFOLIA (DC.) B. NORD.
(=Helipterum speciosissimum (L.) DC. var.
angustifolium DC.) 1
2200 S. SPECIOSISSIMA (L.) B. NORD. SUBSP.
SPECIOSISSIMA

- (=Helipterum seminudum Sch. Bip.) #
 (=Helipterum speciosissimum (L.) DC. var. speciosissimum) 1
 (=Xeranthemum speciosissimum L.) 1
- 2300 S. STRIATA (THUNB.) B. NORD.
 (=Helichrysum striatum (Thunb.) Thunb.) 1
- 2400 S. VARIEGATA (BERG.) B. NORD.
 (=Helipterum variegatum (Berg.) DC.) 1
 (=Helichrysum variegatum Thunb.) #
- 2500 S. VESTITA (L.) B. NORD.
 (=Helichrysum vestitum (L.) Willd.) 1
- 2600 S. VIRGATA (BERG.) B. NORD.
 (=Helipterum virgatum (Berg.) DC.) 1
 (=Helichrysum virgatum Willd.) #
- 2700 S. ZEYHERI (SOND.) B. NORD.
 (=Helipterum brachypterum Levyns) 1
 (=Helipterum zeyheri Sond.) 1
- 9006000 -HELICHRYSUM MILL.
 H. argenteum (Thunb.) Thunb. = SYNCARPHA ARGENTEA
 H. citrinum Less. = SYNCARPHA AFFINIS
 H. dykei H. Bol. = SYNCARPHA DYKEI
 H. lepidopodium H. Bol. = SYNCARPHA LEPIDOPODIUM
 H. paniculatum (L.) Willd. = SYNCARPHA PANICULATA
- H. recurvatum (L. f.) Thunb. = SYNCARPHA RECURVATA
 H. sordescens DC. = SYNCARPHA SORDESCENS
 H. striatum (Thunb.) Thunb. = SYNCARPHA STRIATA
 H. variegatum Thunb. = SYNCARPHA VARIEGATA
 H. vestitum (L.) Willd. = SYNCARPHA VESTITA
 H. virgatum Willd. = SYNCARPHA VIRGATA
- 9432000 -ARCTOTIS L.
 1. LEWIN. 1922. FEDDES REPRIMUM BEIH. II. 1800 A. DECURRENS JACQ.
- 9445000 -Xeranthemum L. Southern African spp. moved to DICOMA, DOLICHOTHRIX, EDMONDIA, HELICHRYSUM, PHAENOCOMA, SYNCARPHA
 X. canescens L. = SYNCARPHA CANESCENS SUBSP. CANESCENS
 X. ferrugineum Lam. = SYNCARPHA FERRUGINEA
 X. speciosissimum L. = SYNCARPHA SPECIOSISSIMA SUBSP. SPECIOSISSIMA
- 9456000 -Staelina L. = LACHNOSPERMUM, SYNCARPHA
 S. gnaphaloides L. = SYNCARPHA GNAPHALOIDES